

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:AddA - Avonburg silt loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:AddB2 - Avonburg silt loam, 2 to 4 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:AfsB - Alvin-Princeton fine sandy loams, 2 to 6 percent slopes

Text kind/Category: Edit notes/innitrate

17

Map unit:AfsC2 - Alvin-Princeton fine sandy loams, 6 to 12 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

17

Map unit:AmkA - Ayrshire fine sandy loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:BbhA - Bartle silt loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:BbiB - Bartle-Pekin silt loams, 2 to 6 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:BcrAW - Beanblossom silt loam, 1 to 3 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:BdhAH - Bellcreek silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration

Text kind/Category: Edit notes/innitrate

7

Map unit:BfbAH - Bellcreek silt loam, 0 to 1 percent slopes, frequently flooded, brief duration

Text kind/Category: Edit notes/innitrate

7

Map unit:BgeAHU - Birds silt loam, undrained, 0 to 1 percent slopes, frequently flooded, brief duration

Text kind/Category: Edit notes/innitrate

5

Map unit:BgeAW - Birds silt loam, 0 to 1 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:BlgC2 - Blocher-Cincinnati silt loams, 6 to 12 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:BlgC3 - Blocher-Cincinnati silt loams, 6 to 12 percent slopes, severely eroded

Text kind/Category: Edit notes/innitrate

5

Map unit:BlhD2 - Blocher-Bonnell silt loams, 12 to 25 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:BluC - Bloomfield-Alvin loamy sands, 6 to 12 percent slopes

Text kind/Category: Edit notes/innitrate

17

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:BnuD3 - Bonnell-Hickory-Blocher complex, 12 to 25 percent slopes, severely eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:BobE5 - Bonnell-Hickory clay loams, 15 to 30 percent slopes, gullied

Text kind/Category: Edit notes/innitrate

7

Map unit:BodAV - Bonnie silt loam, 0 to 1 percent slopes, frequently flooded, very brief duration

Text kind/Category: Edit notes/innitrate

7

Map unit:CldB2 - Cincinnati-Blocher silt loams, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:ClfA - Cobbsfork silt loam, 0 to 1 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:CmbAW - Cohoctah loam, 0 to 1 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

17

Map unit:CmzA - Cliftycreek silt loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:CmzB2 - Cliftycreek silt loam, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

11

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:CmzC2 - Cliftycreek silt loam, 6 to 12 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

11

Map unit:ColD2 - Coolville-Rarden-Stonehead silt loams, 12 to 18 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:ConC3 - Coolville-Rarden complex, 6 to 12 percent slopes, severely eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:CudA - Crosby silt loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:CulB - Crosby-Williamstown silt loams, 2 to 4 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:CxdA - Cyclone silty clay loam, 0 to 1 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:DbqE - Deam silt loam, very deep, 15 to 30 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:EcyAH - Eel loam, 0 to 2 percent slopes, frequently flooded, brief duration

Text kind/Category: Edit notes/innitrate

11

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:EcyAW - Eel loam, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:EdeAW - Eel silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:EepAQ - Elkinsville silt loam, 0 to 2 percent slopes, rarely flooded

Text kind/Category: Edit notes/innitrate

11

Map unit:FdbA - Fincastle silt loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:FdqB - Fincastle-Xenia silt loams, 2 to 4 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:FexA - Fox loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:FexAQ - Fox loam, 0 to 2 percent slopes, rarely flooded

Text kind/Category: Edit notes/innitrate

11

Map unit:FexB2 - Fox loam, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

11

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:FgqC3 - Fox-Casco sandy loams, 6 to 12 percent slopes, severely eroded

Text kind/Category: Edit notes/innitrate

11

Map unit:GccAH - Genesee loam, 0 to 2 percent slopes, frequently flooded, brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:GccAW - Genesee loam, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:GcpAW - Genesee silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:GgbG - Gilwood-Brownstown silt loams, 25 to 75 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:GgfD2 - Gilwood-Wrays silt loams, 12 to 25 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:HcgAW - Haymond silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:HctAW - Haymond-Wirt silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:HeoF - Hickory silt loam, 25 to 50 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:HleAW - Holton silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:KugG - Kurtz-Gnawbone silt loams, 20 to 60 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:LeaA - Lauer silt loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:MecAQ - Martinsville loam, 0 to 2 percent slopes, rarely flooded

Text kind/Category: Edit notes/innitrate

11

Map unit:MecB - Martinsville loam, 2 to 6 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:MfwA - Martinsville loam, sandy substratum, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:MfwAQ - Martinsville loam, sandy substratum, 0 to 2 percent slopes, rarely flooded

Text kind/Category: Edit notes/innitrate

11

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:MfwB2 - Martinsville loam, sandy substratum, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

11

Map unit:MfxA - Martinsville sandy loam, sandy substratum, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:MhuA - McGary silt loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:MhyB - Medora silt loam, 2 to 6 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:MhyC2 - Medora silt loam, 6 to 12 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:MjjAH - Medway silty clay loam, 0 to 2 percent slopes, frequently flooded, brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:MmoC3 - Miami clay loam, 6 to 12 percent slopes, severely eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:MmoD3 - Miami clay loam, 12 to 18 percent slopes, severely eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:MnpB2 - Miami silt loam, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:MnpC2 - Miami silt loam, 6 to 12 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:MnpD2 - Miami silt loam, 12 to 18 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:MqbA - Milton silt loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:MqbB2 - Milton silt loam, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:MqbC2 - Milton silt loam, 6 to 12 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:MrbF - Milton-Rock outcrop complex, 25 to 40 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:NaaB2 - Nabb silt loam, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:NpcA - Nineveh gravelly sandy loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

17

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:NpcAQ - Nineveh gravelly sandy loam, 0 to 2 percent slopes, rarely flooded

Text kind/Category: Edit notes/innitrate

17

Map unit:NpeA - Nineveh sandy loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:NpeAQ - Nineveh sandy loam, 0 to 2 percent slopes, rarely flooded

Text kind/Category: Edit notes/innitrate

11

Map unit:NpeB2 - Nineveh sandy loam, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

11

Map unit:ObaA - Ockley loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:OfaAW - Oldenburg silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:Omz - Orthents, earthen dam

Text kind/Category: Edit notes/innitrate

0

Map unit:PcrB2 - Pekin silt loam, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:PcrC2 - Pekin silt loam, 6 to 12 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:PcrC3 - Pekin silt loam, 6 to 12 percent slopes, severely eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:PhaA - Peoga silt loam, 0 to 1 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:PlpAV - Piopolis silty clay loam, 0 to 1 percent slopes, frequently flooded, very brief duration

Text kind/Category: Edit notes/innitrate

7

Map unit:Pml - Pits, quarry

Text kind/Category: Edit notes/innitrate

0

Map unit:PnnD - Pike-Chetwynd silt loams, 12 to 20 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:PnnF - Pike-Chetwynd silt loams, 20 to 50 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:Ppu - Pits, sand and gravel

Text kind/Category: Edit notes/innitrate

0

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:RctD3 - Rarden-Coolville complex, 12 to 22 percent slopes, severely eroded

Text kind/Category: Edit notes/innitrate

5

Map unit:RehA - Rensselaer-Treaty silt loams, 0 to 1 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:ReyA - Rensselaer loam, 0 to 1 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:ReyAQ - Rensselaer loam, 0 to 1 percent slopes, rarely flooded

Text kind/Category: Edit notes/innitrate

11

Map unit:RqaG - Rodman sandy loam, 25 to 50 percent slopes

Text kind/Category: Edit notes/innitrate

17

Map unit:RtxAH - Rossburg silt loam, 0 to 2 percent slopes, frequently flooded, brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:RtxAK - Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded, brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:RywB2 - Russell silt loam, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

11

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:SfyA - Shircliff silt loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:SifE - Senachwine loam, 18 to 25 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:SifG - Senachwine loam, 25 to 70 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:SldAH - Shoals silt loam, 0 to 2 percent slopes, frequently flooded, brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:SldAW - Shoals silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:SnfA - Sleeth loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:SoaB - Spickert silt loam, 2 to 6 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:SocAH - Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded, brief duration

Text kind/Category: Edit notes/innitrate

11

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:SocAW - Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:SoeC2 - Spickert-Wrays silt loams, 6 to 18 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:SolC2 - Spickert-Wrays silt loams, 6 to 12 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:SolC3 - Spickert-Wrays silt loams, 6 to 12 percent slopes, severely eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:StaAV - Steff silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:StdAQ - Stendal silt loam, 0 to 2 percent slopes, rarely flooded

Text kind/Category: Edit notes/innitrate

11

Map unit:StdAV - Stendal silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:StmB - Stonehead silt loam, 2 to 6 percent slopes

Text kind/Category: Edit notes/innitrate

7

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:SucC2 - Stonehead-Coolville silt loams, 6 to 12 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:SujD5 - Stonehead silt loam, 10 to 20 percent slopes, gullied

Text kind/Category: Edit notes/innitrate

7

Map unit:SulC2 - Stonehead-Wellrock silt loams, 6 to 15 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:SuoAH - Stonelick fine sandy loam, 0 to 2 percent slopes, frequently flooded, brief duration

Text kind/Category: Edit notes/innitrate

17

Map unit:Uaz - Udorthents, sandy

Text kind/Category: Edit notes/innitrate

0

Map unit:Uby - Udorthents, loamy

Text kind/Category: Edit notes/innitrate

0

Map unit:UemB - Urban land-Alvin-Princeton complex, 2 to 6 percent slopes

Text kind/Category: Edit notes/innitrate

17

Map unit:UemC - Urban land-Alvin-Princeton complex, 6 to 12 percent slopes

Text kind/Category: Edit notes/innitrate

17

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:UenA - Urban land-Fox complex, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:UenB - Urban land-Fox complex, 2 to 6 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:UepC - Urban land-Fox-Casco complex, 6 to 12 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:UfcB - Urban land-Cincinnati-Nabb complex, 2 to 12 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:UfdA - Urban land-Cobbsfork-Avonburg complex, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:UfnA - Urban land-Crosby complex, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:UfoA - Urban land-Cyclone complex, 0 to 1 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:UfxA - Urban land-Fincastle complex, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:UfyB - Urban land-Fincastle-Russell complex, 2 to 6 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:UhyA - Urban land-Martinsville, sandy substratum, complex, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:UkbC - Urban land-Miami complex, 6 to 12 percent slopes

Text kind/Category: Edit notes/innitrate

7

Map unit:UkpA - Urban land-Ockley complex, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:UkqA - Urban land-Nineveh complex, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:UkqB - Urban land-Nineveh complex, 2 to 6 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:UmqA - Urban land-Sleeth complex, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:UnnA - Urban land-Westland complex, 0 to 1 percent slopes

Text kind/Category: Edit notes/innitrate

11

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:Usl - Udorthents, rubbish

Text kind/Category: Edit notes/innitrate

0

Map unit:W - Water

Text kind/Category: Edit notes/innitrate

0

Map unit:WaaAV - Wakeland silt loam, 0 to 2 percent slopes, frequently flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:WaaAW - Wakeland silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:WacAW - Wakeland-Birds silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:WbiAW - Wilbur-Wakeland silt loams, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:WdIC2 - Wawaka loam, 6 to 12 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:WdrB2 - Wawaka silt loam, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

11

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:WokAW - Wilbur silt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:WolAV - Wilhite silty clay, 0 to 1 percent slopes, frequently flooded, very brief duration

Text kind/Category: Edit notes/innitrate

5

Map unit:WprAV - Wirt loam, 0 to 2 percent slopes, frequently flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:WprAW - Wirt loam, 0 to 2 percent slopes, occasionally flooded, very brief duration

Text kind/Category: Edit notes/innitrate

11

Map unit:WqlA - Westland clay loam, 0 to 1 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:WqlAQ - Westland clay loam, 0 to 1 percent slopes, rarely flooded

Text kind/Category: Edit notes/innitrate

11

Map unit:WsuA - Whitaker loam, 0 to 2 percent slopes

Text kind/Category: Edit notes/innitrate

11

Map unit:WsyAQ - Whitaker sandy loam, 0 to 2 percent slopes, rarely flooded

Text kind/Category: Edit notes/innitrate

11

Indiana Nitrate Leaching Index

Bartholomew County, Indiana

Map unit:WufB2 - Williamstown silt loam, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:XabB2 - Xenia silt loam, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

11

Map unit:XfuB2 - Miami-Rainsville silt loams, 2 to 6 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:XrbC2 - Miami-Rainsville loams, 6 to 12 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:XrkD2 - Miami-Kendallville loams, 12 to 18 percent slopes, eroded

Text kind/Category: Edit notes/innitrate

7

Map unit:ZboA - Zipp silty clay loam, 0 to 1 percent slopes

Text kind/Category: Edit notes/innitrate

7