

TABLE 6.--Main Cropland and Pastureland Limitations and Hazards

(See text for a description of the limitations and hazards listed in this table.)

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
AvA: Avonburg-----	Wetness, limited rooting depth (fragipan), low ph, crusting, moderate available water capacity, restricted permeability.	Trafficability limitation, limited rooting depth (fragipan), low ph.
Ba: Bartle-----	Wetness, limited rooting depth (fragipan), low ph, crusting, moderate available water capacity, restricted permeability.	Trafficability limitation, limited rooting depth (fragipan), low ph.
BbhA: Bartle-----	Wetness, low ph, crusting, moderate available water capacity, restricted permeability.	Trafficability limitation, low ph.
BbiB: Bartle-----	Wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Trafficability limitation, low ph, water erosion.
Pekin-----	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
BcrAW: Beanblossom-----	Flooding, low ph, crusting, moderate available water capacity.	Flooding, low ph.
Be: Beanblossom-----	Flooding, low ph, moderate available water capacity.	Flooding, low ph.
BeG: Berks-----	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
BgF: Berks-----	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Trevlac-----	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Wellston-----	Equipment limitation(slope), low ph, water erosion, moderate available water	Equipment limitation(slope), low ph, water erosion.

TABLE 6.--Main Cropland and Pastureland Limitations and Hazards--Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
BlgC2:		
Blocher-----	Low ph, crusting, water erosion, restricted permeability.	Low ph, water erosion.
Cincinnati-----	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
BlhD2:		
Blocher-----	Equipment limitation(slope), low ph, crusting, water erosion, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Bonnell-----	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
BnD2:		
Bonnell-----	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
BpD3:		
Bonnell-----	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
CdD2:		
Chetwynd-----	Equipment limitation(slope), low ph, crusting, water erosion.	Equipment limitation(slope), low ph, water erosion.
CdF:		
Chetwynd-----	Equipment limitation(slope), low ph, water erosion.	Equipment limitation(slope), low ph, water erosion.
CnC2:		
Cincinnati-----	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
CwB:		
Crosby-----	Wetness, limited rooting depth (dense till), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Trafficability limitation, limited rooting depth (dense till), low ph, water erosion.
FdbA:		
Fincastle-----	Wetness, low ph, crusting.	Trafficability limitation, low ph.

TABLE 6.--Main Cropland and Pastureland Limitations and Hazards--Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
FdgB: Fincastle-----	Wetness, low ph, crusting, water erosion.	Trafficability limitation, low ph, water erosion.
Xenia-----	Low ph, crusting, water erosion.	Low ph, water erosion.
GgbG: Gilwood-----	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Brownstown-----	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
GgfD2: Gilwood-----	Equipment limitation(slope), low ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Wrays-----	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
GnF: Gilpin-----	Equipment limitation(slope), low ph, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
GpD: Gilpin-----	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Wellston-----	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Hc: Haymond-----	Flooding, low ph, crusting.	Flooding, low ph.
HeoF: Hickory-----	Equipment limitation(slope), low ph, water erosion.	Equipment limitation(slope), low ph, water erosion.
HkD2: Hickory-----	Equipment limitation(slope), low ph, crusting, water erosion.	Equipment limitation(slope), low ph, water erosion.
HkF: Hickory-----	Equipment limitation(slope),	Equipment limitation(slope),

| low ph, water erosion.                      | low ph, water erosion.  
 TABLE 6.--Main Cropland and Pastureland Limitations and Hazards--Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
KugG: Kurtz-----	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Gnawbone-----	Equipment limitation(slope), low ph, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
MnC2: Miami-----	Equipment limitation(slope), limited rooting depth (dense till), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), limited rooting depth (dense till), low ph, water erosion.
Omz: Orthents-----	Not rated.	Not rated.
PcrC2: Pekin-----	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
PeB: Pekin-----	Limited rooting depth (fragipan), low ph, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
PeC2: Pekin-----	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
RoB2: Rossmoyne-----	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion.
Sf: Steff-----	Flooding, low ph, crusting.	Flooding, low ph.
SifG: Senachwine-----	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.

TABLE 6.--Main Cropland and Pastureland Limitations and Hazards--Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
SoaB: Spickert-----	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
SoeC2: Spickert-----	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Wrays-----	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
St: Stendal-----	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
StmB: Stonehead-----	Low ph, water erosion, restricted permeability.	Low ph, water erosion.
SucC2: Stonehead-----	Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
Coolville-----	Wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Low ph, water erosion.
SulC2: Stonehead-----	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Wellrock-----	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Sv: Stendal-----	Flooding, ponding, wetness, low ph, crusting.	Flooding, ponding, trafficability limitation, low ph.
SwC2: Stonehead-----	Low ph, crusting, water erosion, restricted permeability.	Low ph, water erosion.

TABLE 6.--Main Cropland and Pastureland Limitations and Hazards--Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
SwD3: Stonehead-----	Equipment limitation(slope), wetness, low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
SxD2: Stonehead-----	Equipment limitation(slope), low ph, crusting, water erosion, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
Trevlac-----	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.
TlB: Tilsit-----	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability. Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion. Low ph, water erosion.
TlC2: Tilsit-----	Limited rooting depth (fragipan), low ph, crusting, water erosion, moderate available water capacity, restricted permeability. Low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (fragipan), low ph, water erosion. Low ph, water erosion.
Ud: Udorthents, loamy-----	Not rated.	Not rated.
W: Water-----	Water.	Water.
WacAW: Wakeland-----	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
Birds-----	Flooding, ponding, wetness, low ph, crusting.	Flooding, ponding, wetness, trafficability limitation, low ph.

TABLE 6.--Main Cropland and Pastureland Limitations and Hazards--Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
WaD:		
Wellston-----	Equipment limitation(slope), low ph, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Berks-----	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
Trevlac-----	Equipment limitation(slope), low ph, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
WbiAW:		
Wilbur-----	Flooding, low ph, crusting.	Flooding, low ph.
Wakeland-----	Flooding, wetness, low ph, crusting.	Flooding, trafficability limitation, low ph.
WeC2:		
Wellston-----	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Gilpin-----	Equipment limitation(slope), low ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion, low available water capacity.
WeD2:		
Wellston-----	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity.	Equipment limitation(slope), low ph, water erosion.
Wt:		
Wilbur-----	Flooding, low ph, crusting.	Flooding, low ph.
XfuB2:		
Miami-----	Limited rooting depth (dense till), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (dense till), low ph, water erosion.
Rainsville-----	Low ph, crusting, water erosion.	Low ph, water erosion.
XrbC2:		
Miami-----	Limited rooting depth (dense till), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Limited rooting depth (dense till), low ph, water erosion.
Rainsville-----	Low ph, crusting, water erosion.	Low ph, water erosion.

TABLE 6.--Main Cropland and Pastureland Limitations and Hazards--Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
XrkD2:		
Miami-----	Equipment limitation(slope), limited rooting depth (dense till), low ph, crusting, water erosion, low available water capacity, restricted permeability.	Equipment limitation(slope), limited rooting depth (dense till), low ph, water erosion, low available water capacity.
Kendallville-----	Equipment limitation(slope), low ph, crusting, water erosion, moderate available water capacity, restricted permeability.	Equipment limitation(slope), low ph, water erosion.