

**NATURAL RESOURCES CONSERVATION SERVICE
CONSERVATION PRACTICE STANDARD**

WATERING FACILITY

**(No.)
CODE 614**

DEFINITION

A permanent or portable device to provide an adequate amount and quality of drinking water for livestock and or wildlife.

PURPOSE

To provide access to drinking water for livestock and/or wildlife in order to:

- Meet daily water requirements
- Improve animal distribution
- Protect streams, ponds and water supplies from contamination by providing alternative access to water.

CONDITIONS WHERE PRACTICE APPLIES

This practice applies to all land uses where there is a need for new or improved watering facilities for livestock and/or wildlife.

CRITERIA

General Criteria Applicable to All Purposes

Design watering facilities with adequate capacity and supply to meet the daily water requirements of the livestock and/or wildlife planned to use the facility. Include the storage volume necessary to provide water between periods of replenishment.

Facilities with solar powered water pumps shall include a water storage reservoir with capacity for 300 percent of the total daily water requirements unless adequate battery storage is provided.

Refer to the National Range and Pasture Handbook for guidance on livestock water quantity and quality requirements. For wildlife, base water quantity and quality requirements on targeted species needs.

Locate facilities to promote even grazing distribution and reduce grazing pressure on sensitive areas.

Design the watering facility to provide adequate access to the animals planned to use the facility. Incorporate escape features into the watering facility design unless local knowledge and experience indicate that wildlife will not be at risk of drowning.

Include design elements to meet the specific needs of the animals that are planned to use the watering facility, both livestock and wildlife.

Protect areas around watering facilities where animal concentrations or overflow from the watering facility will cause resource concerns or threaten the integrity of the facility. Use criteria in NRCS Conservation Practice Standard 561, Heavy Use Area Protection to design the protection, as needed, for permanent or portable facilities. When needed, overflow shall be piped to a stable or suitable point of release.

Install permanent watering facilities on a firm, level, foundation that will not settle differentially. Examples of suitable foundation materials are bedrock, compacted gravel and stable, well compacted soils.

Design and install watering facilities to prevent overturning by wind and animals.

Design watering facilities and all valves and controls to withstand or be protected from damage by livestock, wildlife, freezing and ice damage.

Watering facilities shall be made from durable materials that have a life expectancy that meets or exceeds the planned useful life of the installation. Follow appropriate NRCS design procedures for the material being used or industry standards where NRCS standards do not exist.

Use the criteria in NRCS Conservation Practice Standard 516, Pipeline, to design piping associated with the watering facility. Include backflow prevention devices on facilities connected to wells, domestic or municipal water systems.

CONSIDERATIONS

Water requirements in Massachusetts may be based on the following table:

Animal	Daily Requirement per Animal
Dairy Cow	25 gallons
Beef	20 gallons
Horse	12 gallons
Sheep or Goat	3 gallons

Design fences associated with the watering facilities to allow safe access and exit for area wildlife species. To protect bats and other species that access water by skimming across the surface, fencing material should not extend across the water surface. If fencing across the water is necessary it should be made highly visible by avoiding the use of single wire fences and using fencing materials such as woven wire or by adding streamers or coverings on the fence.

For watering facilities that will be accessible to wildlife, give consideration to the effects the location of the facility will have on target and non-target species. Also consider the effect of introducing a new water source within the ecosystem in the vicinity of the facility. This should include things such as the concentration of grazing, predation, entrapment, drowning, disease transmission, hunting and expansion of the wildlife populations beyond the carrying capacity of available habitat.

Consider the following guidelines for materials commonly used for watering facilities.

Concrete	3000 psi compressive strength
Galvanized Steel	20 gauge thickness
Plastic	Ultraviolet resistance
Fiberglass	Ultraviolet resistance

Where water is supplied continuously or under pressure to the watering facility consider the use of automatic water level controls to control the flow of water to the facility and to prevent unnecessary overflows.

Watering facilities often collect debris and algae and should be cleaned on a regular basis. Consider increasing the pipe sizes for inlets and outlets to reduce the chances of clogging. Maintenance of a watering facility can be made easier by providing a method to completely drain the watering facility.

Steep slopes leading to watering facilities can cause erosion problems from overuse by animals as well as problems with piping and valves from excess pressure. Choose the location of watering facilities to minimize these problems from steep topography.

PLANS AND SPECIFICATIONS

Plans and specifications for watering facilities shall provide the information necessary to install the facility. As a minimum this shall include the following:

- A map or aerial photograph showing the location of the facility
- Detail drawings showing the facility, necessary appurtenances (such as foundations, pipes and valves) and stabilization of any areas disturbed by the installation of the facility
- Construction specifications describing the installation of the facility

OPERATION AND MAINTENANCE

Provide an O&M plan specific to the type of watering facility to the landowner. As a minimum include the following items in the plan:

- a monitoring schedule to ensure maintenance of adequate inflow and outflow;
- checking for leaks and repair as necessary;
- if present, the checking of the automatic water level device to insure proper operation;
- checking to ensure that adjacent areas are protected against erosion;
- if present, checking to ensure the outlet pipe is freely operating and not causing erosion problems;
- a schedule for periodic cleaning of the facility;

For livestock watering systems with solar-powered pumping plants include as a minimum the following items:

- to avoid injury from electrical shock, have a MA licensed electrician service the photovoltaic array;
- wash modules at least twice a year with non-abrasive materials or products;
- check and repair where needed any bent, corroded, or otherwise damaged mounting components.

REFERENCES

Design of Small Photovoltaic Solar-Powered Water Pump Systems, NRCS Oregon, Technical Note No. 28, 2010.

Habitat manipulation practices, Wildlife Management Techniques, Third Edition. Edition, Chapter 14. Yoakum, J. and W.P. Dasmann, 1971.

National Engineering Handbook, Part 650 Engineering Field Handbook, Chapters 5, 11 & 12, USDA Natural Resources Conservation Service.

National Range and Pasture Handbook, Chapter 6, Page 6-12, Table 6-7 & 6-8, USDA-Natural Resources Conservation Service.

Missouri Livestock Watering Systems Handbook, USDA Natural Resources Conservation Service Missouri, 1998.

Available online:

http://www.mo.nrcs.usda.gov/technical/engr/livestock_water.html

Nutrient Requirements of Domestic Animals, National Research Council, National Academy Press, 1996.

Watering Facility - Engineering Design Note 614, NRCS Virginia, 2010.

Watering Systems for Grazing Livestock, Great Basin Grazing Network & Michigan State University Extension.

Watering Systems for Serious Graziers, NRCS Missouri, 2006.

Wildlife Water Catchment Construction in Nevada, Technical Note 397, Brigham, William and Stevenson, Craig, 1997.

Wildlife Water Development, Proceedings of the Wildlife Water Development Symposium, Las Vegas, NV. Tsukamoto, George and Stiver, San Juan, USDI Bureau of Land Management, 1990.