

Anoka County, Minnesota

musyn	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft
Af	Alluvial land, mixed, frequently flooded	0.5	102
AnA	Anoka loamy fine sand, 0 to 2 percent slopes	1	75
AnB	Anoka loamy fine sand, 2 to 6 percent slopes	4	75
AnC	Anoka loamy fine sand, 6 to 12 percent slopes	9	75
Ba	Becker very fine sandy loam	1	49
Bm	Blomford loamy fine sand	1	49
BtB	Braham loamy fine sand, 2 to 6 percent slopes	4	92
BtC	Braham loamy fine sand, 6 to 18 percent slopes	12	75
Bx	Brickton silt loam	1	49
Cb	Cathro muck	0.5	102
CkB	Chetek sandy loam, 2 to 6 percent slopes	4	102
CkC	Chetek sandy loam, 6 to 12 percent slopes	8	92
Cu	Cut and fill land	1	0
D62A	Hubbard-Mosford complex, Mississippi River Valley, 0 to 3 percent slopes	2	82
D64B	Urban land-Hubbard complex, Mississippi River Valley, 0 to 8 percent slopes	3	82
D67A	Hubbard loamy sand, Mississippi River Valley, 0 to 2 percent slopes	1	148
D67B	Hubbard loamy sand, Mississippi River Valley, 2 to 6 percent slopes	3	125
D67C	Hubbard loamy sand, Mississippi River Valley, 6 to 12 percent slopes	9	92
DIA	Dalbo silt loam, 1 to 5 percent slopes	2	75
DnA	Dickman sandy loam, 0 to 2 percent slopes	1	102
DnB	Dickman sandy loam, 2 to 6 percent slopes	3	102
Dp	Duelm loamy coarse sand	1	75
Du	Dundas loam	1	75
EmC	Emmert gravelly coarse sandy loam, 6 to 12 percent slopes	9	82
EmD	Emmert gravelly coarse sandy loam, 12 to 25 percent slopes	18	75
EpC	Emmert complex, 4 to 12 percent slopes	6	102
EpD	Emmert complex, 12 to 25 percent slopes	15	92
Fo	Fordum-Winterfield complex, 0 to 2 percent slopes, frequently flooded	0.5	148
Gc	Glencoe loam	0.5	102
GP	Pits, gravel-Udipsamments complex	25	0

Anoka County, Minnesota

musyn	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft
GrA	Growton fine sandy loam, 1 to 4 percent slopes	2	102
HdB	Hayden fine sandy loam, 2 to 6 percent slopes	4	102
HdC2	Hayden fine sandy loam, 6 to 12 percent slopes, eroded	10	92
HdD	Hayden fine sandy loam, 12 to 24 percent slopes	15	75
HeB	Heyder fine sandy loam, 2 to 6 percent slopes	4	82
HeC2	Heyder fine sandy loam, 6 to 12 percent slopes, eroded	9	75
HeD	Heyder fine sandy loam, 12 to 18 percent slopes	15	75
HeE	Heyder fine sandy loam, 18 to 30 percent slopes	24	72
HIC	Heyder complex, 4 to 12 percent slopes	6	102
HID	Heyder complex, 12 to 25 percent slopes	15	92
HuB	Hubbard coarse sand, 2 to 6 percent slopes	3	102
Is	Isan sandy loam	0.5	102
Iw	Isanti fine sandy loam	0.5	102
KmB	Kingsley fine sandy loam, 2 to 6 percent slopes	4	92
KmC2	Kingsley fine sandy loam, 6 to 12 percent slopes, eroded	8	92
KmD	Kingsley fine sandy loam, 12 to 18 percent slopes	15	82
KmE	Kingsley fine sandy loam, 18 to 30 percent slopes	24	75
Kr	Kratka loamy fine sand	0.5	102
Lb	Lake beaches	2	75
LgB	Langola loamy sand, 0 to 6 percent slopes	3	102
LnA	Lino loamy fine sand, 0 to 4 percent slopes	2	75
Lw	Loamy wet land	0.5	75
Lx	Lupton muck	0.5	102
M-W	Water, miscellaneous		0
Ma	Markey muck	0.5	102
Mc	Marsh	0	125
Me	Meehan sand	1	75
Mk	Millerville mucky peat	0.5	102
MoA	Mora fine sandy loam, 1 to 4 percent slopes	2	102
NeA	Nessel fine sandy loam, 1 to 4 percent slopes	2	102

Anoka County, Minnesota

musyn	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft
No	Nowen sandy loam	1	75
NrD	Nymore loamy coarse sand, 12 to 25 percent slopes	15	102
NyA	Nymore loamy sand, 0 to 2 percent slopes	1	102
NyB	Nymore loamy sand, 2 to 6 percent slopes	3	102
NyC	Nymore loamy sand, 6 to 12 percent slopes	9	92
Rf	Rifle mucky peat	0.5	102
Rg	Rifle muck, woody	0.5	102
Rh	Rifle soils, ponded	0	0
Ru	Rondeau muck	0.5	102
Ry	Ronneby fine sandy loam	1	75
SbB	Sartell fine sand, 2 to 6 percent slopes	3	102
SbC	Sartell fine sand, 6 to 12 percent slopes	9	102
SbC2	Sartell fine sand, 6 to 12 percent slopes, eroded	9	102
SbD2	Sartell fine sand, 12 to 24 percent slopes, eroded	15	102
Se	Seelyeville muck	0.5	102
SoA	Soderville fine sand, 0 to 3 percent slopes	2	102
Ub	Urban land-Becker complex, 0 to 3 percent slopes	1	49
Ud	Urban land-Dundas complex, 0 to 3 percent slopes	1	75
UhdC	Urban land-Hayden complex, 3 to 15 percent slopes	10	92
UhdD	Urban land-Hayden complex, 15 to 25 percent slopes	15	75
Ui	Urban land-Isanti complex, 0 to 2 percent slopes	0.5	102
UkD	Urban land-Kingsley complex, 15 to 25 percent slopes	15	82
Un	Urban land-Lino complex, 0 to 3 percent slopes	2	75
UuB	Urban land-Udorthents (cut and fill land) complex, 0 to 6 percent slopes	3	0
Uw	Urban land-Udorthent, wet substratum complex, 0 to 2 percent slopes	1	0
UzB	Urban land-Zimmerman complex, 0 to 8 percent slopes	3	102
W	Water		0
Wb	Webster loam	0.5	102
ZmA	Zimmerman fine sand, 0 to 2 percent slopes	1	102
ZmB	Zimmerman fine sand, 2 to 6 percent slopes	3	102

Anoka County, Minnesota

musyn	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft
ZmC	Zimmerman fine sand, 6 to 12 percent slopes	9	92
ZmD	Zimmerman fine sand, 12 to 24 percent slopes	15	82