

Chisago County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft
1030	Udorthents-Pits, gravel, complex	10	82
1068	Caryville sandy loam, occasionally flooded	1	82
1069C	Fairport-Rock outcrop complex, 2 to 12 percent slopes	8	82
1070D	Plainbo-Rock outcrop complex, 12 to 40 percent slopes	16	125
119B	Pomroy loamy fine sand, 1 to 6 percent slopes	4	82
119C	Pomroy loamy fine sand, 6 to 12 percent slopes	8	82
155B	Chetek sandy loam, 1 to 6 percent slopes	4	82
155C	Chetek loam, 6 to 12 percent slopes	8	82
158B	Zimmerman loamy fine sand, 1 to 6 percent slopes	4	82
158C	Zimmerman loamy fine sand, 6 to 12 percent slopes	8	82
159B	Anoka loamy very fine sand, 1 to 6 percent slopes	4	82
159C	Anoka loamy fine sand, 6 to 12 percent slopes	8	82
161	Isanti loamy fine sand	0.5	82
162	Lino loamy fine sand	1	82
169B	Braham loamy fine sand, 2 to 6 percent slopes	4	82
169C	Braham loamy fine sand, 6 to 12 percent slopes	8	82
182	Halder sandy loam	1	82
1977	Mora loam, very stony	1	82
1980	Ronneby loam, extremely stony	1	82
204B	Cushing loam, 2 to 6 percent slopes	4	82
204C	Cushing loam, 6 to 12 percent slopes	8	82
204D	Cushing loam, 12 to 20 percent slopes	16	82
204F	Cushing loam, 20 to 35 percent slopes	30	82
207B	Nymore loamy sand, 1 to 6 percent slopes	4	82
207C	Nymore loamy sand, 6 to 12 percent slopes	8	82
207D	Nymore loamy sand, 12 to 18 percent slopes	16	82
207E	Nymore loamy sand, 18 to 25 percent slopes	20	82
265	Soderville loamy fine sand	1	82
274	Newson mucky loamy sand	0.5	82
292	Alstad loam	1	82
325	Prebish sandy loam	0.5	82
328B	Sartell fine sand, 1 to 6 percent slopes	4	82

Chisago County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft
328C	Sartell fine sand, 6 to 12 percent slopes	8	82
328D	Sartell fine sand, 12 to 25 percent slopes	18	82
337	Warman loam	0.5	82
346	Talmoon loam	0.5	82
40B	Nebish loam, 2 to 6 percent slopes	4	82
40C	Nebish loam, 6 to 12 percent slopes	8	82
40D	Nebish loam, 12 to 25 percent slopes	18	82
40F	Nebish loam, 25 to 40 percent slopes	30	82
454B	Mahtomedi loamy sand, 1 to 6 percent slopes	4	82
454C	Mahtomedi loamy sand, 6 to 12 percent slopes	8	82
454D	Mahtomedi loamy sand, 12 to 20 percent slopes	16	82
454F	Mahtomedi loamy sand, 20 to 35 percent slopes	30	82
540	Seelyeville muck	0.5	82
543	Markey muck	0.5	82
544	Cathro muck	0.5	82
545	Rondeau muck	0.5	82
565	Eckvoll loamy sand	1	82
676B	Kost loamy fine sand, 1 to 6 percent slopes	4	82
677	Siren silt loam	1	82
678	Beltrami loam, thick solum	1	82
682B	Milaca sandy loam, 2 to 6 percent slopes, very stony	4	82
682C	Milaca sandy loam, 6 to 12 percent slopes, very stony	8	82
682D	Milaca sandy loam, 12 to 18 percent slopes, very stony	16	82
682E	Milaca sandy loam, 18 to 25 percent slopes, very stony	20	82
717B	Novak silt loam, 0 to 6 percent slopes	3	82
722	Blomford loamy sand, lacustrine substratum	1	82
726	Kratka loamy fine sand, thick solum	0.5	82
75	Bluffton loam	1	82
792	Fordum sandy loam, frequently flooded	1	82
928B	Mahtomedi-Cushing complex, 2 to 6 percent slopes	4	82
928C	Mahtomedi-Cushing complex, 6 to 12 percent slopes	8	82
928D	Mahtomedi-Cushing complex, 12 to 20 percent slopes	16	82

Chisago County, Minnesota

RUSLE2 slope factors

musym	muname	slope_%	slope_length_ft
W	Water		0
1356	Water, miscellaneous		0