

Morrison County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft
7A	Hubbard loamy sand, 0 to 2 percent slopes	1	151
7B	Hubbard loamy sand, 2 to 6 percent slopes	4	125
12C	Emmert gravelly loamy sand, 6 to 12 percent slopes	9	125
12D	Emmert gravelly loamy sand, 12 to 40 percent slopes	26	102
25	Becker fine sandy loam	1	102
119B	Pomroy loamy fine sand, 1 to 6 percent slopes	3	125
119C	Pomroy loamy fine sand, 6 to 12 percent slopes	9	125
142	Nokay loam	1	151
144B	Flak sandy loam, 4 to 8 percent slopes	6	151
144C	Flak sandy loam, 8 to 15 percent slopes	12	151
144E	Flak sandy loam, 15 to 25 percent slopes	20	102
152B	Milaca fine sandy loam, 4 to 8 percent slopes	6	151
152C	Milaca fine sandy loam, 8 to 15 percent slopes	12	151
155B	Chetek sandy loam, 2 to 8 percent slopes	5	125
155C	Chetek sandy loam, 8 to 15 percent slopes	12	125
158B	Zimmerman loamy fine sand, 1 to 4 percent slopes	2	125
161	Isanti fine sandy loam	1	151
163B	Brainerd sandy loam, 1 to 4 percent slopes	3	151
164B	Mora fine sandy loam, 1 to 4 percent slopes	3	151
165	Parent loam	1	151
166	Ronneby loam	1	151
182A	Oesterle sandy loam, 0 to 1 percent slopes	1	151
182B	Oesterle sandy loam, 1 to 3 percent slopes	2	125
200B	Holdingsford sandy loam, 4 to 8 percent slopes	6	125
200C	Holdingsford sandy loam, 8 to 15 percent slopes	12	125
202	Meehan loamy sand	1	125
204B	Cushing fine sandy loam, 4 to 8 percent slopes	6	125
204C	Cushing fine sandy loam, 8 to 15 percent slopes	12	125
204E	Cushing fine sandy loam, 15 to 25 percent slopes	20	102
217	Nokasippi mucky loamy fine sand	1	125
218	Watab loamy fine sand	1	151
233A	Growton sandy loam, 0 to 2 percent slopes	1	151

Morrison County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft
233B	Growton sandy loam, 2 to 4 percent slopes	3	151
260	Duelm loamy sand	1	151
261	Isan sandy loam	1	151
264B	Freeon silt loam, 1 to 4 percent slopes	3	125
265	Soderville loamy fine sand	1	125
266	Freer silt loam	1	151
292	Alstad loam	1	151
302B	Rosholt silt loam, 1 to 4 percent slopes	2	125
325	Prebish loam	1	151
328B	Sartell loamy fine sand, 1 to 6 percent slopes	3	125
328C	Sartell loamy fine sand, 6 to 12 percent slopes	9	125
337	Warman loam	1	125
341A	Arvilla sandy loam, 0 to 2 percent slopes	1	125
341B	Arvilla sandy loam, 2 to 6 percent slopes	4	125
375	Forada loam	1	125
413	Osakis loam	2	125
454B	Mahtomedi loamy sand, 2 to 8 percent slopes	5	125
454C	Mahtomedi loamy sand, 8 to 15 percent slopes	12	125
454E	Mahtomedi loamy sand, 15 to 25 percent slopes	20	125
454F	Mahtomedi loamy sand, 25 to 45 percent slopes	35	102
458A	Menahga loamy sand, 0 to 2 percent slopes	1	125
458B	Menahga loamy sand, 2 to 8 percent slopes	5	125
458C	Menahga loamy sand, 8 to 15 percent slopes	12	125
458E	Menahga loamy sand, 15 to 25 percent slopes	20	125
458F	Menahga loamy sand, 25 to 45 percent slopes	35	102
540	Seelyeville muck	1	151
541	Rifle muck	1	151
543	Markey muck	1	151
544	Cathro muck	1	151
549	Greenwood peat	1	151
623A	Pierz sandy loam, 0 to 2 percent slopes	1	151
623B	Pierz sandy loam, 2 to 6 percent slopes	4	125

Morrison County, Minnesota

musym	muname	RUSLE2 slope factors	
		slope_%	slope_length_ft
835	Brainerd-Rock outcrop complex	3	151
928B	Cushing-Mahtomedi-DeMontreville complex, 2 to 8 percent slopes	5	125
928C	Cushing-Mahtomedi-DeMontreville complex, 8 to 15 percent slopes	12	125
928E	Cushing-Mahtomedi-DeMontreville complex, 15 to 25 percent slopes	20	102
928F	Cushing-Mahtomedi-DeMontreville complex, 25 to 45 percent slopes	35	102
1015	Psammets, nearly level	13	102
1016	Udorthents, loamy	13	102
1030	Pits, gravel-Udorthents complex	25	102
1934	Bowstring muck	1	151
1946	Fordum-Winterfield complex	1	102
1973	Meehan-Isan complex	1	125
1976B	Brainerd sandy loam, 1 to 4 percent slopes, extremely stony	3	151
1977B	Mora fine sandy loam, 1 to 4 percent slopes, extremely stony	3	151
1978	Nokay loam, extremely stony	1	151
1979	Parent loam, extremely stony	1	151
1980	Ronneby loam, extremely stony	1	151
1998	Warman variant silty clay loam	1	151
D67A	Hubbard loamy sand, Mississippi River Valley, 0 to 2 percent slopes	1	148
D67B	Hubbard loamy sand, Mississippi River Valley, 2 to 6 percent slopes	3	125
M-W	Water, miscellaneous		0
W	Water	0	0