

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Adams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AaA—Aaron silt loam, 0 to 2 percent slopes			
Aaron	85	A-6	
		A-6	0.06
AaB—Aaron silt loam, 2 to 6 percent slopes			
Aaron	85	A-6	
		A-6	0.06
BkD—Berks silt loam, 15 to 25 percent slopes			
Berks	85	F-1	
		F-1	0.51
BnB—Bratton silt loam, 2 to 8 percent slopes			
Bratton	85	F-1	
		F-1	0.51
BrC2—Bratton-Opequon complex, 8 to 15 percent slopes, eroded			
Bratton	45	F-1	
		F-1	0.51
Opequon	40	E-1	
		E-1	0.40
BsC2—Brushcreek silt loam, 6 to 12 percent slopes, eroded			
Brushcreek	85	F-5	
		F-5	0.55
		A-1	0.01

Selected Soil Interpretations--Adams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BtD2—Brushcreek-Lawshe complex, 12 to 25 percent slopes, eroded			
Brushcreek	55	F-5	
		F-5	0.55
		A-2	0.02
Lawshe	30	F-5	
		F-5	0.55
CkB—Cincinnati silt loam, 2 to 6 percent slopes			
Cincinnati	85	F-3	
		F-3	0.53
CkC2—Cincinnati silt loam, 6 to 12 percent slopes, eroded			
Cincinnati	85	F-3	
		F-3	0.53
CrB—Crider silt loam, 1 to 6 percent slopes			
Crider	80	A-6	
		A-6	0.06
EaE—Eden flaggy silt loam, 25 to 40 percent slopes			
Eden	85	F-2	
		F-2	0.52
EaF—Eden flaggy silt loam, 40 to 70 percent slopes			
Eden	90	H-1	
		H-1	0.71
EgE2—Eden flaggy silty clay loam, 25 to 40 percent slopes, eroded			
Eden	85	F-2	
		F-2	0.52
EgF2—Eden flaggy silty clay loam, 40 to 70 percent slopes, eroded			
Eden	85	H-1	
		H-1	0.71
EkB—Elkinsville silt loam, 1 to 6 percent slopes			
Elkinsville	85	A-6	
		A-6	0.06
EnB—Elkinsville silt loam, 2 to 6 percent slopes			
Elkinsville	85	A-6	
		A-6	0.06

Selected Soil Interpretations--Adams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FaC2—Faywood silt loam, 8 to 15 percent slopes, eroded			
Faywood	85	F-1	
		F-1	0.51
FbD2—Faywood silty clay loam, 15 to 25 percent slopes, eroded			
Faywood	85	F-1	
		F-1	0.51
FeC2—Faywood-Lowell silt loams, 8 to 15 percent slopes, eroded			
Faywood	50	F-1	
		F-1	0.51
Lowell	35	F-5	
		F-5	0.55
Ge—Gessie loam, frequently flooded			
Gessie	90	A-5	
		A-5	0.05
JeB—Jessup silt loam, 1 to 8 percent slopes			
Jessup	85	A-1	
		A-1	0.01
JeC2—Jessup silt loam, 8 to 15 percent slopes, eroded			
Jessup	85	A-1	
		A-1	0.01
JeD2—Jessup silt loam, 15 to 25 percent slopes, eroded			
Jessup	90	A-2	
		A-2	0.02
JeE2—Jessup silt loam, 25 to 35 percent slopes, eroded			
Jessup	90	A-3	
		A-3	0.03
JoR1B1—Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes			
Jonesboro	50	A-6	
		A-6	0.06
Rossmoyne	45	F-3	
		F-3	0.53

Selected Soil Interpretations--Adams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LbC—Latham silt loam, 8 to 15 percent slopes			
Latham	90	F-1	
		F-1	0.51
LbD2—Latham silt loam, 15 to 25 percent slopes, eroded			
Latham	85	F-1	
		F-1	0.51
LdD—Latham-Wharton silt loams, 15 to 25 percent slopes			
Latham	45	F-1	
		F-1	0.51
Wharton	35	A-2	
		A-2	0.02
LkB—Licking silt loam, 1 to 6 percent slopes			
Licking	85	A-6	
		A-6	0.06
LkC2—Licking silt loam, 6 to 15 percent slopes, eroded			
Licking	85	A-6	
		A-6	0.06
LkD2—Licking silt loam, 15 to 25 percent slopes, eroded			
Licking	85	A-2	
		A-2	0.02
LoA—Loudon silt loam, 0 to 2 percent slopes			
Loudon	85	A-6	
		A-6	0.06
LoB—Loudon silt loam, 2 to 6 percent slopes			
Loudon	85	A-6	
		A-6	0.06
LoC2—Loudon silt loam, 6 to 15 percent slopes, eroded			
Loudon	85	A-6	
		A-6	0.06
LwB—Lowell silt loam, 2 to 8 percent slopes			
Lowell	85	F-5	
		F-5	0.55

Selected Soil Interpretations--Adams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LwC2—Lowell silt loam, 8 to 15 percent slopes, eroded			
Lowell	85	F-5	
		F-5	0.55
McA—McGary variant silty clay loam, 0 to 3 percent slopes, rarely flooded			
Mcgary variant	85	C-2	
		C-2	0.12
Ne—Newark silt loam, frequently flooded			
Newark	85	C-3	
		C-3	0.13
NkB—Nicholson silt loam, 1 to 6 percent slopes			
Nicholson	85	F-3	
		F-3	0.53
No—Nolin silt loam, 0 to 3 percent slopes, occasionally flooded			
Nolin, occasionally flooded	85	A-5	
		A-5	0.05
OmB—Omulga silt loam, 1 to 6 percent slopes			
Omulga	85	F-3	
		F-3	0.53
OmC2—Omulga silt loam, 6 to 15 percent slopes, eroded			
Omulga	85	F-3	
		F-3	0.53
OpD2—Opequon silty clay loam, 15 to 25 percent slopes, eroded			
Opequon	85	E-1	
		E-1	0.40
OpE2—Opequon silty clay loam, 25 to 40 percent slopes, eroded			
Opequon	80	E-2	
		E-2	0.41
OsF—Opequon silty clay loam, 40 to 60 percent slopes, very rocky			
Opequon	85	H-1	
		H-1	0.71

Selected Soil Interpretations--Adams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
OtB—Otwell silt loam, 2 to 6 percent slopes			
Otwell	100	F-3	
		F-3	0.53
OwB—Otwell silt loam, 1 to 6 percent slopes			
Otwell	85	F-3	
		F-3	0.53
OwC2—Otwell silt loam, 6 to 15 percent slopes, eroded			
Otwell	85	F-3	
		F-3	0.53
OxD3—Opequon clay, 6 to 18 percent slopes, severely eroded			
Opequon	100	E-1	
		E-1	0.40
Pe—Peoga silt loam			
Peoga	85	C-1	
		C-1	0.11
Pq—Pits, quarry			
Pits	100	Not rated	
PtB—Plainfield sand, 3 to 8 percent slopes			
Plainfield	85	B-1	
		B-1	0.07
RoC2—Rossmoyne silt loam, 6 to 12 percent slopes, eroded			
Rossmoyne	90	F-3	
		F-3	0.53
SaB—Sardinia silt loam, 1 to 6 percent slopes			
Sardinia	85	A-6	
		A-6	0.06
SbB—Sardinia silt loam, 2 to 6 percent slopes			
Sardinia	95	A-1	
		A-1	0.01
ScB—Sciotoville silt loam, 1 to 6 percent slopes			
Sciotoville	85	F-3	
		F-3	0.53
SdB—Sciotoville silt loam, 1 to 8 percent slopes			
Sciotoville	98	F-3	
		F-3	0.53

Selected Soil Interpretations--Adams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ShE—Shelocta-Berks association, steep			
Shelocta	55	A-3	
		A-3	0.03
Berks	35	F-2	
		F-2	0.52
ShF—Shelocta-Berks association, very steep			
Shelocta	55	H-1	
		H-1	0.71
Berks	35	H-1	
		H-1	0.71
SkE—Shelocta-Brownsville association, steep			
Brownsville	40	A-3	
		A-3	0.03
Shelocta	40	A-3	
		A-3	0.03
SkF—Shelocta-Brownsville association, very steep			
Brownsville	40	H-1	
		H-1	0.71
Shelocta	40	H-1	
		H-1	0.71
SmD—Shelocta-Muse association, hilly			
Shelocta	60	A-2	
		A-2	0.02
Muse	30	A-2	
		A-2	0.02
SoE—Shelocta-Muse-Colyer association, steep			
Shelocta	55	A-3	
		A-3	0.03
Muse	25	A-3	
		A-3	0.03
Colyer	15	E-2	
		E-2	0.41
Sp—Skidmore gravelly loam, occasionally flooded			
Skidmore	85	B-3	
		B-3	0.09

Selected Soil Interpretations--Adams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Sr—Skidmore silt loam, occasionally flooded			
Skidmore	85	B-3	
		B-3	0.09
TkA—Tilsit silt loam, 0 to 3 percent slopes			
Tilsit	85	F-3	
		F-3	0.53
TrB—Trappist silt loam, 3 to 8 percent slopes			
Trappist	85	F-1	
		F-1	0.51
TrC—Trappist silt loam, 8 to 15 percent slopes			
Trappist	80	F-1	
		F-1	0.51
TrD2—Trappist silt loam, 15 to 25 percent slopes, eroded			
Trappist	80	F-1	
		F-1	0.51
TsF—Trappist-Shelocta association, steep			
Trappist	40	F-2	
		F-2	0.52
Shelocta	35	A-3	
		A-3	0.03
Ud—Udorthents, silty			
Udorthents	100	Not rated	
W—Water			
Water	100	Not rated	
WgC—Wernock silt loam, 8 to 15 percent slopes			
Wernock	85	F-1	
		F-1	0.51
WmB—Williamsburg silt loam, 1 to 6 percent slopes			
Williamsburg	85	A-1	
		A-1	0.01
WmC2—Williamsburg silt loam, 6 to 15 percent slopes, eroded			
Williamsburg	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Adams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WsS1A1—Westboro-Schaffer silt loams, 0 to 2 percent slopes			
Westboro	55	C-1	
		C-1	0.11
Schaffer	30	C-1	
		C-1	0.11

Data Source Information

Soil Survey Area: Adams County, Ohio
 Survey Area Data: Version 13, Sep 15, 2014