

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations--Allen County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AkA—Alvada loam, 0 to 1 percent slopes			
Alvada	90	C-1	
		C-1	0.11
AmA—Alvada silty clay loam, 0 to 1 percent slopes			
Alvada	90	C-1	
		C-1	0.11
ArB—Arkport loamy fine sand, 2 to 6 percent slopes			
Arkport	100	B-1	
		B-1	0.07
AuA—Aurand loam, 0 to 3 percent slopes			
Aurand	85	C-1	
		C-1	0.11
AxA—Aurand silt loam, 0 to 3 percent slopes			
Aurand	90	C-1	
		C-1	0.11
Ble1A1—Blount silt loam, end moraine, 0 to 2 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11
Ble1B1—Blount silt loam, end moraine, 2 to 4 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Allen County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Blg1A1—Blount silt loam, ground moraine, 0 to 2 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11
Blg1B1—Blount silt loam, ground moraine, 2 to 4 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11
BrA—Blount-Jenera complex, 0 to 3 percent slopes			
Blount	55	C-1	
		C-1	0.11
Jenera	40	A-6	
		A-6	0.06
BsA—Blount-Urban land complex, 0 to 2 percent slopes			
Blount	50	Not assigned	
Urban land	35	Not rated	
CyA—Cygnet loam, 0 to 3 percent slopes			
Cygnet	90	A-6	
		A-6	0.06
DaA—Darroch loam, 0 to 2 percent slopes			
Darroch	90	C-1	
		C-1	0.11
EmB—Eldean silt loam, 1 to 4 percent slopes			
Eldean	95	B-1	
		B-1	0.07
FdA—Flatrock silt loam, limestone substratum, 0 to 2 percent slopes, occasionally flooded			
Flatrock	95	A-5	
		A-5	0.05
FnB—Fox loam, 2 to 6 percent slopes			
Fox	90	A-1	
		A-1	0.01
FnD2—Fox loam, 12 to 18 percent slopes, eroded			
Fox	100	B-1	
		B-1	0.07

Selected Soil Interpretations--Allen County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FoA—Fox silt loam, 0 to 2 percent slopes			
Fox	100	A-1	
		A-1	0.01
FpC2—Fox-Lybrand complex, 6 to 12 percent slopes, eroded			
Fox	50	B-1	
		B-1	0.07
Lybrand	40	F-5	
		F-5	0.55
		A-1	0.01
GaA—Gallman loam, 0 to 2 percent slopes			
Gallman	100	A-1	
		A-1	0.01
GaB—Gallman loam, 2 to 6 percent slopes			
Gallman	95	A-1	
		A-1	0.01
GaC—Gallman loam, 6 to 12 percent slopes			
Gallman	100	A-1	
		A-1	0.01
GbA—Gallman silt loam, 0 to 2 percent slopes			
Gallman	100	A-1	
		A-1	0.01
GkA—Glynwood loam, 0 to 2 percent slopes			
Glynwood	100	A-6	
		A-6	0.06
GkB—Glynwood loam, 2 to 6 percent slopes			
Glynwood	85	F-5	
		F-5	0.55
		A-1	0.01
GuB—Glynwood-Urban land complex, 2 to 6 percent slopes			
Glynwood	50	Not assigned	
Urban land	45	Not rated	
Gwd1C1—Glynwood silt loam, 6 to 12 percent slopes			
Glynwood	85	A-6	
		A-6	0.06

Selected Soil Interpretations--Allen County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Gwd5C2—Glynwood clay loam, 6 to 12 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06
Gwe1B1—Glynwood silt loam, end moraine, 2 to 6 percent slopes			
Glynwood, end moraine	85	F-5	
		F-5	0.55
Gwe5B2—Glynwood clay loam, end moraine, 2 to 6 percent slopes, eroded			
Glynwood, end moraine	85	F-5	
		F-5	0.55
Gwg1B1—Glynwood silt loam, ground moraine, 2 to 6 percent slopes			
Glynwood, ground moraine	85	F-5	
		F-5	0.55
Gwg1C1—Glynwood silt loam, ground moraine, 6 to 12 percent slopes			
Glynwood	85	A-6	
		A-6	0.06
Gwg5B2—Glynwood clay loam, ground moraine, 2 to 6 percent slopes, eroded			
Glynwood, ground moraine	85	F-5	
		F-5	0.55
Gwg5C2—Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06
HcA—Hoytville silty clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
HgA—Harrod silt loam, 0 to 1 percent slopes, frequently flooded			
Harrod	90	B-3	
		B-3	0.09
HpA—Houcktown sandy loam, 0 to 2 percent slopes			
Houcktown	95	A-6	
		A-6	0.06

Selected Soil Interpretations--Allen County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HpB—Houcktown sandy loam, 2 to 4 percent slopes			
Houcktown	95	A-6	
		A-6	0.06
HrA—Houcktown loam, 0 to 2 percent slopes			
Houcktown	95	A-6	
		A-6	0.06
HrB—Houcktown loam, 2 to 6 percent slopes			
Houcktown	95	A-6	
		A-6	0.06
HsA—Houcktown silt loam, 0 to 2 percent slopes			
Houcktown	95	A-6	
		A-6	0.06
HsB—Houcktown silt loam, 2 to 4 percent slopes			
Houcktown	100	A-6	
		A-6	0.06
HtA—Hoytville silty clay, 0 to 1 percent slopes			
Hoytville	92	C-1	
		C-1	0.11
HuC2—Houcktown-Glynwood complex, 6 to 12 percent slopes, eroded			
Houcktown	65	A-6	
		A-6	0.06
Glynwood	25	A-6	
		A-6	0.06
KnA—Knoxdale silt loam, 0 to 2 percent slopes, occasionally flooded			
Knoxdale	90	A-5	
		A-5	0.05
LbF—Lybrand silt loam, 20 to 55 percent slopes			
Lybrand	100	F-6	
		F-6	0.56
		A-3	0.03
LcD2—Lybrand silty clay loam, 12 to 20 percent slopes, eroded			
Lybrand	90	F-5	
		F-5	0.55
		A-1	0.01

Selected Soil Interpretations--Allen County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MbA—Medway silt loam, 0 to 2 percent slopes, occasionally flooded			
Medway	95	A-5	
		A-5	0.05
MmA—Millsdale silty clay loam, 0 to 1 percent slopes			
Millsdale	90	C-2	
		C-2	0.12
MnA—Milton loam, 0 to 2 percent slopes			
Milton	95	F-1	
		F-1	0.51
NpA—Nappanee clay loam, 0 to 2 percent slopes			
Nappanee	95	C-2	
		C-2	0.12
PaA—Patton silty clay loam, loamy substratum, 0 to 1 percent slopes			
Patton	100	C-1	
		C-1	0.11
PmA—Pewamo silty clay loam, 0 to 1 percent slopes			
Pewamo	95	C-1	
		C-1	0.11
PoA—Pewamo-Urban land complex, 0 to 2 percent slopes			
Pewamo	55	Not assigned	
Urban land	35	Not rated	
Pp—Pits, gravel			
Pits, gravel	95	Not rated	
Ps—Pits, lime			
Pits, lime	95	Not rated	
Pt—Pits, quarry			
Pits, quarry	95	Not rated	
RdA—Rensselaer loam, 0 to 1 percent slopes			
Rensselaer	90	C-1	
		C-1	0.11
ReA—Rensselaer loam, till substratum, 0 to 1 percent slopes			
Rensselaer	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Allen County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RgA—Rensselaer silt loam, 0 to 1 percent slopes			
Rensselaer	90	C-1	
		C-1	0.11
RoA—Roundhead muck, loamy substratum, 0 to 1 percent slopes			
Roundhead	95	D-1	
		D-1	0.30
SbA—Saranac silty clay loam, 0 to 1 percent slopes, rarely flooded			
Saranac	90	C-2	
		C-2	0.12
ScA—Saranac silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded			
Saranac	95	C-3	
		C-3	0.13
SdB—Seward loamy fine sand, deep phase, 0 to 5 percent slopes			
Seward	100	A-1	
		A-1	0.01
SfB—Shawtown loam, 2 to 6 percent slopes			
Shawtown	93	A-1	
		A-1	0.01
SgC2—Shinrock clay loam, 6 to 12 percent slopes, eroded			
Shinrock	95	A-6	
		A-6	0.06
ShA—Shoals silt loam, 0 to 2 percent slopes, occasionally flooded			
Shoals	85	C-3	
		C-3	0.13
SkA—Shoals silt loam, till substratum, 0 to 1 percent slopes, occasionally flooded			
Shoals	95	C-3	
		C-3	0.13
SnA—Sleeth silt loam, 0 to 2 percent slopes			
Sleeth	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Allen County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SoA—Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded			
Sloan	90	C-3	
		C-3	0.13
SrA—Sloan silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded			
Sloan	90	C-3	
		C-3	0.13
ThB—Thackery sandy loam, sandy substratum, 1 to 3 percent slopes			
Thackery	95	A-6	
		A-6	0.06
TkA—Thackery loam, sandy substratum, 0 to 2 percent slopes			
Thackery	100	A-6	
		A-6	0.06
TnA—Tiderishi loam, 0 to 2 percent slopes			
Tiderishi	90	C-1	
		C-1	0.11
UdA—Udorthents, loamy, 0 to 2 percent slopes			
Udorthents	82	Not rated	
UdD—Udorthents, loamy, 12 to 25 percent slopes			
Udorthents	90	Not rated	
UrB—Urban land, undulating			
Urban land	100	Not rated	
W—Water			
Water	100	Not rated	
WdA—Westland clay loam, 0 to 1 percent slopes			
Westland	90	C-1	
		C-1	0.11
WeA—Westland-Rensselaer complex, 0 to 1 percent slopes			
Westland	50	C-1	
		C-1	0.11
Rensselaer	40	C-1	
		C-1	0.11

## Data Source Information

Soil Survey Area: Allen County, Ohio  
Survey Area Data: Version 14, Sep 18, 2014