

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AdC2—Alexandria silt loam, 6 to 12 percent slopes, moderately eroded			
Alexandria	90	A-6	
		A-6	0.06
AdD2—Alexandria silt loam, 12 to 18 percent slopes, eroded			
Alexandria	100	A-1	
		A-1	0.01
AdE—Alexandria silt loam, 18 to 25 percent slopes			
Alexandria	100	A-2	
		A-2	0.02
AdF—Alexandria silt loam, 25 to 50 percent slopes			
Alexandria	100	A-3	
		A-3	0.03
AeD2—Alexandria silty clay loam, 12 to 18 percent slopes, eroded			
Alexandria	80	A-1	
		A-1	0.01
Ag—Algiers silt loam			
Algiers	85	C-3	
		C-3	0.13
AmE—Amanda loam, 18 to 25 percent slopes			
Amanda	90	A-2	
		A-2	0.02

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BgB—Bogart loam, 2 to 6 percent slopes			
Bogart	85	A-6	
		A-6	0.06
BnA—Bennington silt loam, 0 to 2 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BnB—Bennington silt loam, 2 to 6 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BnB2—Bennington silt loam, 2 to 6 percent slopes, moderately eroded			
Bennington	90	C-1	
		C-1	0.11
BoA—Bennington-Tiro silt loams, 0 to 2 percent slopes			
Bennington	50	C-1	
		C-1	0.11
Tiro	30	C-1	
		C-1	0.11
BrD—Berks channery silt loam, 12 to 18 percent slopes			
Berks	100	F-1	
		F-1	0.51
BsG—Berks-Rock outcrop complex, 30 to 60 percent slopes			
Berks	70	H-1	
		H-1	0.71
Rock outcrop	10	Not rated	
BtA—Bogart gravelly loam, 0 to 2 percent slopes			
Bogart	100	A-6	
		A-6	0.06
BtB—Bogart gravelly loam, 2 to 6 percent slopes			
Bogart	100	A-6	
		A-6	0.06
BvA—Bogart silt loam, 0 to 2 percent slopes			
Bogart	100	A-6	
		A-6	0.06

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BvB—Bogart silt loam, 2 to 6 percent slopes			
Bogart	100	A-6	
		A-6	0.06
BxF—Brownsville-Rock outcrop complex, 35 to 70 percent slopes			
Brownsville	70	H-1	
		H-1	0.71
Rock outcrop	20	Not rated	
ByD—Brownsville channery silt loam, 15 to 25 percent slopes			
Brownsville	85	B-1	
		B-1	0.07
ByE—Brownsville channery silt loam, 25 to 35 percent slopes			
Brownsville	85	B-2	
		B-2	0.08
BzE—Brownsville-Westmoreland complex, 18 to 25 percent slopes			
Brownsville	60	B-1	
		B-1	0.07
Westmoreland	30	A-2	
		A-2	0.02
BzF—Brownsville-Westmoreland complex, 25 to 40 percent slopes			
Brownsville	60	B-2	
		B-2	0.08
Westmoreland	30	A-3	
		A-3	0.03
CaB—Canfield silt loam, 2 to 6 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CaC—Canfield silt loam, 6 to 12 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CaC2—Canfield silt loam, 6 to 12 percent slopes, eroded			
Canfield, eroded	90	F-3	
		F-3	0.53

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CdB—Cardington silt loam, 2 to 6 percent slopes			
Cardington	95	A-6	
		A-6	0.06
CdB2—Cardington silt loam, 2 to 6 percent slopes, eroded			
Cardington	95	A-6	
		A-6	0.06
CdC—Cardington silt loam, 6 to 12 percent slopes			
Cardington	95	A-6	
		A-6	0.06
CdC2—Cardington silt loam, 6 to 12 percent slopes, eroded			
Cardington	95	A-6	
		A-6	0.06
CeC3—Cardington silty clay loam, 6 to 12 percent slopes, severely eroded			
Cardington	100	A-6	
		A-6	0.06
Cf—Carlisle muck			
Carlisle	100	D-1	
		D-1	0.30
CgA—Chili loam, 0 to 2 percent slopes			
Chili	90	A-1	
		A-1	0.01
CgB—Chili loam, 2 to 6 percent slopes			
Chili	100	A-1	
		A-1	0.01
CgC—Chili loam, 6 to 12 percent slopes			
Chili	100	A-1	
		A-1	0.01
CgC2—Chili loam, 6 to 12 percent slopes, eroded			
Chili	90	A-1	
		A-1	0.01
CgD2—Chili loam, 12 to 18 percent slopes, eroded			
Chili	90	A-1	
		A-1	0.01

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ChC—Chili-Wooster complex, 6 to 12 percent slopes			
Chili	50	A-1	
		A-1	0.01
Wooster	30	F-3	
		F-3	0.53
ChD—Chili-Wooster complex, 12 to 18 percent slopes			
Chili	50	A-1	
		A-1	0.01
Wooster	30	F-3	
		F-3	0.53
ChE—Chili-Wooster complex, 18 to 25 percent slopes			
Chili	45	A-2	
		A-2	0.02
Wooster	35	F-3	
		F-3	0.53
CkD—Chili and Conotton gravelly loams, 12 to 18 percent slopes			
Chili	50	A-1	
		A-1	0.01
Conotton	50	B-1	
		B-1	0.07
CkE—Chili and Conotton gravelly loams, 18 to 35 percent slopes			
Chili	50	A-3	
		A-3	0.03
Conotton	50	B-2	
		B-2	0.08
CIC—Chili gravelly loam, 6 to 12 percent slopes			
Chili	85	B-1	
		B-1	0.07
CID2—Chili gravelly loam, 12 to 25 percent slopes, eroded			
Chili	90	A-2	
		A-2	0.02

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CmA—Cidermill silt loam, 0 to 2 percent slopes			
Cidermill	85	A-1	
		A-1	0.01
CmB—Cidermill silt loam, 2 to 6 percent slopes			
Cidermill	85	A-1	
		A-1	0.01
Cn—Condit silty clay loam			
Condit	90	C-1	
		C-1	0.11
CoD—Chili and Conotton soils, 12 to 18 percent slopes			
Chili	49	B-1	
		B-1	0.07
Conotton	49	B-1	
		B-1	0.07
CoE—Chili and Conotton soils, 18 to 25 percent slopes			
Chili	49	B-1	
		B-1	0.07
Conotton	49	B-1	
		B-1	0.07
CpB—Chili silt loam, 2 to 6 percent slopes			
Chili	90	A-1	
		A-1	0.01
Cr—Condit silt loam, 0 to 1 percent slopes			
Condit	90	C-1	
		C-1	0.11
CsC—Conotton gravelly loam, 2 to 12 percent slopes			
Conotton	100	B-1	
		B-1	0.07
CtD—Conotton Variant gravelly loam, 10 to 20 percent slopes			
Conotton variant	90	B-1	
		B-1	0.07

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CuE—Chili-Amanda complex, 18 to 25 percent slopes			
Chili	50	B-1	
		B-1	0.07
Amanda	40	A-2	
		A-2	0.02
CvB—Coshocton loam, 2 to 6 percent slopes			
Coshocton	100	B-1	
		B-1	0.07
CvC—Coshocton loam, 6 to 15 percent slopes			
Coshocton	100	B-1	
		B-1	0.07
CxB—Coshocton silt loam, 2 to 6 percent slopes			
Coshocton	85	A-6	
		A-6	0.06
CxC2—Coshocton silt loam, 6 to 15 percent slopes, eroded			
Coshocton	85	A-6	
		A-6	0.06
EIB—Ellsworth silt loam, 2 to 6 percent slopes			
Ellsworth	85	A-1	
		A-1	0.01
EIB2—Ellsworth silt loam, 2 to 6 percent slopes, eroded			
Ellsworth, eroded	85	A-1	
		A-1	0.01
EIC2—Ellsworth silt loam, 6 to 12 percent slopes, eroded			
Ellsworth, eroded	90	A-1	
		A-1	0.01
EIE2—Ellsworth silt loam, 12 to 25 percent slopes, eroded			
Ellsworth, eroded	90	A-2	
		A-2	0.02
EIF—Ellsworth silt loam, 25 to 70 percent slopes			
Ellsworth	85	H-1	
		H-1	0.71

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FbA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	90	C-1	
		C-1	0.11
FbB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	95	C-1	
		C-1	0.11
FcA—Fitchville silt loam, 1 to 4 percent slopes			
Fitchville	90	C-1	
		C-1	0.11
FgA—Fitchville silt loam, gravelly subsoil variant, 0 to 2 percent slopes			
Fitchville variant	95	C-1	
		C-1	0.11
Fr—Frenchtown silt loam			
Frenchtown	100	C-2	
		C-2	0.12
GaB—Gilpin silt loam, 3 to 8 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GaC—Gilpin silt loam, 6 to 12 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
GbC—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
GfA—Glenford silt loam, 0 to 2 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GfB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GfC—Glenford silt loam, 6 to 12 percent slopes			
Glenford	100	A-6	
		A-6	0.06
HaA—Haskins silt loam, 0 to 3 percent slopes			
Haskins	90	C-2	
		C-2	0.12

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HkA—Haskins loam, 0 to 3 percent slopes			
Haskins	80	C-1	
		C-1	0.11
Ho—Holly silt loam			
Holly	95	C-3	
		C-3	0.13
JmA—Jimtown loam, 0 to 3 percent slopes			
Jimtown	80	C-1	
		C-1	0.11
JoB—Jimtown loam, 2 to 6 percent slopes			
Jimtown	90	C-1	
		C-1	0.11
JwA—Jimtown silt loam, 0 to 2 percent slopes			
Jimtown	95	C-1	
		C-1	0.11
JwB—Jimtown silt loam, 2 to 6 percent slopes			
Jimtown	95	C-1	
		C-1	0.11
Kb—Killbuck silt loam			
Killbuck	100	C-3	
		C-3	0.13
LfB—Latham silt loam, 2 to 6 percent slopes			
Latham	100	F-1	
		F-1	0.51
Ln—Linwood muck			
Linwood	100	D-1	
		D-1	0.30
Lo—Lobdell silt loam			
Lobdell	95	A-5	
		A-5	0.05
LtB—Lordstown silt loam, 2 to 6 percent slopes			
Lordstown	100	F-1	
		F-1	0.51
LtC—Lordstown silt loam, 6 to 12 percent slopes			
Lordstown	100	F-1	
		F-1	0.51

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LtD—Lordstown silt loam, 12 to 18 percent slopes			
Lordstown	100	F-1	
		F-1	0.51
LtE—Lordstown silt loam, 18 to 25 percent slopes			
Lordstown	100	F-1	
		F-1	0.51
LtF—Lordstown silt loam, 25 to 40 percent slopes			
Lordstown	100	F-2	
		F-2	0.52
LuE—Lordstown and Loudonville silt loams, 18 to 25 percent slopes			
Lordstown	45	F-1	
		F-1	0.51
Loudonville	45	F-1	
		F-1	0.51
LvB—Loudonville silt loam, 2 to 6 percent slopes			
Loudonville	100	F-1	
		F-1	0.51
LvC—Loudonville silt loam, 6 to 12 percent slopes			
Loudonville	100	F-1	
		F-1	0.51
LvD—Loudonville silt loam, 12 to 18 percent slopes			
Loudonville	100	F-1	
		F-1	0.51
LvE—Loudonville silt loam, 18 to 25 percent slopes			
Loudonville	100	F-1	
		F-1	0.51
Ly—Luray silty clay loam			
Luray	100	C-1	
		C-1	0.11
LzB—Lykens silt loam, 2 to 6 percent slopes			
Lykens	95	A-6	
		A-6	0.06

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MaA—Mahoning silt loam, 0 to 2 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MaB—Mahoning silt loam, 2 to 6 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MaB2—Mahoning silt loam, 2 to 6 percent slopes, eroded			
Mahoning, eroded	85	C-2	
		C-2	0.12
MeC2—Mechanicsburg silt loam, 6 to 12 percent slopes, eroded			
Mechanicsburg	85	A-1	
		A-1	0.01
Om—Orrville silt loam, frequently flooded			
Orrville	90	C-3	
		C-3	0.13
Or—Orrville silt loam, occasionally flooded			
Orrville	85	C-3	
		C-3	0.13
Os—Orrville Variant silt loam			
Orrville variant	100	B-3	
		B-3	0.09
OtB—Oshtemo sandy loam, 2 to 6 percent slopes			
Oshtemo	100	A-1	
		A-1	0.01
OtC—Oshtemo sandy loam, 6 to 12 percent slopes			
Oshtemo	100	A-1	
		A-1	0.01
OvB—Oshtemo fine sandy loam, 2 to 6 percent slopes			
Oshtemo	85	A-1	
		A-1	0.01
Pc—Pewamo silty clay loam			
Pewamo	100	C-1	
		C-1	0.11

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Pg—Pits, gravel			
Pits	100	Not rated	
RnA—Ravenna silt loam, 0 to 2 percent slopes			
Ravenna	95	C-1	
		C-1	0.11
RnB—Ravenna silt loam, 2 to 6 percent slopes			
Ravenna	95	C-1	
		C-1	0.11
RoB—Rawson loam, 2 to 6 percent slopes			
Rawson	90	F-5	
		F-5	0.55
		A-1	0.01
RrC—Rigley sandy loam, 6 to 12 percent slopes			
Rigley	100	B-1	
		B-1	0.07
RsB—Rittman silt loam, 2 to 6 percent slopes			
Rittman	95	F-3	
		F-3	0.53
RsB2—Rittman silt loam, 2 to 6 percent slopes, eroded			
Rittman	95	F-3	
		F-3	0.53
RsC—Rittman silt loam, 6 to 12 percent slopes			
Rittman	95	F-3	
		F-3	0.53
RsC2—Rittman silt loam, 6 to 12 percent slopes, eroded			
Rittman	95	F-3	
		F-3	0.53
RsD2—Rittman silt loam, 12 to 18 percent slopes, eroded			
Rittman	95	F-3	
		F-3	0.53
SaD—Schaffemaker loamy sand, 12 to 25 percent slopes			
Schaffemaker	95	F-1	
		F-1	0.51

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ScE—Schaffenaker loamy sand, 10 to 40 percent slopes			
Schaffenaker	100	F-1	
		F-1	0.51
Sg—Sebring silt loam			
Sebring	100	C-1	
		C-1	0.11
Sh—Shoals silt loam, 0 to 2 percent slopes, occasionally flooded			
Shoals	85	C-3	
		C-3	0.13
Sk—Shoals loam, coarse subsoil variant			
Shoals variant	95	B-3	
		B-3	0.09
Sn—Sloan silty clay loam			
Sloan	95	C-3	
		C-3	0.13
TkA—Tiro silt loam, 0 to 2 percent slopes			
Tiro	85	C-1	
		C-1	0.11
ToA—Tiro silt loam, 1 to 4 percent slopes			
Tiro	85	C-1	
		C-1	0.11
TvC—Titusville silt loam, 6 to 12 percent slopes			
Titusville	95	F-3	
		F-3	0.53
TyA—Trumbull silty clay loam, 0 to 2 percent slopes			
Trumbull	90	C-2	
		C-2	0.12
Ud—Udorthents			
Udorthents	100	Not rated	
Ur—Urban land			
Urban land	100	Not rated	
W—Water			
Water	100	Not rated	

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WaA—Wadsworth silt loam, 0 to 2 percent slopes			
Wadsworth	95	C-1	
		C-1	0.11
WaB—Wadsworth silt loam, 2 to 6 percent slopes			
Wadsworth	95	C-1	
		C-1	0.11
Wb—Walkkill silt loam			
Walkkill	100	C-3	
		C-3	0.13
WcC2—Wooster-Chili complex, 6 to 12 percent slopes, eroded			
Wooster	60	F-3	
		F-3	0.53
Chili	30	A-1	
		A-1	0.01
WcD2—Wooster-Chili complex, 12 to 18 percent slopes, eroded			
Wooster	60	F-3	
		F-3	0.53
Chili	30	A-1	
		A-1	0.01
WeD—Westmoreland silt loam, 15 to 25 percent slopes			
Westmoreland	80	A-2	
		A-2	0.02
WhA—Wheeling silt loam, 0 to 2 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WhB—Wheeling silt loam, 2 to 6 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WhC—Wheeling silt loam, 6 to 12 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WsB—Wooster silt loam, 2 to 6 percent slopes			
Wooster	100	F-3	
		F-3	0.53

Selected Soil Interpretations--Ashland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WsC—Wooster silt loam, 6 to 12 percent slopes			
Wooster	100	F-3	
		F-3	0.53
WsC2—Wooster silt loam, 6 to 12 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WsD2—Wooster silt loam, 12 to 18 percent slopes, eroded			
Wooster	100	F-3	
		F-3	0.53
WsE—Wooster silt loam, 18 to 35 percent slopes			
Wooster	100	F-3	
		F-3	0.53
WtE—Wooster silt loam, 18 to 25 percent slopes			
Wooster	85	F-3	
		F-3	0.53
WuB—Wooster-Riddles silt loams, 2 to 6 percent slopes			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53
WuC—Wooster-Riddles silt loams, 6 to 12 percent slopes			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53
WuD2—Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53

Data Source Information

Soil Survey Area: Ashland County, Ohio
Survey Area Data: Version 12, Sep 19, 2014