

Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

Surface runoff refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

Water table refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

Ponding is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

Flooding is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

Duration and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| AdC2—Alexandria silt loam, 6 to 12 percent slopes, moderately eroded | | | | | | | | | | |
| Alexandria | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| AdD2—Alexandria silt loam, 12 to 18 percent slopes, eroded | | | | | | | | | | |
| Alexandria | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| AdE--Alexandria silt loam, 18 to 25 percent slopes | | | | | | | | | | |
| Alexandria | C | Very high | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| AdF—Alexandria silt loam, 25 to 50 percent slopes | | | | | | | | | | |
| Alexandria | C | Very high | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| AeD2—Alexandria silty clay loam, 12 to 18 percent slopes, eroded | | | | | | | | | | |
| Alexandria | C | High | January | 4.0-6.0 | 5.0-7.0 | — | — | None | — | None |
| | | | February | 4.0-6.0 | 5.0-7.0 | — | — | None | — | None |
| | | | March | 4.0-6.0 | 5.0-7.0 | — | — | None | — | None |
| | | | April | 4.0-6.0 | 5.0-7.0 | — | — | None | — | None |
| | | | May | 4.0-6.0 | 5.0-7.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 4.0-6.0 | 5.0-7.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|----------------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ag--Algiers silt loam | | | | | | | | | | |
| Algiers | B/D | Low | January | 1.0-2.0 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |
| | | | February | 1.0-2.0 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |
| | | | March | 1.0-2.0 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |
| | | | April | 1.0-2.0 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |
| | | | May | 1.0-2.0 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |
| | | | June | 1.0-2.0 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |
| | | | December | — | — | — | — | None | Very brief (4 to 48 hours) | Frequent |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| AmE--Amanda loam, 18 to 25 percent slopes | | | | | | | | | | |
| Amanda | C | High | January | 4.0 | 4.5-6.0 | — | — | None | — | None |
| | | | February | 4.0 | 4.5-6.0 | — | — | None | — | None |
| | | | March | 4.0 | 4.5-6.0 | — | — | None | — | None |
| | | | April | 4.0 | 4.5-6.0 | — | — | None | — | None |
| | | | May | 4.0 | 4.5-6.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 4.0 | 4.5-6.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BgB—Bogart loam, 2 to 6 percent slopes | | | | | | | | | | |
| Bogart | C | Low | January | 2.0-3.5 | >6.0 | — | — | None | — | None |
| | | | February | 2.0-3.5 | >6.0 | — | — | None | — | None |
| | | | March | 2.0-3.5 | >6.0 | — | — | None | — | None |
| | | | April | 2.0-3.5 | >6.0 | — | — | None | — | None |
| | | | May | 2.0-3.5 | >6.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 2.0-3.5 | >6.0 | — | — | None | — | None |
| | | | December | 2.0-3.5 | >6.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BnA—Bennington silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Bennington | C/D | Medium | January | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BnB—Bennington silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Bennington | C/D | Medium | January | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BnB2—Bennington silt loam, 2 to 6 percent slopes, moderately eroded | | | | | | | | | | |
| Bennington | C/D | High | January | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 2.5-3.5 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BoA—Bennington-Tiro silt loams, 0 to 2 percent slopes | | | | | | | | | | |
| Bennington | C/D | Medium | January | 0.5-1.5 | 2.0-5.8 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.0-5.8 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.0-5.8 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.0-5.8 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 2.0-5.8 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.0-5.8 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | 0.5-1.5 | 2.0-5.8 | — | — | None | — | None |
| Tiro | C/D | Low | January | 0.5-1.5 | 2.5-4.6 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.5-4.6 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.5-4.6 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.5-4.6 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BrD—Berks channery silt loam, 12 to 18 percent slopes | | | | | | | | | | |
| Berks | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BsG--Berks-Rock outcrop complex, 30 to 60 percent slopes | | | | | | | | | | |
| Berks | B | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| Rock outcrop | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BtA—Bogart gravelly loam, 0 to 2 percent slopes | | | | | | | | | | |
| Bogart | B | Very low | January | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | February | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | March | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | December | 1.5-3.0 | >6.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BtB—Bogart gravelly loam, 2 to 6 percent slopes | | | | | | | | | | |
| Bogart | B | Very low | January | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | February | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | March | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | December | 1.5-3.0 | >6.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BvA--Bogart silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Bogart | C | Low | January | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | February | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | March | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | December | 1.5-3.0 | >6.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BvB--Bogart silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Bogart | C | Low | January | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | February | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | March | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 1.5-3.0 | >6.0 | — | — | None | — | None |
| | | | December | 1.5-3.0 | >6.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BxF—Brownsville-Rock outcrop complex, 35 to 70 percent slopes | | | | | | | | | | |
| Brownsville | A | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| Rock outcrop | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| ByD—Brownsville channery silt loam, 15 to 25 percent slopes | | | | | | | | | | |
| Brownsville | A | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| ByE--Brownsville channery silt loam, 25 to 35 percent slopes | | | | | | | | | | |
| Brownsville | A | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BzE--Brownsville- Westmoreland complex, 18 to 25 percent slopes | | | | | | | | | | |
| Brownsville | A | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Westmoreland | B | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BzF--Brownsville- Westmoreland complex, 25 to 40 percent slopes | | | | | | | | | | |
| Brownsville | A | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Westmoreland | B | Very high | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CaB--Canfield silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Canfield | C/D | — | January | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | February | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | March | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | April | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | December | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CaC—Canfield silt loam, 6 to 12 percent slopes | | | | | | | | | | |
| Canfield | C/D | — | January | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | February | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | March | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | April | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | December | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CaC2—Canfield silt loam, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Canfield, eroded | C/D | — | January | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | February | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | March | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | April | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |
| | | | December | 0.8-1.7 | 1.2-2.5 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CdB--Cardington silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Cardington | C | Medium | January | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | February | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | March | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | April | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | May | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | December | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CdB2—Cardington silt loam, 2 to 6 percent slopes, eroded | | | | | | | | | | |
| Cardington | C | Medium | January | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | February | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | March | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | April | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | May | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | December | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CdC—Cardington silt loam, 6 to 12 percent slopes | | | | | | | | | | |
| Cardington | C | High | January | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | February | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | March | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | April | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | May | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | December | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CdC2—Cardington silt loam, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Cardington | C | High | January | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | February | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | March | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | April | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | May | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | December | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CeC3—Cardington silty clay loam, 6 to 12 percent slopes, severely eroded | | | | | | | | | | |
| Cardington | C | High | January | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | February | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | March | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | April | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | May | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |
| | | | December | 2.0-3.0 | 2.5-4.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Cf--Carlisle muck | | | | | | | | | | |
| Carlisle | A/D | Very low | January | 0.0-1.0 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | February | 0.0-1.0 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | March | 0.0-1.0 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | April | 0.0-1.0 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | May | 0.0-1.0 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | June | 0.0-1.0 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | — | — |
| | | | September | 0.0-1.0 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | — | — |
| | | | October | 0.0-1.0 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | — | — |
| | | | November | 0.0-1.0 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | December | 0.0-1.0 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CgA—Chili loam, 0 to 2 percent slopes | | | | | | | | | | |
| Chili | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CgB—Chili loam, 2 to 6 percent slopes | | | | | | | | | | |
| Chili | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CgC—Chili loam, 6 to 12 percent slopes | | | | | | | | | | |
| Chili | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CgC2—Chili loam, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Chili | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CgD2—Chili loam, 12 to 18 percent slopes, eroded | | | | | | | | | | |
| Chili | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| ChC—Chili-Wooster complex, 6 to 12 percent slopes | | | | | | | | | | |
| Chili | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Wooster | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | March | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | April | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| ChD—Chili-Wooster complex, 12 to 18 percent slopes | | | | | | | | | | |
| Chili | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Wooster | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | March | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | April | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| ChE—Chili-Wooster complex, 18 to 25 percent slopes | | | | | | | | | | |
| Chili | B | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Wooster | C | High | January | — | — | — | — | None | — | None |
| | | | February | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | March | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | April | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CkD—Chili and Conotton gravelly loams, 12 to 18 percent slopes | | | | | | | | | | |
| Chili | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Conotton | A | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CkE—Chili and Conotton gravelly loams, 18 to 35 percent slopes | | | | | | | | | | |
| Chili | B | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Conotton | A | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CIC—Chili gravelly loam, 6 to 12 percent slopes | | | | | | | | | | |
| Chili | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CID2—Chili gravelly loam, 12 to 25 percent slopes, eroded | | | | | | | | | | |
| Chili | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CmA—Cidermill silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Cidermill | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CmB—Cidermill silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Cidermill | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Cn—Condit silty clay loam | | | | | | | | | | |
| Condit | C/D | Negligible | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | 0.0-1.0 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | July | 0.0-1.0 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CoD—Chili and Conotton soils, 12 to 18 percent slopes | | | | | | | | | | |
| Chili | A | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Conotton | A | Very low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CoE—Chili and Conotton soils, 18 to 25 percent slopes | | | | | | | | | | |
| Chili | A | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Conotton | A | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CpB—Chili silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Chili | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|---------------------|------------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Cr—Condit silt loam, 0 to 1 percent slopes | | | | | | | | | | |
| Condit | C/D | Negligible | January | 0.0-1.0 | 3.1-6.2 | 0.0-1.0 | Long (7 to 30 days) | Occasional | — | — |
| | | | February | 0.0-1.0 | 3.1-6.2 | 0.0-1.0 | Long (7 to 30 days) | Occasional | — | — |
| | | | March | 0.0-1.0 | 3.1-6.2 | 0.0-1.0 | Long (7 to 30 days) | Occasional | — | — |
| | | | April | 0.0-1.0 | 3.1-6.2 | 0.0-1.0 | Long (7 to 30 days) | Occasional | — | — |
| | | | May | 0.0-1.0 | 3.1-6.2 | 0.0-1.0 | Long (7 to 30 days) | Occasional | — | — |
| | | | November | 0.0-1.0 | 3.1-6.2 | 0.0-1.0 | Long (7 to 30 days) | Occasional | — | — |
| | | | December | 0.0-1.0 | 3.1-6.2 | 0.0-1.0 | Long (7 to 30 days) | Occasional | — | — |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CsC—Conotton gravelly loam, 2 to 12 percent slopes | | | | | | | | | | |
| Conotton | A | Very low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CtD—Conotton Variant gravelly loam, 10 to 20 percent slopes | | | | | | | | | | |
| Conotton variant | A | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CuE—Chili-Amanda complex, 18 to 25 percent slopes | | | | | | | | | | |
| Chili | B | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Amanda | C | High | January | 4.0 | 4.5-6.0 | — | — | None | — | None |
| | | | February | 4.0 | 4.5-6.0 | — | — | None | — | None |
| | | | March | 4.0 | 4.5-6.0 | — | — | None | — | None |
| | | | April | 4.0 | 4.5-6.0 | — | — | None | — | None |
| | | | May | 4.0 | 4.5-6.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 4.0 | 4.5-6.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CvB—Coshocton loam, 2 to 6 percent slopes | | | | | | | | | | |
| Coshocton | C | Medium | January | 2.0-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | February | 2.0-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | March | 2.0-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | April | 2.0-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CvC—Coshocton loam, 6 to 15 percent slopes | | | | | | | | | | |
| Coshocton | C | High | January | 2.0-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | February | 2.0-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | March | 2.0-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | April | 2.0-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CxB--Coshocton silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Coshocton | C | High | January | 1.5-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | February | 1.5-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | March | 1.5-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CxC2—Coshocton silt loam, 6 to 15 percent slopes, eroded | | | | | | | | | | |
| Coshocton | C | Very high | January | 1.5-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | February | 1.5-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | March | 1.5-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 3.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EIB—Ellsworth silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Ellsworth | D | — | January | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | February | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | March | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | April | 0.9-2.0 | 2.3-3.8 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.9-2.0 | 2.3-3.8 | — | — | None | — | None |
| | | | December | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EIB2--Ellsworth silt loam, 2 to 6 percent slopes, eroded | | | | | | | | | | |
| Ellsworth, eroded | D | — | January | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | February | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | March | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | April | 0.9-2.0 | 2.3-3.8 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.9-2.0 | 2.3-3.8 | — | — | None | — | None |
| | | | December | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EIC2—Ellsworth silt loam, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Ellsworth, eroded | D | — | January | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | February | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | March | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | April | 0.9-2.0 | 2.3-3.8 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.9-2.0 | 2.3-3.8 | — | — | None | — | None |
| | | | December | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EIE2—Ellsworth silt loam, 12 to 25 percent slopes, eroded | | | | | | | | | | |
| Ellsworth, eroded | D | — | January | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | February | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | March | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | April | 0.9-2.0 | 2.3-3.8 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.9-2.0 | 2.3-3.8 | — | — | None | — | None |
| | | | December | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EIF--Ellsworth silt loam, 25 to 70 percent slopes | | | | | | | | | | |
| Ellsworth | D | — | January | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | February | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | March | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |
| | | | April | 1.7-3.0 | 2.3-3.8 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.9-2.0 | 2.3-3.8 | — | — | None | — | None |
| | | | December | 0.9-2.0 | 5.0-6.6 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| FbA—Fitchville silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Fitchville | C/D | Medium | January | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| FbB—Fitchville silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Fitchville | C/D | Medium | January | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| FcA—Fitchville silt loam, 1 to 4 percent slopes | | | | | | | | | | |
| Fitchville | C/D | Medium | January | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| FgA—Fitchville silt loam, gravelly subsoil variant, 0 to 2 percent slopes | | | | | | | | | | |
| Fitchville variant | C/D | Medium | January | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 2.5-5.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Fr--Frenchtown silt loam | | | | | | | | | | |
| Frenchtown | D | High | January | 0.0-0.5 | 2.0-5.0 | — | — | None | — | None |
| | | | February | 0.0-0.5 | 2.0-5.0 | — | — | None | — | None |
| | | | March | 0.0-0.5 | 2.0-5.0 | — | — | None | — | None |
| | | | April | 0.0-0.5 | 2.0-5.0 | — | — | None | — | None |
| | | | May | 0.0-0.5 | 2.0-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | 0.0-0.5 | 2.0-5.0 | — | — | None | — | None |
| | | | November | 0.0-0.5 | 2.0-5.0 | — | — | None | — | None |
| | | | December | 0.0-0.5 | 2.0-5.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| GaB—Gilpin silt loam, 3 to 8 percent slopes | | | | | | | | | | |
| Gilpin | C | — | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| GaC—Gilpin silt loam, 6 to 12 percent slopes | | | | | | | | | | |
| Gilpin | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| GbC—Gilpin silt loam, 8 to 15 percent slopes | | | | | | | | | | |
| Gilpin | C | — | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| GfA—Glenford silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Glenford | C | Low | January | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | February | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | March | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | April | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | May | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | December | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| GfB—Glenford silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Glenford | C | Low | January | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | February | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | March | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | April | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | May | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | December | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| GfC—Glenford silt loam, 6 to 12 percent slopes | | | | | | | | | | |
| Glenford | C | Medium | January | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | February | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | March | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | April | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | May | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | December | 2.0-3.0 | 2.5-5.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| HaA—Haskins silt loam, 0 to 3 percent slopes | | | | | | | | | | |
| Haskins | C/D | Medium | January | 1.0-2.5 | 2.0-4.0 | — | — | None | — | None |
| | | | February | 1.0-2.5 | 2.0-4.0 | — | — | None | — | None |
| | | | March | 1.0-2.5 | 2.0-4.0 | — | — | None | — | None |
| | | | April | 1.0-2.5 | 2.0-4.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| HkA—Haskins loam, 0 to 3 percent slopes | | | | | | | | | | |
| Haskins | C/D | Medium | January | 1.0-2.5 | 2.1-4.2 | — | — | None | — | None |
| | | | February | 1.0-2.5 | 2.1-4.2 | — | — | None | — | None |
| | | | March | 1.0-2.5 | 2.1-4.2 | — | — | None | — | None |
| | | | April | 1.0-2.5 | 2.1-4.2 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ho--Holly silt loam | | | | | | | | | | |
| Holly | B/D | Low | January | 0.0-0.5 | >6.0 | — | — | None | Long (7 to 30 days) | Frequent |
| | | | February | 0.0-0.5 | >6.0 | — | — | None | Long (7 to 30 days) | Frequent |
| | | | March | 0.0-0.5 | >6.0 | — | — | None | Long (7 to 30 days) | Frequent |
| | | | April | 0.0-0.5 | >6.0 | — | — | None | Long (7 to 30 days) | Frequent |
| | | | May | 0.0-0.5 | >6.0 | — | — | None | Long (7 to 30 days) | Frequent |
| | | | November | — | — | — | — | None | Long (7 to 30 days) | Frequent |
| | | | December | 0.0-0.5 | >6.0 | — | — | None | Long (7 to 30 days) | Frequent |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| JmA—Jimtown loam, 0 to 3 percent slopes | | | | | | | | | | |
| Jimtown | B/D | Low | January | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | February | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | March | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | April | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | May | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 1.0-2.5 | >6.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| JoB—Jimtown loam, 2 to 6 percent slopes | | | | | | | | | | |
| Jimtown | B/D | Low | January | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | February | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | March | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | April | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | May | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 1.0-2.5 | >6.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| JwA—Jimtown silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Jimtown | B/D | Low | January | 0.5-1.5 | 3.0-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 3.0-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 3.0-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 3.0-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 3.0-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 0.5-1.5 | 3.0-5.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| JwB—Jimtown silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Jimtown | B/D | Low | January | 0.5-1.5 | 3.0-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 3.0-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 3.0-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 3.0-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 3.0-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 0.5-1.5 | 3.0-5.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Kb--Killbuck silt loam | | | | | | | | | | |
| Killbuck | C/D | Low | January | 0.0-0.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | 0.0-0.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | 0.0-0.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | 0.0-0.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | 0.0-0.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | 0.0-0.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | July | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | August | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | September | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | October | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | November | 0.0-0.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | December | 0.0-0.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LfB—Latham silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Latham | D | High | January | 1.5-2.5 | 2.5-3.5 | — | — | None | — | None |
| | | | February | 1.5-2.5 | 2.5-3.5 | — | — | None | — | None |
| | | | March | 1.5-2.5 | 2.5-3.5 | — | — | None | — | None |
| | | | April | 1.5-2.5 | 2.5-3.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|----------|-------------|-------------|---------------|-------------------------------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ln--Linwood muck | | | | | | | | | | |
| Linwood | B/D | Very low | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | May | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | June | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | November | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | Long (7 to 30 days) | Frequent |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Lo--Lobdell silt loam | | | | | | | | | | |
| Lobdell | C | Low | January | 1.5-3.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | 1.5-3.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | 1.5-3.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | 1.5-3.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| LtB--Lordstown silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Lordstown | C | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LtC—Lordstown silt loam, 6 to 12 percent slopes | | | | | | | | | | |
| Lordstown | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LtD—Lordstown silt loam, 12 to 18 percent slopes | | | | | | | | | | |
| Lordstown | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LtE—Lordstown silt loam, 18 to 25 percent slopes | | | | | | | | | | |
| Lordstown | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LtF—Lordstown silt loam, 25 to 40 percent slopes | | | | | | | | | | |
| Lordstown | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LuE—Lordstown and Loudonville silt loams, 18 to 25 percent slopes | | | | | | | | | | |
| Lordstown | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Loudonville | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LvB--Loudonville silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Loudonville | C | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LvC—Loudonville silt loam, 6 to 12 percent slopes | | | | | | | | | | |
| Loudonville | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LvD—Loudonville silt loam, 12 to 18 percent slopes | | | | | | | | | | |
| Loudonville | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LvE--Loudonville silt loam, 18 to 25 percent slopes | | | | | | | | | | |
| Loudonville | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ly—Luray silty clay loam | | | | | | | | | | |
| Luray | C/D | Medium | January | 0.0-0.5 | 2.5-4.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-0.5 | 2.5-4.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-0.5 | 2.5-4.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-0.5 | 2.5-4.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-0.5 | 2.5-4.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | 0.0-0.5 | 2.5-4.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | July | 0.0-0.5 | 2.5-4.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-0.5 | 2.5-4.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | December | 0.0-0.5 | 2.5-4.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LzB—Lykens silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Lykens | C | Low | January | 1.5-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | February | 1.5-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | March | 1.5-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 2.5-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 1.5-3.0 | 2.5-5.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MaA—Mahoning silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Mahoning | D | — | January | 0.5-1.0 | 5.0-6.6 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 5.0-6.6 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 5.0-6.6 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 2.3-3.7 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 2.3-3.7 | — | — | None | — | None |
| | | | June | 1.2-3.1 | 2.3-3.7 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | 1.2-3.1 | 2.3-3.7 | — | — | None | — | None |
| | | | November | 0.5-1.0 | 2.3-3.7 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 5.0-6.6 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MaB—Mahoning silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Mahoning | D | — | January | 0.5-1.0 | 5.0-6.6 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 5.0-6.6 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 5.0-6.6 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 2.3-3.7 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 2.3-3.7 | — | — | None | — | None |
| | | | June | 1.2-3.1 | 2.3-3.7 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | 1.2-3.1 | 2.3-3.7 | — | — | None | — | None |
| | | | November | 0.5-1.0 | 2.3-3.7 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 5.0-6.6 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MaB2—Mahoning silt loam, 2 to 6 percent slopes, eroded | | | | | | | | | | |
| Mahoning, eroded | D | — | January | 0.5-1.0 | 5.0-6.6 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 5.0-6.6 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 5.0-6.6 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 2.3-3.7 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 2.3-3.7 | — | — | None | — | None |
| | | | June | 1.2-3.1 | 2.3-3.7 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | 1.2-3.1 | 2.3-3.7 | — | — | None | — | None |
| | | | November | 0.5-1.0 | 2.3-3.7 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 5.0-6.6 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MeC2—Mechanicsburg silt loam, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Mechanicsburg | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Om—Orrville silt loam, frequently flooded | | | | | | | | | | |
| Orrville | B/D | Low | January | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | 1.0-2.5 | >6.0 | — | — | None | — | — |
| | | | November | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | December | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Or--Orrville silt loam, occasionally flooded | | | | | | | | | | |
| Orrville | B/D | Low | January | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | February | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | March | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | April | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | May | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | June | 1.0-2.5 | >6.0 | — | — | None | — | — |
| | | | November | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | December | 1.0-2.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Os—Orrville Variant silt loam | | | | | | | | | | |
| Orrville variant | C/D | Low | January | 0.5-1.5 | 2.0-3.5 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | 0.5-1.5 | 2.0-3.5 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | 0.5-1.5 | 2.0-3.5 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | 0.5-1.5 | 2.0-3.5 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | 0.5-1.5 | 2.0-3.5 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | 0.5-1.5 | 2.0-3.5 | — | — | None | — | — |
| | | | November | 0.5-1.5 | 2.0-3.5 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | December | 0.5-1.5 | 2.0-3.5 | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| OtB—Oshtemo sandy loam, 2 to 6 percent slopes | | | | | | | | | | |
| Oshtemo | A | Very low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| OtC—Oshtemo sandy loam, 6 to 12 percent slopes | | | | | | | | | | |
| Oshtemo | A | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| OvB—Oshtemo fine sandy loam, 2 to 6 percent slopes | | | | | | | | | | |
| Oshtemo | A | Very low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Pc--Pewamo silty clay loam | | | | | | | | | | |
| Pewamo | C/D | Medium | January | 0.0-1.5 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.5 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.5 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.5 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-1.5 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | 0.0-1.5 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| Pg--Pits, gravel | | | | | | | | | | |
| Pits | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RnA—Ravenna silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Ravenna | D | Medium | January | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | June | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RnB—Ravenna silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Ravenna | D | Medium | January | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | June | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 2.0-4.5 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RoB—Rawson loam, 2 to 6 percent slopes | | | | | | | | | | |
| Rawson | C | Medium | January | 1.5-2.5 | 2.0-3.3 | — | — | None | — | None |
| | | | February | 1.5-2.5 | 2.0-3.3 | — | — | None | — | None |
| | | | March | 1.5-2.5 | 2.0-3.3 | — | — | None | — | None |
| | | | April | 1.5-2.5 | 2.0-3.3 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RrC—Rigley sandy loam, 6 to 12 percent slopes | | | | | | | | | | |
| Rigley | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RsB—Rittman silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Rittman | C | Medium | January | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | February | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | March | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | December | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RsB2--Rittman silt loam, 2 to 6 percent slopes, eroded | | | | | | | | | | |
| Rittman | C | High | January | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | February | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | March | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | December | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RsC—Rittman silt loam, 6 to 12 percent slopes | | | | | | | | | | |
| Rittman | C | High | January | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | February | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | March | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | December | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RsC2--Rittman silt loam, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Rittman | C | High | January | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | February | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | March | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | December | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RsD2—Rittman silt loam, 12 to 18 percent slopes, eroded | | | | | | | | | | |
| Rittman | C | High | January | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | February | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | March | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |
| | | | December | 1.5-3.0 | 2.0-4.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SaD—Schaffemaker loamy sand, 12 to 25 percent slopes | | | | | | | | | | |
| Schaffemaker | A | Very low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| ScE--Schaffenaker loamy sand, 10 to 40 percent slopes | | | | | | | | | | |
| Schaffenaker | A | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Sg—Sebring silt loam | | | | | | | | | | |
| Sebring | C/D | Medium | January | 0.0-0.5 | 2.5-4.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-0.5 | 2.5-4.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-0.5 | 2.5-4.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-0.5 | 2.5-4.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-0.5 | 2.5-4.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | 0.0-0.5 | 2.5-4.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-0.5 | 2.5-4.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | — | None |
| | | | December | 0.0-0.5 | 2.5-4.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Sh—Shoals silt loam, 0 to 2 percent slopes, occasionally flooded | | | | | | | | | | |
| Shoals | B/D | Low | January | 0.5-1.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | February | 0.5-1.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | March | 0.5-1.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | April | 0.5-1.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | May | 0.5-1.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | November | 0.5-1.5 | >6.0 | — | — | None | — | — |
| | | | December | 0.5-1.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Sk—Shoals loam, coarse subsoil variant | | | | | | | | | | |
| Shoals variant | A/D | Negligible | January | 0.5-1.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | February | 0.5-1.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | March | 0.5-1.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | April | 0.5-1.5 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Occasional |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|----------------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Sn—Sloan silty clay loam | | | | | | | | | | |
| Sloan | B/D | Low | January | 0.0-0.5 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |
| | | | February | 0.0-0.5 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |
| | | | March | 0.0-0.5 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |
| | | | April | 0.0-0.5 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |
| | | | May | 0.0-0.5 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |
| | | | June | 0.0-0.5 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |
| | | | November | 0.0-0.5 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |
| | | | December | 0.0-0.5 | >6.0 | — | — | None | Very brief (4 to 48 hours) | Frequent |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| TkA—Tiro silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Tiro | C/D | Medium | January | 1.0-2.5 | 2.5-4.6 | — | — | None | — | None |
| | | | February | 1.0-2.5 | 2.5-4.6 | — | — | None | — | None |
| | | | March | 1.0-2.5 | 2.5-4.6 | — | — | None | — | None |
| | | | April | 1.0-2.5 | 2.5-4.6 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| ToA—Tiro silt loam, 1 to 4 percent slopes | | | | | | | | | | |
| Tiro | C/D | Low | January | 0.5-1.5 | 3.5-5.5 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 3.5-5.5 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 3.5-5.5 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 3.5-5.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| TvC—Titusville silt loam, 6 to 12 percent slopes | | | | | | | | | | |
| Titusville | C | High | January | 1.5-2.5 | 2.0-4.5 | — | — | None | — | None |
| | | | February | 1.5-2.5 | 2.0-4.5 | — | — | None | — | None |
| | | | March | 1.5-2.5 | 2.0-4.5 | — | — | None | — | None |
| | | | April | 1.5-2.5 | 2.0-4.5 | — | — | None | — | None |
| | | | May | 1.5-2.5 | 2.0-4.5 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 1.5-2.5 | 2.0-4.5 | — | — | None | — | None |
| | | | December | 1.5-2.5 | 2.0-4.5 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| TyA—Trumbull silty clay loam, 0 to 2 percent slopes | | | | | | | | | | |
| Trumbull | C/D | — | January | 0.0-0.5 | 5.0-6.6 | 0.0-0.5 | Brief (2 to 7 days) | Frequent | — | None |
| | | | February | 0.0-0.5 | 5.0-6.6 | 0.0-0.5 | Brief (2 to 7 days) | Frequent | — | None |
| | | | March | 0.0-0.5 | 5.0-6.6 | 0.0-0.5 | Brief (2 to 7 days) | Frequent | — | None |
| | | | April | 0.0-0.5 | 3.3-5.0 | 0.0-0.5 | Brief (2 to 7 days) | Frequent | — | None |
| | | | May | 0.0-0.5 | 3.3-5.0 | 0.0-0.5 | Brief (2 to 7 days) | Frequent | — | None |
| | | | June | 0.5-1.7 | 3.3-5.0 | 0.0-0.3 | Very brief (4 to 48 hours) | Frequent | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | 0.5-1.7 | 3.3-5.0 | 0.0-0.3 | Very brief (4 to 48 hours) | Frequent | — | None |
| | | | November | 0.0-0.5 | 3.3-5.0 | 0.0-0.5 | Brief (2 to 7 days) | Frequent | — | None |
| | | | December | 0.0-0.5 | 5.0-6.6 | 0.0-0.5 | Brief (2 to 7 days) | Frequent | — | None |
| Ud—Udorthents | | | | | | | | | | |
| Udorthents | — | — | Jan-Dec | — | — | — | — | — | — | — |
| Ur—Urban land | | | | | | | | | | |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| W—Water | | | | | | | | | | |
| Water | — | — | Jan-Dec | — | — | — | — | — | — | — |
| WaA—Wadsworth silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Wadsworth | D | Medium | January | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | June | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WaB--Wadsworth silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Wadsworth | D | Medium | January | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | June | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 2.0-4.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Wb--Walkkill silt loam | | | | | | | | | | |
| Walkkill | B/D | Low | January | 0.0-0.5 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | February | 0.0-0.5 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | March | 0.0-0.5 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | April | 0.0-0.5 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | May | 0.0-0.5 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | June | 0.0-0.5 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | September | 0.0-0.5 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | October | 0.0-0.5 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | November | 0.0-0.5 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | December | 0.0-0.5 | >6.0 | 0.0-0.5 | Long (7 to 30 days) | Frequent | Long (7 to 30 days) | Frequent |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WcC2--Wooster-Chili complex, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Wooster | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | 2.5-4.0 | 3.5-4.5 | — | — | None | — | None |
| | | | March | 2.5-4.0 | 3.5-4.5 | — | — | None | — | None |
| | | | April | 2.5-4.0 | 3.5-4.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Chili | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WcD2--Wooster-Chili complex, 12 to 18 percent slopes, eroded | | | | | | | | | | |
| Wooster | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | 2.5-4.0 | 3.5-4.5 | — | — | None | — | None |
| | | | March | 2.5-4.0 | 3.5-4.5 | — | — | None | — | None |
| | | | April | 2.5-4.0 | 3.5-4.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Chili | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WeD—Westmoreland silt loam, 15 to 25 percent slopes | | | | | | | | | | |
| Westmoreland | B | — | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WhA--Wheeling silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Wheeling | B | Low | January | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | February | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | March | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | April | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | May | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 4.0-6.0 | >6.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WhB—Wheeling silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Wheeling | B | Low | January | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | February | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | March | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | April | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | May | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 4.0-6.0 | >6.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WhC—Wheeling silt loam, 6 to 12 percent slopes | | | | | | | | | | |
| Wheeling | B | Medium | January | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | February | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | March | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | April | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | May | 4.0-6.0 | >6.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 4.0-6.0 | >6.0 | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WsB--Wooster silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Wooster | C | Low | January | — | — | — | — | None | — | None |
| | | | February | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | March | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | April | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WsC—Wooster silt loam, 6 to 12 percent slopes | | | | | | | | | | |
| Wooster | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | March | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | April | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WsC2--Wooster silt loam, 6 to 12 percent slopes, moderately eroded | | | | | | | | | | |
| Wooster | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WsD2--Wooster silt loam, 12 to 18 percent slopes, eroded | | | | | | | | | | |
| Wooster | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | March | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | April | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WsE--Wooster silt loam, 18 to 35 percent slopes | | | | | | | | | | |
| Wooster | C | High | January | — | — | — | — | None | — | None |
| | | | February | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | March | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | April | 4.0-6.0 | 4.5-6.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WtE--Wooster silt loam, 18 to 25 percent slopes | | | | | | | | | | |
| Wooster | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WuB--Wooster-Riddles silt loams, 2 to 6 percent slopes | | | | | | | | | | |
| Riddles | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Wooster | C | Low | January | — | — | — | — | None | — | None |
| | | | February | 4.0-6.0 | 4.3-6.7 | — | — | None | — | None |
| | | | March | 4.0-6.0 | 4.3-6.7 | — | — | None | — | None |
| | | | April | 4.0-6.0 | 4.3-6.7 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WuC--Wooster-Riddles silt loams, 6 to 12 percent slopes | | | | | | | | | | |
| Riddles | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Wooster | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | 4.0-6.0 | 4.3-6.7 | — | — | None | — | None |
| | | | March | 4.0-6.0 | 4.3-6.7 | — | — | None | — | None |
| | | | April | 4.0-6.0 | 4.3-6.7 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WuD2--Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded | | | | | | | | | | |
| Riddles | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Ashland County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Wooster | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | 4.0-6.0 | 4.3-6.7 | — | — | None | — | None |
| | | | March | 4.0-6.0 | 4.3-6.7 | — | — | None | — | None |
| | | | April | 4.0-6.0 | 4.3-6.7 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

Data Source Information

Soil Survey Area: Ashland County, Ohio
 Survey Area Data: Version 12, Sep 19, 2014