

Survey Area Map Unit Symbols and Names

Report—Survey Area Map Unit Symbols and Names

Survey Area Map Unit Symbols and Names--Athens County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
12vb7	AaC2	Aaron silt loam, 6 to 12 percent slopes, eroded
12v71	AbC	Aaron silt loam, 6 to 15 percent slopes
12vb8	AdC2	Aaron-Gilpin complex, 6 to 12 percent slopes, eroded
12v90	AgC	Aaron-Gilpin complex, 8 to 15 percent slopes
I14f	BaF	Barkcamp gravelly sandy loam, 40 to 70 percent slopes
I14g	BkD	Berks-Westmoreland silt loams, 15 to 25 percent slopes
I14h	BkE	Berks-Westmoreland silt loams, 25 to 40 percent slopes
I14j	BkF	Berks-Westmoreland silt loams, 40 to 70 percent slopes
12vbs	BmF	Bethesda channery loam, 20 to 70 percent slopes
I14k	BoD	Bethesda shaly silty clay loam, 8 to 25 percent slopes
I14l	BoE	Bethesda shaly silty clay loam, 25 to 40 percent slopes
I14m	BoF	Bethesda shaly silty clay loam, 40 to 70 percent slopes
2t31w	BrC	Brookside silt loam, 8 to 15 percent slopes
2t31v	BrD	Brookside silt loam, 15 to 25 percent slopes
I14q	BrE	Brookside silt loam, 25 to 40 percent slopes
12v6l	BtB	Bethesda channery loam, 0 to 8 percent slopes
12v6m	BtC	Bethesda channery loam, 8 to 20 percent slopes
12v6n	BtE	Bethesda channery loam, 20 to 40 percent slopes
12v6p	BtF	Bethesda channery loam, 40 to 70 percent slopes
2myxz	Chg1AF	Chagrin silt loam, 0 to 3 percent slopes, frequently flooded
I14t	CmC	Clymer loam, 8 to 15 percent slopes
12vbn	DkE	Dekalb loam, 25 to 40 percent slopes
2myy0	Dol1A1	Doles silt loam, 0 to 2 percent slopes
12v9p	DsG	Dekalb and Gilpin stony soils, 25 to 70 percent slopes
I14v	DtD	Dekalb-Westmoreland complex, 15 to 25 percent slopes
I14w	DtE	Dekalb-Westmoreland complex, 25 to 40 percent slopes
I14x	DtF	Dekalb-Westmoreland complex, 40 to 70 percent slopes
I14y	DuF	Dekalb-Westmoreland complex, benched, 40 to 70 percent slopes
I150	Dy	Dumps, mine
I151	EbF	Elba-Brookside-Berks complex, 40 to 70 percent slopes
12v6q	EcA	Euclid silt loam, rarely flooded
I152	FaD	Fairpoint silt loam, 8 to 25 percent slopes

Survey Area Map Unit Symbols and Names--Athens County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
I153	FbE	Fairpoint shaly clay loam, 25 to 40 percent slopes
I154	FbF	Fairpoint shaly clay loam, 40 to 70 percent slopes
2s5h2	FcA	Fitchville silt loam, 0 to 3 percent slopes
2myyn	Gal2C1	Gallia loam, 6 to 12 percent slopes
2t1kx	GdC	Gilpin silt loam, 8 to 15 percent slopes
2t1ky	GdD	Gilpin silt loam, 15 to 25 percent slopes
2t1kz	GdF	Gilpin silt loam, 25 to 35 percent slopes
12v72	GeD	Germano-Gilpin complex, 15 to 25 percent slopes
12v73	GeE	Germano-Gilpin complex, 25 to 40 percent slopes
12v6r	GfB	Glenford silt loam, 2 to 6 percent slopes
12v74	GgD	Gilpin-Guernsey complex, 15 to 25 percent slopes
12v75	GgE	Gilpin-Guernsey complex, 25 to 40 percent slopes
12vbb	GhD2	Gilpin-Upshur complex, 12 to 20 percent slopes, eroded
12vbc	GhE2	Gilpin-Upshur complex, 20 to 35 percent slopes, eroded
2t1l7	GhF	Gilpin-Upshur complex, 35 to 70 percent slopes
12v9v	GkC	Gilpin-Summitville-Upshur complex, 6 to 12 percent slopes
12v9w	GkD	Gilpin-Summitville-Upshur complex, 12 to 18 percent slopes
12v9x	GkE	Gilpin-Summitville-Upshur complex, 18 to 25 percent slopes
12v9y	GkE3	Gilpin-Summitville-Upshur complex, 18 to 25 percent slopes, severely eroded
12v9z	GkF	Gilpin-Summitville-Upshur complex, 25 to 35 percent slopes
12vb0	GIF	Gilpin-Summitville-Upshur complex, 25 to 35 percent slopes, benched
12vb1	GIG	Gilpin-Summitville-Upshur complex, 35 to 70 percent slopes, benched
2s5h3	GmA	Glenford silt loam, 0 to 3 percent slopes
2s5h4	GmB	Glenford silt loam, 3 to 8 percent slopes
2s5h5	GmC	Glenford silt loam, 8 to 15 percent slopes
12v91	GoC2	Gilpin silt loam, 8 to 15 percent slopes, eroded
12v76	GpC	Gilpin-Aaron complex, 6 to 15 percent slopes
2t1lw	GrC	Gilpin-Upshur silt loams, 8 to 15 percent slopes
2t1lm	GrD	Gilpin-Upshur silt loams, 15 to 25 percent slopes
12v95	GrE	Gilpin-Upshur complex, 25 to 50 percent slopes
I15b	GsB	Guernsey silt loam, 3 to 8 percent slopes
I15c	GsC	Guernsey silt loam, 8 to 15 percent slopes
I15d	GuC	Guernsey-Upshur complex, 8 to 15 percent slopes
I15f	GuD	Guernsey-Upshur complex, 15 to 25 percent slopes
12vbk	GwC	Guernsey-Westmoreland silt loams, 8 to 15 percent slopes
12vbl	GwD	Guernsey-Westmoreland silt loams, 15 to 25 percent slopes
12vbm	GwE	Guernsey-Westmoreland silt loams, 25 to 40 percent slopes

Survey Area Map Unit Symbols and Names--Athens County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
12v96	GxD	Guernsey-Gilpin complex, 15 to 25 percent slopes
12v97	GxE	Guernsey-Gilpin complex, 25 to 40 percent slopes
12v98	GyB	Gallipolis silt loam, 2 to 6 percent slopes
2myy1	Hay1AF	Haymond silt loam, 0 to 3 percent slopes, frequently flooded
2myy2	Hay1AO	Haymond silt loam, 0 to 3 percent slopes, occasionally flooded
2t1I8	HcA	Hackers silt loam, 0 to 3 percent slopes, rarely flooded
12vb2	He	Hartshorn silt loam
2s5h6	KeB	Keene silt loam, 3 to 8 percent slopes
12v9b	KeC	Keene silt loam, 6 to 12 percent slopes
2myy3	KnL1AF	Kinnick-Lindside silt loams, 0 to 3 percent slopes, frequently flooded
2myy6	Lck1BO	Licking silt loam, 1 to 4 percent slopes, occasionally flooded
2myy4	Lic1B1	Licking silt loam, 2 to 6 percent slopes
2myy5	Lic1C2	Licking silt loam, 6 to 12 percent slopes, eroded
12vb4	LoC	Lowell-Upshur complex, 6 to 12 percent slopes
12vbf	LrF	Lowell-Gilpin complex, 35 to 70 percent slopes
I15k	McA	McGary silt loam, 0 to 3 percent slopes
2myy7	Mel1AF	Melvin silt loam, 0 to 2 percent slopes, frequently flooded
12vbg	MnD	Morristown silty clay loam, 6 to 20 percent slopes
2myyb	Mos1AF	Moshannon silt loam, 0 to 3 percent slopes, frequently flooded
12vbh	MrF	Morristown channery clay loam, 20 to 70 percent slopes, very stony
I15n	NeC	Negley loam, 8 to 15 percent slopes
2myyc	New1AF	Newark silt loam, 0 to 3 percent slopes, frequently flooded
I15p	NgE	Negley gravelly loam, 25 to 40 percent slopes
2tggw	No	Nolin silt loam, 0 to 3 percent slopes, frequently flooded
2myyd	Omu1B1	Omulga silt loam, 2 to 6 percent slopes
2myyf	Omu1C1	Omulga silt loam, 6 to 12 percent slopes
2myyg	Orr1AF	Orrville silt loam, 0 to 3 percent slopes, frequently flooded
2ndh4	OwB	Otwell silt loam, 2 to 6 percent slopes
2ndh5	OwC	Otwell silt loam, 6 to 12 percent slopes
I15w	PaB	Parke silt loam, 2 to 6 percent slopes
I15x	Pg	Pits, gravel
2myyh	PpS1AF	Pope-Stokly silt loams, 0 to 3 percent slopes, frequently flooded
I15y	RcC	Richland loam, 8 to 15 percent slopes
I15z	RcD	Richland loam, 15 to 25 percent slopes
I160	RcE	Richland loam, 25 to 40 percent slopes
2myyj	SkP1AF	Stokly-Philo silt loams, 0 to 3 percent slopes, frequently flooded
I161	StD	Steinsburg sandy loam, 15 to 25 percent slopes

Survey Area Map Unit Symbols and Names--Athens County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
I162	StE	Steinsburg sandy loam, 25 to 40 percent slopes
I163	StF	Steinsburg sandy loam, 40 to 70 percent slopes
12v78	SvF	Steinsburg-Gilpin association, very steep
I164	Ud	Udorthents, loamy
12v9f	UgC2	Upshur-Gilpin complex, 8 to 15 percent slopes, eroded
12v9g	UgD	Upshur-Gilpin complex, 15 to 25 percent slopes
12v9h	UgE	Upshur-Gilpin complex, 25 to 50 percent slopes
I165	UpC	Upshur silty clay loam, 8 to 15 percent slopes
2s5h1	UpD	Upshur silty clay loam, 15 to 25 percent slopes
I167	UsC	Upshur-Elba silty clay loams, 8 to 15 percent slopes
I168	UsD	Upshur-Elba silty clay loams, 15 to 25 percent slopes
12v9j	UvD	Upshur-Steinsburg complex, 15 to 25 percent slopes
12vb5	UwF	Upshur-Gilpin complex, 25 to 35 percent slopes
2t31j	VaC	Vandalia silty clay loam, 8 to 15 percent slopes
I16b	VbD	Vandalia-Brookside complex, 15 to 25 percent slopes
I16c	VbE	Vandalia-Brookside complex, 25 to 40 percent slopes
I16d	VcD	Vandalia-Richland complex, 15 to 25 percent slopes
I16f	VcE	Vandalia-Richland complex, 25 to 40 percent slopes
2myyk	Vin1C1	Vincent silt loam, 6 to 12 percent slopes
2t317	VqD2	Vandalia silt loam, 15 to 25 percent slopes
I16h	W	Water
2tggz	WdB	Wellston silt loam, 3 to 8 percent slopes
2tgh0	WdC	Wellston silt loam, 8 to 15 percent slopes
I16l	WeB	Westmore silt loam, 3 to 8 percent slopes
I16m	WeC	Westmore silt loam, 8 to 15 percent slopes
12v9l	WgD	Westmoreland-Gilpin complex, 15 to 25 percent slopes
12v9m	WgE	Westmoreland-Gilpin complex, 25 to 40 percent slopes
12v9n	WgF	Westmoreland-Gilpin complex, 40 to 70 percent slopes
I16n	WhC	Westmoreland-Guernsey silt loams, 8 to 15 percent slopes
I16p	WhD	Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
I16q	WhE	Westmoreland-Guernsey silt loams, 25 to 40 percent slopes
I16r	WhF	Westmoreland-Guernsey silt loams, 40 to 70 percent slopes
I16s	WkF	Westmoreland-Guernsey silt loams, benched, 40 to 70 percent slopes
I16t	WmC	Westmoreland-Upshur complex, 8 to 15 percent slopes
I16v	WmD	Westmoreland-Upshur complex, 15 to 25 percent slopes
I16w	WmE	Westmoreland-Upshur complex, 25 to 40 percent slopes
I16x	WmF	Westmoreland-Upshur complex, 40 to 70 percent slopes

Survey Area Map Unit Symbols and Names--Athens County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
12vb6	WnC	Wellston silt loam, 6 to 12 percent slopes
I16y	WpB	Wheeling loam, 3 to 10 percent slopes
12v6x	WqB	Westmore silt loam, 2 to 6 percent slopes
I16z	WtB	Woodsfield silt loam, 3 to 8 percent slopes
I170	WtC	Woodsfield silt loam, 8 to 15 percent slopes
2myyl	Wya1B1	Wyatt silt loam, 2 to 6 percent slopes
2myym	Wya3C2	Wyatt silty clay loam, 6 to 12 percent slopes, eroded
I171	ZnB	Zanesville silt loam, 3 to 8 percent slopes

Data Source Information

Soil Survey Area: Athens County, Ohio
 Survey Area Data: Version 15, Sep 18, 2014