

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Carroll County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AoC2—Aaron silty clay loam, 6 to 15 percent slopes, eroded			
Aaron	85	A-6	
		A-6	0.06
BkB—Berks channery silt loam, 3 to 8 percent slopes			
Berks	85	F-1	
		F-1	0.51
BkC—Berks channery silt loam, 8 to 15 percent slopes			
Berks	85	F-1	
		F-1	0.51
BkD—Berks shaly silt loam, 15 to 25 percent slopes			
Berks	85	F-1	
		F-1	0.51
BkE—Berks channery silt loam, 25 to 35 percent slopes			
Berks	85	F-2	
		F-2	0.52
BkF—Berks channery silt loam, 35 to 70 percent slopes			
Berks	85	H-1	
		H-1	0.71

Selected Soil Interpretations--Carroll County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BnD—Bethesda channery clay loam, 8 to 25 percent slopes			
Bethesda	85	E-3	
		E-3	0.42
BnF—Bethesda channery clay loam, 25 to 70 percent slopes			
Bethesda	90	H-1	
		H-1	0.71
BoF—Bethesda channery silty clay loam, 25 to 70 percent slopes			
Bethesda	85	H-1	
		H-1	0.71
BrA—Boyer loam, 0 to 4 percent slopes			
Boyer	95	B-1	
		B-1	0.07
BsB—Berks channery silt loam, 2 to 6 percent slopes			
Berks	85	F-1	
		F-1	0.51
BsC—Berks channery silt loam, 6 to 15 percent slopes			
Berks	85	F-1	
		F-1	0.51
BsD—Berks channery silt loam, 15 to 25 percent slopes			
Berks	85	F-1	
		F-1	0.51
BsE—Berks channery silt loam, 25 to 40 percent slopes			
Berks	85	F-2	
		F-2	0.52
CeA—Chili loam, 0 to 2 percent slopes			
Chili	100	B-1	
		B-1	0.07
CeB—Chili loam, 2 to 6 percent slopes			
Chili	100	B-1	
		B-1	0.07

Selected Soil Interpretations--Carroll County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CfB—Chili gravelly loam, 3 to 8 percent slopes			
Chili	85	A-1	
		A-1	0.01
CgC2—Chili gravelly loam, 6 to 12 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
ChA—Chili silt loam, 0 to 3 percent slopes			
Chili	100	A-1	
		A-1	0.01
ChB—Chili silt loam, 3 to 8 percent slopes			
Chili	95	A-1	
		A-1	0.01
ChC—Chili silt loam, 8 to 15 percent slopes			
Chili	95	A-1	
		A-1	0.01
CkA—Chili silt loam, 0 to 2 percent slopes			
Chili	100	B-1	
		B-1	0.07
CkB—Chili silt loam, 2 to 6 percent slopes			
Chili	100	B-1	
		B-1	0.07
CkC—Chili silt loam, 6 to 12 percent slopes			
Chili	100	B-1	
		B-1	0.07
CmB—Chili-Urban land complex, undulating			
Chili	50	Not assigned	
Urban land	50	Not rated	
CnB—Coshocton silt loam, 3 to 8 percent slopes			
Coshocton	85	A-6	
		A-6	0.06
CoB—Coshocton-Keene silt loams, 3 to 8 percent slopes			
Coshocton	50	A-6	
		A-6	0.06
Keene	35	A-6	
		A-6	0.06

Selected Soil Interpretations--Carroll County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CpB—Coshocton silt loam, 2 to 6 percent slopes			
Coshocton	90	A-6	
		A-6	0.06
CpC—Coshocton silt loam, 6 to 15 percent slopes			
Coshocton	85	A-6	
		A-6	0.06
CpD—Coshocton silt loam, 15 to 25 percent slopes			
Coshocton	85	A-2	
		A-2	0.02
CsC—Coshocton-Guernsey silt loams, 8 to 15 percent slopes			
Coshocton	55	A-6	
		A-6	0.06
Guernsey	30	A-6	
		A-6	0.06
CsD—Coshocton-Guernsey silt loams, 15 to 25 percent slopes			
Coshocton	60	A-2	
		A-2	0.02
Guernsey	30	Not assigned	
CtD—Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes			
Coshocton	55	A-2	
		A-2	0.02
Guernsey	30	Not assigned	
CuB—Culleoka silt loam, 3 to 8 percent slopes			
Culleoka	85	F-1	
		F-1	0.51
DkB—DeKalb sandy loam, 2 to 6 percent slopes			
DeKalb	100	F-1	
		F-1	0.51
DkC—DeKalb sandy loam, 6 to 12 percent slopes			
DeKalb	100	F-1	
		F-1	0.51
EbB—Elba silty clay loam, 3 to 8 percent slopes			
Elba	95	F-5	
		F-5	0.55

Selected Soil Interpretations--Carroll County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EbC2—Elba silty clay loam, 8 to 15 percent slopes, eroded			
Elba	100	F-5	
		F-5	0.55
EcD2—Elba-Upshur silty clay loams, 15 to 25 percent slopes, eroded			
Elba	50	F-5	
		F-5	0.55
Upshur	35	A-2	
		A-2	0.02
Ek—Elkinsville silt loam, rarely flooded			
Elkinsville	85	A-6	
		A-6	0.06
FaD—Fairpoint channery clay loam, 8 to 25 percent slopes			
Fairpoint	85	E-3	
		E-3	0.42
FaF—Fairpoint channery clay loam, 25 to 70 percent slopes			
Fairpoint	100	H-1	
		H-1	0.71
FbA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FbB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	95	C-1	
		C-1	0.11
FbC—Fitchville silt loam, 6 to 12 percent slopes			
Fitchville	100	C-1	
		C-1	0.11
FcA—Fitchville silt loam, 0 to 3 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FcB—Fitchville silt loam, 3 to 8 percent slopes			
Fitchville	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Carroll County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FpB—Fairpoint silty clay loam, 0 to 8 percent slopes			
Fairpoint	90	B-4	
		B-4	0.10
FrD—Fairpoint very channery silt loam, 8 to 25 percent slopes			
Fairpoint	85	E-3	
		E-3	0.42
FrF—Fairpoint very channery silt loam, 25 to 70 percent slopes			
Fairpoint	85	H-1	
		H-1	0.71
GbC—Germano fine sandy loam, 6 to 15 percent slopes			
Germano	85	F-1	
		F-1	0.51
GdB—Gilpin silt loam, 3 to 8 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GdC—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
GeB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GeC—Glenford silt loam, 6 to 12 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GfB—Glenford silt loam, 3 to 8 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GfC—Glenford silt loam, 8 to 15 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GhC—Glenford silt loam, 6 to 15 percent slopes			
Glenford	85	A-6	
		A-6	0.06

Selected Soil Interpretations--Carroll County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GkC—Gilpin-Coshocton complex, 6 to 15 percent slopes			
Gilpin	55	F-1	
		F-1	0.51
Coshocton	30	A-6	
		A-6	0.06
GkD—Gilpin-Coshocton complex, 15 to 25 percent slopes			
Gilpin	55	F-1	
		F-1	0.51
Coshocton	30	A-2	
		A-2	0.02
GnC—Guernsey silt loam, 6 to 15 percent slopes			
Guernsey	90	A-6	
		A-6	0.06
GuB—Guernsey silty clay loam, 3 to 8 percent slopes			
Guernsey	85	A-6	
		A-6	0.06
GuC2—Guernsey silty clay loam, 8 to 15 percent slopes, eroded			
Guernsey	85	A-6	
		A-6	0.06
HaC—Hazleton channery loam, 8 to 15 percent slopes			
Hazleton	85	B-1	
		B-1	0.07
HaD—Hazleton channery loam, 15 to 25 percent slopes			
Hazleton	85	B-1	
		B-1	0.07
HaE—Hazleton channery loam, 25 to 40 percent slopes			
Hazleton	85	B-2	
		B-2	0.08
HeB—Hazleton loam, 3 to 8 percent slopes			
Hazleton	90	B-1	
		B-1	0.07

Selected Soil Interpretations--Carroll County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HeC—Hazleton loam, 8 to 15 percent slopes			
Hazleton	90	B-1	
		B-1	0.07
HeD—Hazleton loam, 15 to 25 percent slopes			
Hazleton	95	B-1	
		B-1	0.07
HeE—Hazleton loam, 25 to 40 percent slopes			
Hazleton	95	B-2	
		B-2	0.08
HkA—Holly silt loam, 0 to 2 percent slopes, frequently flooded			
Holly	95	C-3	
		C-3	0.13
Ho—Holly silt loam, ponded			
Holly	90	C-3	
		C-3	0.13
HzB—Hazleton channery loam, 2 to 6 percent slopes			
Hazleton	85	B-1	
		B-1	0.07
HzC—Hazleton channery loam, 6 to 15 percent slopes			
Hazleton	85	B-1	
		B-1	0.07
JwA—Jimtown silt loam, 0 to 3 percent slopes			
Jimtown	90	C-1	
		C-1	0.11
KeB—Keene silt loam, 3 to 8 percent slopes			
Keene	90	A-6	
		A-6	0.06
LbB—Library Variant silt loam, 3 to 8 percent slopes			
Library variant	85	C-1	
		C-1	0.11
Lo—Lorain silty clay loam, silty substratum			
Lorain	95	C-2	
		C-2	0.12

Selected Soil Interpretations--Carroll County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MrD—Morristown shaly silty clay loam, 8 to 25 percent slopes			
Morristown	85	E-3	
		E-3	0.42
OmB—Omulga silt loam, 2 to 6 percent slopes			
Omulga	90	F-3	
		F-3	0.53
OmC—Omulga silt loam, 6 to 12 percent slopes			
Omulga	90	F-3	
		F-3	0.53
Or—Orrville silt loam, occasionally flooded			
Orrville	85	C-3	
		C-3	0.13
OsB—Oshtemo sandy loam, 3 to 8 percent slopes			
Oshtemo	95	A-1	
		A-1	0.01
OtB—Oshtemo sandy loam, loamy substratum, 3 to 8 percent slopes			
Oshtemo	90	A-1	
		A-1	0.01
OvA—Orrville silt loam, 0 to 2 percent slopes, occasionally flooded			
Orrville	85	C-3	
		C-3	0.13
Pe—Peoga silt loam, rarely flooded			
Peoga	85	C-1	
		C-1	0.11
Pg—Pits, gravel			
Pits	100	Not rated	
ReD—Rigley loam, 15 to 25 percent slopes			
Rigley	85	A-2	
		A-2	0.02
ReE—Rigley loam, 25 to 40 percent slopes			
Rigley	85	A-3	
		A-3	0.03

Selected Soil Interpretations--Carroll County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RgB—Rigley sandy loam, 3 to 8 percent slopes			
Rigley	95	A-1	
		A-1	0.01
RgC—Rigley sandy loam, 8 to 15 percent slopes			
Rigley	100	A-1	
		A-1	0.01
RgD—Rigley sandy loam, 15 to 25 percent slopes			
Rigley	100	A-2	
		A-2	0.02
RgE—Rigley sandy loam, 25 to 40 percent slopes			
Rigley	100	A-3	
		A-3	0.03
Sb—Sebring silt loam			
Sebring	85	C-1	
		C-1	0.11
Sg—Sebring-Urban land complex			
Sebring	50	Not assigned	
Urban land	50	Not rated	
Ta—Tioga loam, occasionally flooded			
Tioga	85	A-5	
		A-5	0.05
Tg—Tioga silt loam, occasionally flooded			
Tioga	90	A-5	
		A-5	0.05
Uc—Udorthents-Pits complex, 0 to 70 percent slopes			
Udorthents	60	B-2	
		B-2	0.08
Pits	30	Not rated	
Ud—Udorthents			
Udorthents	100	Not rated	
UpC2—Upshur silty clay loam, 8 to 15 percent slopes, eroded			
Upshur	90	A-1	
		A-1	0.01

Selected Soil Interpretations--Carroll County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
W—Water			
Water	100	Not rated	
WhB—Wellston silt loam, 3 to 8 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WkC—Westmoreland silt loam, 8 to 15 percent slopes			
Westmoreland	80	A-1	
		A-1	0.01
WkD—Westmoreland silt loam, 15 to 25 percent slopes			
Westmoreland	80	A-2	
		A-2	0.02
WkE—Westmoreland silt loam, 25 to 35 percent slopes			
Westmoreland	80	A-3	
		A-3	0.03
WIA—Wheeling loam, 0 to 2 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WmC—Westmoreland-Coshocton silt loams, 8 to 15 percent slopes			
Westmoreland	60	A-1	
		A-1	0.01
Coshocton	25	A-6	
		A-6	0.06
WmD—Westmoreland-Coshocton silt loams, 15 to 25 percent slopes			
Westmoreland	60	A-2	
		A-2	0.02
Coshocton	25	A-2	
		A-2	0.02
WpA—Wheeling silt loam, 0 to 2 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WpB—Wheeling silt loam, 2 to 6 percent slopes			
Wheeling	100	A-1	
		A-1	0.01

Selected Soil Interpretations--Carroll County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WrC—Westmoreland silt loam, 6 to 15 percent slopes			
Westmoreland	85	A-1	
		A-1	0.01

### Data Source Information

Soil Survey Area: Carroll County, Ohio  
 Survey Area Data: Version 12, Sep 15, 2014