

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Clermont County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AdC—Alluvial land, sloping			
Alluvial land	96	Not rated	
AwA—Avonburg-Urban land complex, nearly level			
Avonburg	60	Not assigned	
Urban land	35	Not rated	
BoD2—Bonnell silt loam, 15 to 25 percent slopes, eroded			
Bonnell	85	F-5	
		F-5	0.55
		A-2	0.02
BoE—Bonnell silt loam, 25 to 40 percent slopes			
Bonnell	85	F-6	
		F-6	0.56
		A-3	0.03
BoF—Bonnell silt loam, 40 to 60 percent slopes			
Bonnell	85	H-1	
		H-1	0.71
BrD3—Bonnell silty clay loam, 15 to 25 percent slopes, severely eroded			
Bonnell	85	F-5	
		F-5	0.55
		A-2	0.02

Selected Soil Interpretations--Clermont County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CcB—Cincinnati silt loam, 2 to 6 percent slopes			
Cincinnati	95	F-3	
		F-3	0.53
CcB2—Cincinnati silt loam, 2 to 6 percent slopes, moderately eroded			
Cincinnati	90	F-3	
		F-3	0.53
CcC2—Cincinnati silt loam, 6 to 12 percent slopes, moderately eroded			
Cincinnati	90	F-3	
		F-3	0.53
CcD2—Cincinnati silt loam, 12 to 18 percent slopes, moderately eroded			
Cincinnati	95	F-3	
		F-3	0.53
CkD3—Cincinnati and Hickory soils, 12 to 25 percent slopes, severely eroded			
Cincinnati	60	F-3	
		F-3	0.53
Hickory	35	A-2	
		A-2	0.02
Cle1A—Clermont silt loam, 0 to 1 percent slopes			
Clermont	90	C-1	
		C-1	0.11
CnC2—Cincinnati silt loam, 6 to 12 percent slopes, eroded			
Cincinnati	90	F-3	
		F-3	0.53
Cu—Cut and fill land			
Cut and fill land	100	Not rated	
EaD2—Eden flaggy silty clay loam, 12 to 18 percent slopes, moderately eroded			
Eden	85	B-1	
		B-1	0.07
EaE—Eden flaggy silt loam, 25 to 40 percent slopes			
Eden	85	F-2	
		F-2	0.52

Selected Soil Interpretations--Clermont County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EaE2—Eden flaggy silty clay loam, 18 to 25 percent slopes, moderately eroded			
Eden	85	B-1	
		B-1	0.07
EaF—Eden flaggy silt loam, 40 to 70 percent slopes			
Eden	90	H-1	
		H-1	0.71
EaF2—Eden flaggy silty clay loam, 25 to 50 percent slopes, moderately eroded			
Eden	90	B-2	
		B-2	0.08
EbC2—Edenton loam, 6 to 12 percent slopes, moderately eroded			
Edenton	90	A-1	
		A-1	0.01
EbD2—Edenton loam, 12 to 18 percent slopes, moderately eroded			
Edenton	95	A-1	
		A-1	0.01
EbE2—Edenton loam, 18 to 25 percent slopes, moderately eroded			
Edenton	95	A-2	
		A-2	0.02
EbG2—Edenton loam, 25 to 50 percent slopes, moderately eroded			
Edenton	90	A-3	
		A-3	0.03
EcE3—Edenton clay loam, 12 to 25 percent slopes, severely eroded			
Edenton	90	A-2	
		A-2	0.02
EdG3—Edenton and Fairmount soils, 25 to 50 percent slopes, severely eroded			
Edenton	55	A-3	
		A-3	0.03
Fairmount	45	E-2	
		E-2	0.41

Selected Soil Interpretations--Clermont County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ee—Eel silt loam			
Eel	98	A-5	
		A-5	0.05
EkB—Elkinsville silt loam, 2 to 6 percent slopes			
Elkinsville	85	A-6	
		A-6	0.06
FaE2—Fairmount very flaggy silty clay loam, 18 to 25 percent slopes, moderately eroded			
Fairmount	95	E-1	
		E-1	0.40
FaG2—Fairmount very flaggy silty clay loam, 25 to 50 percent slopes, moderately eroded			
Fairmount	95	E-2	
		E-2	0.41
FdD2—Faywood silt loam, 15 to 25 percent slopes, eroded			
Faywood	85	F-1	
		F-1	0.51
FnB—Fox silt loam, 2 to 6 percent slopes			
Fox	100	A-1	
		A-1	0.01
FnC2—Fox silt loam, 6 to 12 percent slopes, moderately eroded			
Fox	95	A-1	
		A-1	0.01
FuB—Fox-Urban land complex, gently sloping			
Fox	65	Not assigned	
Urban land	35	Not rated	
Gn—Genesee silt loam			
Genesee	100	A-5	
		A-5	0.05
GpB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GpC2—Glenford silt loam, 6 to 12 percent slopes, moderately eroded			
Glenford	95	A-6	
		A-6	0.06

Selected Soil Interpretations--Clermont County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GpE2—Glenford silt loam, 18 to 25 percent slopes, moderately eroded			
Glenford	100	A-2	
		A-2	0.02
Gr—Gravel pits			
Gravel pits	100	Not rated	
HkD2—Hickory loam, 12 to 18 percent slopes, moderately eroded			
Hickory	100	A-1	
		A-1	0.01
HkF2—Hickory loam, 18 to 35 percent slopes, moderately eroded			
Hickory	100	A-3	
		A-3	0.03
HIG3—Hickory clay loam, 25 to 50 percent slopes, severely eroded			
Hickory	95	A-3	
		A-3	0.03
Hu—Huntington silt loam			
Huntington	100	A-5	
		A-5	0.05
JeC2—Jessup silt loam, 8 to 15 percent slopes, eroded			
Jessup	85	A-1	
		A-1	0.01
JoR1A1—Jonesboro-Rossmoyne silt loams, 0 to 2 percent slopes			
Jonesboro	50	A-6	
		A-6	0.06
Rossmoyne	35	F-3	
		F-3	0.53
JoR1B1—Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes			
Jonesboro	50	A-6	
		A-6	0.06
Rossmoyne	45	F-3	
		F-3	0.53

Selected Soil Interpretations--Clermont County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
JoR1B2—Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes, eroded			
Jonesboro, eroded	52	A-6	
		A-6	0.06
Rossmoyne, eroded	42	F-3	
		F-3	0.53
Lg—Lanier sandy loam			
Lanier	95	B-3	
		B-3	0.09
Ln—Lindside silt loam			
Lindside	92	A-5	
		A-5	0.05
Mb—Mahalasville silty clay loam			
Mahalasville	100	C-1	
		C-1	0.11
MdB—Markland silt loam, 2 to 6 percent slopes			
Markland	100	F-5	
		F-5	0.55
MgA—McGary silt loam, 0 to 2 percent slopes			
Mcgary	100	C-2	
		C-2	0.12
Mh—Medway silt loam, overwash			
Medway	97	A-5	
		A-5	0.05
Ne—Newark silt loam, 0 to 2 percent slopes, occasionally flooded			
Newark, occasionally flooded	90	C-3	
		C-3	0.13
No—Nolin silt loam, occasionally flooded			
Nolin	90	A-5	
		A-5	0.05
OcA—Ockley silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes			
Ockley	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Clermont County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
OcB—Ockley silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes			
Ockley	85	A-1	
		A-1	0.01
OdA—Ockley-Urban land complex, nearly level			
Ockley	65	Not assigned	
Urban land	35	Not rated	
PbD2—Pate silty clay, 15 to 25 percent slopes, eroded			
Pate	85	F-5	
		F-5	0.55
Rh—Riverwash			
Riverwash	100	Not rated	
RkD2—Rodman and Casco loams, 12 to 18 percent slopes, moderately eroded			
Rodman	55	B-1	
		B-1	0.07
Casco	45	B-1	
		B-1	0.07
RkE2—Rodman and Casco loams, 18 to 25 percent slopes, moderately eroded			
Rodman	55	B-1	
		B-1	0.07
Casco	45	B-1	
		B-1	0.07
Rn—Ross silt loam			
Ross	100	A-5	
		A-5	0.05
RpC2—Rossmoyne silt loam, 6 to 12 percent slopes, moderately eroded			
Rossmoyne	92	F-3	
		F-3	0.53
RsC3—Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded			
Rossmoyne	95	F-3	
		F-3	0.53

Selected Soil Interpretations--Clermont County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RtB--Rossmoyne-Urban land complex, gently sloping			
Rossmoyne	65	Not assigned	
Urban land	35	Not rated	
RtC--Rossmoyne-Urban land complex, sloping			
Rossmoyne	60	Not assigned	
Urban land	35	Not rated	
RwC3--Rossmoyne-Bonnell complex, 6 to 12 percent slopes, severely eroded			
Rossmoyne	50	F-3	
		F-3	0.53
Bonnell	35	F-5	
		F-5	0.55
SaA--Sardinia silt loam, 0 to 2 percent slopes			
Sardinia	97	A-6	
		A-6	0.06
SaB--Sardinia silt loam, 2 to 6 percent slopes			
Sardinia	95	A-6	
		A-6	0.06
ScA--Sciotoville silt loam, 0 to 2 percent slopes			
Sciotoville	85	F-3	
		F-3	0.53
SeC2--Sees silty clay loam, 4 to 12 percent slopes, moderately eroded			
Sees	100	A-1	
		A-1	0.01
SeD2--Sees silty clay loam, 12 to 18 percent slopes, moderately eroded			
Sees	100	A-1	
		A-1	0.01
Sg--Shoals silt loam, frequently flooded			
Shoals	85	C-3	
		C-3	0.13
Sh--Shoals silt loam			
Shoals	95	C-3	
		C-3	0.13

Selected Soil Interpretations--Clermont County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
St--Stonelick sandy loam			
Stonelick	100	A-5	
		A-5	0.05
Ud--Udorthents			
Udorthents	100	Not rated	
W--Water			
Water	100	Not rated	
WsS1A1--Westboro-Schaffer silt loams, 0 to 2 percent slopes			
Westboro	55	C-1	
		C-1	0.11
Schaffer	30	C-1	
		C-1	0.11
WsS1B1--Westboro-Schaffer silt loams, 2 to 4 percent slopes			
Westboro	55	C-1	
		C-1	0.11
Schaffer	30	C-1	
		C-1	0.11
WvB--Williamsburg and Martinsville silt loams, 2 to 6 percent slopes			
Williamsburg	55	A-1	
		A-1	0.01
Martinsville	45	A-1	
		A-1	0.01
WvC2--Williamsburg and Martinsville silt loams, 6 to 12 percent slopes, moderately eroded			
Williamsburg	55	A-1	
		A-1	0.01
Martinsville	45	A-1	
		A-1	0.01
WvD2--Williamsburg and Martinsville silt loams, 12 to 18 percent slopes, moderately eroded			
Williamsburg	55	A-1	
		A-1	0.01
Martinsville	45	A-1	
		A-1	0.01

Data Source Information

Soil Survey Area: Clermont County, Ohio
Survey Area Data: Version 13, Sep 18, 2014