

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AaB—Aaron silt loam, 2 to 6 percent slopes			
Aaron	85	A-6	
		A-6	0.06
AaC2—Aaron silt loam, 6 to 15 percent slopes, eroded			
Aaron	85	A-6	
		A-6	0.06
AbB—Aaron silt loam, 2 to 8 percent slopes			
Aaron	80	A-6	
		A-6	0.06
AbC—Aaron silt loam, 8 to 15 percent slopes			
Aaron	85	A-6	
		A-6	0.06
AbC2—Aaron silt loam, 8 to 15 percent slopes, eroded			
Aaron	80	A-6	
		A-6	0.06
AfB—Alford silt loam, 2 to 6 percent slopes			
Alford	85	A-6	
		A-6	0.06
AfC2—Alford silt loam, 6 to 15 percent slopes, eroded			
Alford	85	A-6	
		A-6	0.06

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AgC2--Alford silt loam, 8 to 15 percent slopes, eroded			
Alford	80	A-6	
		A-6	0.06
BfE--Bethesda clay loam, 25 to 40 percent slopes			
Bethesda	90	E-2	
		E-2	0.41
BgB--Bethesda loam, 0 to 8 percent slopes			
Bethesda	90	B-4	
		B-4	0.10
BgD--Bethesda loam, 8 to 25 percent slopes			
Bethesda	90	B-4	
		B-4	0.10
BgE--Bethesda loam, 25 to 40 percent slopes			
Bethesda	90	E-2	
		E-2	0.41
BhB--Bethesda channery loam, 0 to 8 percent slopes			
Bethesda	85	E-3	
		E-3	0.42
BhD--Bethesda channery loam, 8 to 25 percent slopes			
Bethesda	85	E-3	
		E-3	0.42
BhF--Bethesda channery loam, 25 to 70 percent slopes			
Bethesda	85	H-1	
		H-1	0.71
BkC--Bethesda channery clay loam, 8 to 15 percent slopes			
Bethesda	95	E-3	
		E-3	0.42
BkF--Bethesda channery clay loam, 25 to 70 percent slopes			
Bethesda	85	H-1	
		H-1	0.71

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BrD—Brownsville channery silt loam, 15 to 25 percent slopes			
Brownsville	85	B-1	
		B-1	0.07
BrE—Brownsville channery silt loam, 25 to 35 percent slopes			
Brownsville	85	A-3	
		A-3	0.03
BrF—Brownsville channery silt loam, 35 to 70 percent slopes			
Brownsville	85	H-1	
		H-1	0.71
BsF—Brownsville-Westmoreland complex, 25 to 40 percent slopes			
Brownsville	60	B-2	
		B-2	0.08
Westmoreland	30	A-3	
		A-3	0.03
BtF—Brownsville-Rock outcrop complex, 35 to 70 percent slopes			
Brownsville	40	H-1	
		H-1	0.71
Rock outcrop	40	Not rated	
CbC—Chili gravelly loam, 6 to 12 percent slopes			
Chili	85	B-1	
		B-1	0.07
CbD—Chili gravelly loam, 12 to 18 percent slopes			
Chili	85	B-1	
		B-1	0.07
CcA—Chavies loam, 0 to 2 percent slopes			
Chavies	80	A-1	
		A-1	0.01
CdA—Caneadea silt loam, 0 to 2 percent slopes			
Caneadea	80	C-2	
		C-2	0.12
CfA—Chili loam, 0 to 2 percent slopes			
Chili	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CfB—Chili loam, 2 to 6 percent slopes			
Chili	85	A-1	
		A-1	0.01
CfC—Chili loam, 6 to 15 percent slopes			
Chili	85	A-1	
		A-1	0.01
CfD—Chili loam, 15 to 25 percent slopes			
Chili	90	B-1	
		B-1	0.07
CfE—Chili loam, 25 to 35 percent slopes			
Chili	85	B-2	
		B-2	0.08
CgA—Chili-Urban land complex, 0 to 2 percent slopes			
Chili	50	Not assigned	
Urban land	30	Not rated	
CgB—Chili-Urban land complex, 2 to 6 percent slopes			
Chili	50	Not assigned	
Urban land	30	Not rated	
ChA—Cidermill silt loam, 0 to 2 percent slopes			
Cidermill	90	A-1	
		A-1	0.01
ChB—Cidermill silt loam, 2 to 6 percent slopes			
Cidermill	90	A-1	
		A-1	0.01
CkC—Clarksburg silt loam, 6 to 15 percent slopes			
Clarksburg	85	F-3	
		F-3	0.53
CkD—Clarksburg silt loam, 15 to 25 percent slopes			
Clarksburg	83	F-3	
		F-3	0.53
CIC2—Chili loam, 6 to 12 percent slopes, eroded			
Chili	100	A-1	
		A-1	0.01

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CmC2--Clarksburg silt loam, 8 to 15 percent slopes, eroded			
Clarksburg	85	F-3	
		F-3	0.53
CnC2--Coshocton silt loam, 8 to 15 percent slopes, eroded			
Coshocton	85	A-6	
		A-6	0.06
CoB--Coshocton silt loam, 2 to 6 percent slopes			
Coshocton	85	A-6	
		A-6	0.06
CoC2--Coshocton silt loam, 6 to 15 percent slopes, eroded			
Coshocton	85	A-6	
		A-6	0.06
CoD--Coshocton silt loam, 15 to 25 percent slopes			
Coshocton	85	A-2	
		A-2	0.02
CoD2--Coshocton silt loam, 15 to 25 percent slopes, eroded			
Coshocton	85	A-2	
		A-2	0.02
CoE--Coshocton silt loam, 25 to 35 percent slopes			
Coshocton	85	A-3	
		A-3	0.03
CpC--Coshocton silt loam, 6 to 15 percent slopes, very stony			
Coshocton	85	A-6	
		A-6	0.06
CpD--Coshocton silt loam, 15 to 25 percent slopes, very stony			
Coshocton	85	A-2	
		A-2	0.02

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CrD—Coshocton-Rigley complex, 15 to 25 percent slopes			
Coshocton	45	A-2	
		A-2	0.02
Rigley	35	A-2	
		A-2	0.02
CrE—Coshocton-Rigley complex, 25 to 35 percent slopes			
Coshocton	45	A-3	
		A-3	0.03
Rigley	35	A-3	
		A-3	0.03
CsD—Coshocton-Westmoreland complex, 15 to 25 percent slopes			
Coshocton	50	A-2	
		A-2	0.02
Westmoreland	30	A-2	
		A-2	0.02
CsE—Coshocton-Westmoreland complex, 25 to 35 percent slopes			
Coshocton	50	A-3	
		A-3	0.03
Westmoreland	30	A-3	
		A-3	0.03
CtE—Coshocton-Westmoreland silt loams, 25 to 40 percent slopes			
Coshocton	45	A-3	
		A-3	0.03
Westmoreland	35	A-3	
		A-3	0.03
CuD—Coshocton-Guernsey silt loams, 15 to 25 percent slopes			
Coshocton	60	A-2	
		A-2	0.02
Guernsey	30	Not assigned	

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CvD--Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes			
Coshocton	55	A-2	
		A-2	0.02
Guernsey	30	Not assigned	
DeC--Dekalb channery sandy loam, 6 to 15 percent slopes, stony			
Dekalb	90	F-1	
		F-1	0.51
Ds--Dumps, mine			
Dumps	100	Not rated	
EuA--Euclid silt loam, occasionally flooded			
Euclid	85	C-3	
		C-3	0.13
FaB--Fairpoint loam, 0 to 8 percent slopes			
Fairpoint	90	B-4	
		B-4	0.10
FaD--Fairpoint loam, 8 to 25 percent slopes			
Fairpoint	90	B-4	
		B-4	0.10
FaE--Fairpoint loam, 25 to 35 percent slopes			
Fairpoint	90	E-2	
		E-2	0.41
FeB--Farmerstown loam, 0 to 8 percent slopes			
Farmerstown	85	B-1	
		B-1	0.07
FeC--Farmerstown loam, 8 to 20 percent slopes			
Farmerstown	90	B-1	
		B-1	0.07
FhA--Fitchville silt loam, 0 to 3 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FhB--Fitchville silt loam, 3 to 8 percent slopes			
Fitchville	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GdB—Germano sandy loam, 2 to 6 percent slopes			
Germano	85	F-1	
		F-1	0.51
GdC2—Germano sandy loam, 6 to 15 percent slopes, eroded			
Germano	80	F-1	
		F-1	0.51
GhB—Gilpin silt loam, 3 to 8 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GhC—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
GhD—Gilpin silt loam, 15 to 25 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GkC—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GkC2—Gilpin silt loam, 8 to 15 percent slopes, eroded			
Gilpin	80	F-1	
		F-1	0.51
GnA—Glenford silt loam, 0 to 3 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GnB—Glenford silt loam, 3 to 8 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GnC—Glenford silt loam, 8 to 15 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GnC2—Glenford silt loam, 6 to 15 percent slopes, eroded			
Glenford	80	A-6	
		A-6	0.06

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GpA—Glenford silt loam, occasionally flooded			
Glenford	90	A-5	
		A-5	0.05
GuC—Guernsey silt loam, 6 to 15 percent slopes			
Guernsey	85	A-6	
		A-6	0.06
GuD—Guernsey silt loam, 15 to 25 percent slopes			
Guernsey	85	A-2	
		A-2	0.02
HaD—Hazleton channery sandy loam, 15 to 25 percent slopes			
Hazleton	90	B-1	
		B-1	0.07
HaE—Hazleton channery sandy loam, 25 to 35 percent slopes			
Hazleton	85	B-2	
		B-2	0.08
HaF—Hazleton channery sandy loam, 35 to 70 percent slopes			
Hazleton	85	H-1	
		H-1	0.71
HeF—Hazleton channery sandy loam, 25 to 70 percent slopes, very bouldery			
Hazleton	85	H-1	
		H-1	0.71
HfF—Hazleton channery loam, 25 to 70 percent slopes, stony			
Hazleton	85	H-1	
		H-1	0.71
HgD—Hazleton channery loam, 15 to 25 percent slopes			
Hazleton	85	B-1	
		B-1	0.07
HgE—Hazleton channery loam, 25 to 40 percent slopes			
Hazleton	85	B-2	
		B-2	0.08

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HgF--Hazleton channery loam, 40 to 60 percent slopes			
Hazleton	85	H-1	
		H-1	0.71
HoB--Homewood silt loam, 2 to 6 percent slopes			
Homewood	85	F-3	
		F-3	0.53
HoC--Homewood silt loam, 6 to 15 percent slopes			
Homewood	85	F-3	
		F-3	0.53
Ht--Huntington silt loam, rarely flooded			
Huntington	90	A-6	
		A-6	0.06
JmA--Jimtown loam, 0 to 2 percent slopes			
Jimtown	90	C-1	
		C-1	0.11
KeB--Keene silt loam, 3 to 8 percent slopes			
Keene	90	A-6	
		A-6	0.06
KeC--Keene silt loam, 6 to 15 percent slopes			
Keene	90	A-6	
		A-6	0.06
KeC2--Keene silt loam, 6 to 15 percent slopes, eroded			
Keene	80	A-6	
		A-6	0.06
KfC--Keene silt loam, 8 to 15 percent slopes			
Keene	85	A-6	
		A-6	0.06
La--Landes sandy loam, rarely flooded			
Landes	90	A-1	
		A-1	0.01
Lb--Landes loam, occasionally flooded			
Landes	90	A-5	
		A-5	0.05

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Lo--Lobdell silt loam, 0 to 3 percent slopes, occasionally flooded			
Lobdell	85	A-5	
		A-5	0.05
LrB--Loudon silt loam, 2 to 6 percent slopes			
Loudon	85	A-6	
		A-6	0.06
LrC--Loudon silt loam, 6 to 15 percent slopes			
Loudon	85	A-6	
		A-6	0.06
LvC--Loudonville silt loam, 6 to 15 percent slopes			
Loudonville	90	F-1	
		F-1	0.51
LvD--Loudonville silt loam, 15 to 20 percent slopes			
Loudonville	85	F-1	
		F-1	0.51
MaB--Markland silt loam, 2 to 6 percent slopes			
Markland	85	F-5	
		F-5	0.55
MaC--Markland silt loam, 6 to 15 percent slopes			
Markland	85	F-5	
		F-5	0.55
MaD2--Markland silt loam, 15 to 35 percent slopes, eroded			
Markland	85	F-5	
		F-5	0.55
McD2--Markland-Glenford complex, 15 to 35 percent slopes, eroded			
Markland	40	F-5	
		F-5	0.55
Glenford	30	A-2	
		A-2	0.02
Mg--Melvin silt loam, frequently flooded			
Melvin	85	C-3	
		C-3	0.13

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Mh—Melvin silt loam, ponded			
Melvin	90	C-3	
		C-3	0.13
MnA—Mentor silt loam, 0 to 2 percent slopes			
Mentor	85	A-6	
		A-6	0.06
MnB—Mentor silt loam, 2 to 6 percent slopes			
Mentor	85	A-6	
		A-6	0.06
MnC—Mentor silt loam, 6 to 15 percent slopes			
Mentor	85	A-6	
		A-6	0.06
MnD—Mentor silt loam, 15 to 25 percent slopes			
Mentor	85	A-2	
		A-2	0.02
MoC—Mentor silt loam, 8 to 15 percent slopes			
Mentor	90	A-6	
		A-6	0.06
MrD2—Mentor silt loam, 12 to 18 percent slopes, eroded			
Mentor	100	A-6	
		A-6	0.06
Ne—Newark silt loam, occasionally flooded			
Newark	85	C-3	
		C-3	0.13
Nf—Newark silt loam, frequently flooded			
Newark	85	C-3	
		C-3	0.13
Nn—Nolin silt loam, rarely flooded			
Nolin	90	A-1	
		A-1	0.01
No—Nolin silt loam, 0 to 3 percent slopes, occasionally flooded			
Nolin, occasionally flooded	85	A-5	
		A-5	0.05

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Np--Nolin silt loam, 0 to 3 percent slopes, frequently flooded			
Nolin	90	A-5	
		A-5	0.05
Or--Orrville silt loam, occasionally flooded			
Orrville	80	C-3	
		C-3	0.13
Pg--Pits, gravel			
Pits	100	Not rated	
Ph--Pits, quarry			
Pits	100	Not rated	
RcC--Richland silt loam, 6 to 15 percent slopes			
Richland	85	A-1	
		A-1	0.01
RcD--Richland silt loam, 15 to 25 percent slopes			
Richland	85	A-2	
		A-2	0.02
RdD--Rigley channery loam, 15 to 25 percent slopes			
Rigley	80	A-2	
		A-2	0.02
ReF--Rigley fine sandy loam, 25 to 35 percent slopes			
Rigley	100	A-3	
		A-3	0.03
RfC--Rigley loam, 8 to 15 percent slopes			
Rigley	80	A-1	
		A-1	0.01
RgC--Rigley sandy loam, 6 to 15 percent slopes			
Rigley	85	A-1	
		A-1	0.01
RgD--Rigley sandy loam, 15 to 25 percent slopes			
Rigley	85	A-2	
		A-2	0.02
RgE--Rigley sandy loam, 25 to 35 percent slopes			
Rigley	85	A-3	
		A-3	0.03

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RhD—Rigley sandy loam, 12 to 25 percent slopes, very stony			
Rigley	85	A-2	
		A-2	0.02
RkE—Rigley-Coshocton complex, 25 to 40 percent slopes			
Rigley	40	A-3	
		A-3	0.03
Coshocton	35	A-3	
		A-3	0.03
RIE—Rigley sandy loam, 25 to 40 percent slopes			
Rigley	100	A-3	
		A-3	0.03
SaD—Schaffemaker loamy sand, 12 to 25 percent slopes			
Schaffemaker	95	F-1	
		F-1	0.51
SbF—Schaffemaker very bouldery loamy sand, 25 to 60 percent slopes			
Schaffemaker	95	H-1	
		H-1	0.71
Se—Sebring silt loam			
Sebring	90	C-1	
		C-1	0.11
Th—Tioga fine sandy loam, rarely flooded			
Tioga	90	A-1	
		A-1	0.01
Tk—Tioga fine sandy loam, occasionally flooded			
Tioga	90	A-5	
		A-5	0.05
Tm—Tioga fine sandy loam, frequently flooded			
Tioga	95	A-5	
		A-5	0.05
To—Tioga-Urban land complex, rarely flooded			
Tioga	50	Not assigned	
Urban land	30	Not rated	

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
TsB—Titusville silt loam, 2 to 6 percent slopes			
Titusville	85	F-3	
		F-3	0.53
TsC—Titusville silt loam, 6 to 15 percent slopes			
Titusville	85	F-3	
		F-3	0.53
Ud—Udorthents, loamy, hilly			
Udorthents	70	Not rated	
Ug—Udorthents, loamy			
Udorthents	95	Not rated	
Uh—Udorthents, loamy-skeletal			
Udorthents	100	Not rated	
Up—Udorthents-Pits complex			
Udorthents	70	Not rated	
Pits	20	Not rated	
W—Water			
Water	100	Not rated	
WaA—Watertown sandy loam, 0 to 2 percent slopes			
Watertown	90	B-1	
		B-1	0.07
WaB—Watertown sandy loam, 2 to 6 percent slopes			
Watertown	90	B-1	
		B-1	0.07
WaC—Watertown sandy loam, 6 to 15 percent slopes			
Watertown	90	B-1	
		B-1	0.07
WaD—Watertown sandy loam, 15 to 25 percent slopes			
Watertown	90	B-1	
		B-1	0.07
WaF—Watertown sandy loam, 25 to 70 percent slopes			
Watertown	90	H-1	
		H-1	0.71

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Wb--Wappinger sandy loam, rarely flooded			
Wappinger	90	B-1	
		B-1	0.07
WeC--Wellston silt loam, 8 to 15 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WfC--Wellston silt loam, 8 to 15 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WhC--Westmoreland silt loam, 8 to 15 percent slopes			
Westmoreland	80	A-1	
		A-1	0.01
WhD--Westmoreland silt loam, 15 to 25 percent slopes			
Westmoreland	80	A-2	
		A-2	0.02
WhE--Westmoreland silt loam, 25 to 35 percent slopes			
Westmoreland	80	A-3	
		A-3	0.03
WkF--Westmoreland silt loam, 35 to 60 percent slopes			
Westmoreland	80	H-1	
		H-1	0.71
WIC2--Westmoreland-Coshocton complex, 8 to 15 percent slopes, eroded			
Westmoreland	50	A-1	
		A-1	0.01
Coshocton	40	A-6	
		A-6	0.06
WmD--Westmoreland-Guernsey silt loams, 15 to 25 percent slopes			
Westmoreland	60	A-2	
		A-2	0.02
Guernsey	25	Not assigned	

Selected Soil Interpretations--Coshocton County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WmE--Westmoreland-Guernsey silt loams, 25 to 40 percent slopes			
Westmoreland	60	A-3	
		A-3	0.03
Guernsey	25	F-6	
		F-6	0.56
WnA--Wheeling silt loam, 0 to 2 percent slopes			
Wheeling	90	A-1	
		A-1	0.01
WnB--Wheeling silt loam, 2 to 6 percent slopes			
Wheeling	90	A-1	
		A-1	0.01
WrA--Wheeling-Urban land complex, nearly level			
Wheeling	50	Not assigned	
Urban land	30	Not rated	
WtC--Westmoreland silt loam, 8 to 15 percent slopes			
Westmoreland	85	A-1	
		A-1	0.01
WtC2--Westmoreland silt loam, 8 to 15 percent slopes, eroded			
Westmoreland	80	B-1	
		B-1	0.07
WtE--Westmoreland silt loam, 25 to 40 percent slopes			
Westmoreland	80	A-3	
		A-3	0.03
Zp--Zipp silty clay loam, frequently flooded			
Zipp	90	C-3	
		C-3	0.13

### Data Source Information

Soil Survey Area: Coshocton County, Ohio  
 Survey Area Data: Version 10, Sep 15, 2014