

Survey Area Map Unit Symbols and Names

Report—Survey Area Map Unit Symbols and Names

Survey Area Map Unit Symbols and Names—Coshocton County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
I0cc	AaB	Aaron silt loam, 2 to 6 percent slopes
I0cd	AaC2	Aaron silt loam, 6 to 15 percent slopes, eroded
28sjs	AbB	Aaron silt loam, 2 to 8 percent slopes
28sk9	AbC	Aaron silt loam, 8 to 15 percent slopes
28sjt	AbC2	Aaron silt loam, 8 to 15 percent slopes, eroded
I0cf	AfB	Alford silt loam, 2 to 6 percent slopes
I0cg	AfC2	Alford silt loam, 6 to 15 percent slopes, eroded
28sjv	AgC2	Alford silt loam, 8 to 15 percent slopes, eroded
28skb	BfE	Bethesda clay loam, 25 to 40 percent slopes
I0ch	BgB	Bethesda loam, 0 to 8 percent slopes
I0cj	BgD	Bethesda loam, 8 to 25 percent slopes
I0ck	BgE	Bethesda loam, 25 to 40 percent slopes
I0cl	BhB	Bethesda channery loam, 0 to 8 percent slopes
I0cm	BhD	Bethesda channery loam, 8 to 25 percent slopes
I0cn	BhF	Bethesda channery loam, 25 to 70 percent slopes
28skl	BkC	Bethesda channery clay loam, 8 to 15 percent slopes
28skm	BkF	Bethesda channery clay loam, 25 to 70 percent slopes
I0cp	BrD	Brownsville channery silt loam, 15 to 25 percent slopes
I0cq	BrE	Brownsville channery silt loam, 25 to 35 percent slopes
I0cr	BrF	Brownsville channery silt loam, 35 to 70 percent slopes
28skz	BsF	Brownsville-Westmoreland complex, 25 to 40 percent slopes
I0cs	BtF	Brownsville-Rock outcrop complex, 35 to 70 percent slopes
28sl0	CbC	Chili gravelly loam, 6 to 12 percent slopes
28sl1	CbD	Chili gravelly loam, 12 to 18 percent slopes
28sl8	CcA	Chavies loam, 0 to 2 percent slopes
I0ct	CdA	Caneadea silt loam, 0 to 2 percent slopes
I0cv	CfA	Chili loam, 0 to 2 percent slopes
I0cw	CfB	Chili loam, 2 to 6 percent slopes
I0cx	CfC	Chili loam, 6 to 15 percent slopes
I0cy	CfD	Chili loam, 15 to 25 percent slopes
I0cz	CfE	Chili loam, 25 to 35 percent slopes
I0d0	CgA	Chili-Urban land complex, 0 to 2 percent slopes

Survey Area Map Unit Symbols and Names--Coshocton County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
I0d1	CgB	Chili-Urban land complex, 2 to 6 percent slopes
I0d2	ChA	Cidermill silt loam, 0 to 2 percent slopes
I0d3	ChB	Cidermill silt loam, 2 to 6 percent slopes
I0d4	CkC	Clarksburg silt loam, 6 to 15 percent slopes
2t31m	CkD	Clarksburg silt loam, 15 to 25 percent slopes
28sl4	CIC2	Chili loam, 6 to 12 percent slopes, eroded
28sjw	CmC2	Clarksburg silt loam, 8 to 15 percent slopes, eroded
28skc	CnC2	Coshocton silt loam, 8 to 15 percent slopes, eroded
I0d6	CoB	Coshocton silt loam, 2 to 6 percent slopes
I0d7	CoC2	Coshocton silt loam, 6 to 15 percent slopes, eroded
I0d8	CoD	Coshocton silt loam, 15 to 25 percent slopes
28sl6	CoD2	Coshocton silt loam, 15 to 25 percent slopes, eroded
2rfgd	CoE	Coshocton silt loam, 25 to 35 percent slopes
I0db	CpC	Coshocton silt loam, 6 to 15 percent slopes, very stony
I0dc	CpD	Coshocton silt loam, 15 to 25 percent slopes, very stony
I0dd	CrD	Coshocton-Rigley complex, 15 to 25 percent slopes
I0df	CrE	Coshocton-Rigley complex, 25 to 35 percent slopes
I0dg	CsD	Coshocton-Westmoreland complex, 15 to 25 percent slopes
I0dh	CsE	Coshocton-Westmoreland complex, 25 to 35 percent slopes
28sjx	CtE	Coshocton-Westmoreland silt loams, 25 to 40 percent slopes
28skn	CuD	Coshocton-Guernsey silt loams, 15 to 25 percent slopes
28skp	CvD	Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes
I0dj	DeC	Dekalb channery sandy loam, 6 to 15 percent slopes, stony
I0dk	Ds	Dumps, mine
I0dl	EuA	Euclid silt loam, occasionally flooded
I0dm	FaB	Fairpoint loam, 0 to 8 percent slopes
I0dn	FaD	Fairpoint loam, 8 to 25 percent slopes
I0dp	FaE	Fairpoint loam, 25 to 35 percent slopes
I0dq	FeB	Farmerstown loam, 0 to 8 percent slopes
I0dr	FeC	Farmerstown loam, 8 to 20 percent slopes
2s5h2	FhA	Fitchville silt loam, 0 to 3 percent slopes
2tqpn	FhB	Fitchville silt loam, 3 to 8 percent slopes
I0dv	GdB	Germano sandy loam, 2 to 6 percent slopes
I0dw	GdC2	Germano sandy loam, 6 to 15 percent slopes, eroded
2t111	GhB	Gilpin silt loam, 3 to 8 percent slopes
2t1kx	GhC	Gilpin silt loam, 8 to 15 percent slopes
2t1ky	GhD	Gilpin silt loam, 15 to 25 percent slopes

Survey Area Map Unit Symbols and Names--Coshocton County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
28skd	GkC	Gilpin silt loam, 8 to 15 percent slopes
28sjy	GkC2	Gilpin silt loam, 8 to 15 percent slopes, eroded
2s5h3	GnA	Glenford silt loam, 0 to 3 percent slopes
2s5h4	GnB	Glenford silt loam, 3 to 8 percent slopes
2s5h5	GnC	Glenford silt loam, 8 to 15 percent slopes
28sjz	GnC2	Glenford silt loam, 6 to 15 percent slopes, eroded
10f3	GpA	Glenford silt loam, occasionally flooded
10f4	GuC	Guernsey silt loam, 6 to 15 percent slopes
10f5	GuD	Guernsey silt loam, 15 to 25 percent slopes
10f6	HaD	Hazleton channery sandy loam, 15 to 25 percent slopes
10f7	HaE	Hazleton channery sandy loam, 25 to 35 percent slopes
10f8	HaF	Hazleton channery sandy loam, 35 to 70 percent slopes
10f9	HeF	Hazleton channery sandy loam, 25 to 70 percent slopes, very bouldery
28skf	HfF	Hazleton channery loam, 25 to 70 percent slopes, stony
28skq	HgD	Hazleton channery loam, 15 to 25 percent slopes
28skr	HgE	Hazleton channery loam, 25 to 40 percent slopes
28sks	HgF	Hazleton channery loam, 40 to 60 percent slopes
10fb	HoB	Homewood silt loam, 2 to 6 percent slopes
10fc	HoC	Homewood silt loam, 6 to 15 percent slopes
10fd	Ht	Huntington silt loam, rarely flooded
10ff	JmA	Jimtown loam, 0 to 2 percent slopes
2s5h6	KeB	Keene silt loam, 3 to 8 percent slopes
10fh	KeC	Keene silt loam, 6 to 15 percent slopes
28sk0	KeC2	Keene silt loam, 6 to 15 percent slopes, eroded
28skg	KfC	Keene silt loam, 8 to 15 percent slopes
10fj	La	Landes sandy loam, rarely flooded
10fk	Lb	Landes loam, occasionally flooded
2t326	Lo	Lobdell silt loam, 0 to 3 percent slopes, occasionally flooded
10fm	LrB	Loudon silt loam, 2 to 6 percent slopes
10fn	LrC	Loudon silt loam, 6 to 15 percent slopes
10fp	LvC	Loudonville silt loam, 6 to 15 percent slopes
10fq	LvD	Loudonville silt loam, 15 to 20 percent slopes
10fr	MaB	Markland silt loam, 2 to 6 percent slopes
10fs	MaC	Markland silt loam, 6 to 15 percent slopes
10ft	MaD2	Markland silt loam, 15 to 35 percent slopes, eroded
28sk1	McD2	Markland-Glenford complex, 15 to 35 percent slopes, eroded
10fv	Mg	Melvin silt loam, frequently flooded

Survey Area Map Unit Symbols and Names--Coshocton County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
I0fw	Mh	Melvin silt loam, ponded
I0fx	MnA	Mentor silt loam, 0 to 2 percent slopes
I0fy	MnB	Mentor silt loam, 2 to 6 percent slopes
I0fz	MnC	Mentor silt loam, 6 to 15 percent slopes
I0g0	MnD	Mentor silt loam, 15 to 25 percent slopes
28skh	MoC	Mentor silt loam, 8 to 15 percent slopes
28sl9	MrD2	Mentor silt loam, 12 to 18 percent slopes, eroded
I0g1	Ne	Newark silt loam, occasionally flooded
I0g2	Nf	Newark silt loam, frequently flooded
I0g3	Nn	Nolin silt loam, rarely flooded
2tggx	No	Nolin silt loam, 0 to 3 percent slopes, occasionally flooded
2tggw	Np	Nolin silt loam, 0 to 3 percent slopes, frequently flooded
I0g5	Or	Orrville silt loam, occasionally flooded
I0g6	Pg	Pits, gravel
I0g7	Ph	Pits, quarry
I0g8	RcC	Richland silt loam, 6 to 15 percent slopes
I0g9	RcD	Richland silt loam, 15 to 25 percent slopes
28sk3	RdD	Rigley channery loam, 15 to 25 percent slopes
28sl5	ReF	Rigley fine sandy loam, 25 to 35 percent slopes
28sk2	RfC	Rigley loam, 8 to 15 percent slopes
I0gb	RgC	Rigley sandy loam, 6 to 15 percent slopes
I0gc	RgD	Rigley sandy loam, 15 to 25 percent slopes
I0gd	RgE	Rigley sandy loam, 25 to 35 percent slopes
I0gf	RhD	Rigley sandy loam, 12 to 25 percent slopes, very stony
28sk4	RkE	Rigley-Coshocton complex, 25 to 40 percent slopes
28skt	RIE	Rigley sandy loam, 25 to 40 percent slopes
28sl2	SaD	Schaffemaker loamy sand, 12 to 25 percent slopes
28sl3	SbF	Schaffemaker very bouldery loamy sand, 25 to 60 percent slopes
I0gg	Se	Sebring silt loam
I0gh	Th	Tioga fine sandy loam, rarely flooded
I0gj	Tk	Tioga fine sandy loam, occasionally flooded
I0gk	Tm	Tioga fine sandy loam, frequently flooded
I0gl	To	Tioga-Urban land complex, rarely flooded
I0gm	TsB	Titusville silt loam, 2 to 6 percent slopes
I0gn	TsC	Titusville silt loam, 6 to 15 percent slopes
28sk5	Ud	Udorthents, loamy, hilly
I0gp	Ug	Udorthents, loamy

Survey Area Map Unit Symbols and Names--Coshocton County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
I0gq	Uh	Udorthents, loamy-skeletal
I0gr	Up	Udorthents-Pits complex
I0gs	W	Water
I0gt	WaA	Watertown sandy loam, 0 to 2 percent slopes
I0gv	WaB	Watertown sandy loam, 2 to 6 percent slopes
I0gw	WaC	Watertown sandy loam, 6 to 15 percent slopes
I0gx	WaD	Watertown sandy loam, 15 to 25 percent slopes
I0gy	WaF	Watertown sandy loam, 25 to 70 percent slopes
I0gz	Wb	Wappinger sandy loam, rarely flooded
2tgh0	WeC	Wellston silt loam, 8 to 15 percent slopes
28sk6	WfC	Wellston silt loam, 8 to 15 percent slopes
2t310	WhC	Westmoreland silt loam, 8 to 15 percent slopes
2t30z	WhD	Westmoreland silt loam, 15 to 25 percent slopes
2t311	WhE	Westmoreland silt loam, 25 to 35 percent slopes
2t312	WkF	Westmoreland silt loam, 35 to 60 percent slopes
28sl7	WIC2	Westmoreland-Coshocton complex, 8 to 15 percent slopes, eroded
28skw	WmD	Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
28skx	WmE	Westmoreland-Guernsey silt loams, 25 to 40 percent slopes
I0h4	WnA	Wheeling silt loam, 0 to 2 percent slopes
I0h5	WnB	Wheeling silt loam, 2 to 6 percent slopes
28sky	WrA	Wheeling-Urban land complex, nearly level
28skk	WtC	Westmoreland silt loam, 8 to 15 percent slopes
28slb	WtC2	Westmoreland silt loam, 8 to 15 percent slopes, eroded
28sk7	WtE	Westmoreland silt loam, 25 to 40 percent slopes
I0h6	Zp	Zipp silty clay loam, frequently flooded

Data Source Information

Soil Survey Area: Coshocton County, Ohio
 Survey Area Data: Version 10, Sep 15, 2014