

Hydric Soil List - All Components

This table lists the map unit components and their hydric status in the survey area. This list can help in planning land uses; however, onsite investigation is recommended to determine the hydric soils on a specific site (National Research Council, 1995; Hurt and others, 2002).

The three essential characteristics of wetlands are hydrophytic vegetation, hydric soils, and wetland hydrology (Cowardin and others, 1979; U.S. Army Corps of Engineers, 1987; National Research Council, 1995; Tiner, 1985). Criteria for all of the characteristics must be met for areas to be identified as wetlands. Undrained hydric soils that have natural vegetation should support a dominant population of ecological wetland plant species. Hydric soils that have been converted to other uses should be capable of being restored to wetlands.

Hydric soils are defined by the National Technical Committee for Hydric Soils (NTCHS) as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part (Federal Register, 1994). These soils, under natural conditions, are either saturated or inundated long enough during the growing season to support the growth and reproduction of hydrophytic vegetation.

The NTCHS definition identifies general soil properties that are associated with wetness. In order to determine whether a specific soil is a hydric soil or nonhydric soil, however, more specific information, such as information about the depth and duration of the water table, is needed. Thus, criteria that identify those estimated soil properties unique to hydric soils have been established (Federal Register, 2002). These criteria are used to identify map unit components that normally are associated with wetlands. The criteria used are selected estimated soil properties that are described in "Soil Taxonomy" (Soil Survey Staff, 1999) and "Keys to Soil Taxonomy" (Soil Survey Staff, 2006) and in the "Soil Survey Manual" (Soil Survey Division Staff, 1993).

If soils are wet enough for a long enough period of time to be considered hydric, they should exhibit certain properties that can be easily observed in the field. These visible properties are indicators of hydric soils. The indicators used to make onsite determinations of hydric soils are specified in "Field Indicators of Hydric Soils in the United States" (Hurt and Vasilas, 2006).

Hydric soils are identified by examining and describing the soil to a depth of about 20 inches. This depth may be greater if determination of an appropriate indicator so requires. It is always recommended that soils be excavated and described to the depth necessary for an understanding of the redoximorphic processes. Then, using the completed soil descriptions, soil scientists can compare the soil features required by each indicator and specify which indicators have been matched with the conditions observed in the soil. The soil can be identified as a hydric soil if at least one of the approved indicators is present.

Map units that are dominantly made up of hydric soils may have small areas, or inclusions, of nonhydric soils in the higher positions on the landform, and map units dominantly made up of nonhydric soils may have inclusions of hydric soils in the lower positions on the landform.

The criteria for hydric soils are represented by codes in the table (for example, 2). Definitions for the codes are as follows:

1. All Histels except for Folistels, and Histosols except for Folists.
2. Soils in Aquic suborders, great groups, or subgroups, Albolls suborder, Historthels great group, Histoturbels great group, Pachic subgroups, or Cumulic subgroups that:
 - A. Based on the range of characteristics for the soil series, will at least in part meet one or more Field Indicators of Hydric Soils in the United States, or
 - B. Show evidence that the soil meets the definition of a hydric soil;
3. Soils that are frequently ponded for long or very long duration during the growing season.
 - A. Based on the range of characteristics for the soil series, will at least in part meet one or more Field Indicators of Hydric Soils in the United States, or
 - B. Show evidence that the soil meets the definition of a hydric soil;
4. Map unit components that are frequently flooded for long duration or very long duration during the growing season that:
 - A. Based on the range of characteristics for the soil series, will at least in part meet one or more Field Indicators of Hydric Soils in the United States, or
 - B. Show evidence that the soil meets the definition of a hydric soil;

Hydric Condition: Food Security Act information regarding the ability to grow a commodity crop without removing woody vegetation or manipulating hydrology.

References:

- Federal Register. July 13, 1994. Changes in hydric soils of the United States.
Federal Register. Doc. 2012-4733 Filed 2-28-12. February, 28, 2012. Hydric soils of the United States.
- Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18.
- Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service. U.S. Department of Agriculture Handbook 436.
- Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service.
- Vasilas, L.M., G.W. Hurt, and C.V. Noble, editors. Version 7.0, 2010. Field indicators of hydric soils in the United States.

Report—Hydric Soil List - All Components

Hydric Soil List - All Components—OH037-Darke County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
Ag: Algiers silt loam, occasionally flooded	Algiers	90	Flood plains	No	—
	Brookston	4	Drainageways,depressions	Yes	2,3
	Pewamo	3	Drainageways,depressions	Yes	2,3
	Sloan	3	Sloughs	Yes	2,3
Ble1A1: Blount silt loam, end moraine, 0 to 2 percent slopes	Blount-End moraine	80-95	End moraines on till plains	No	—
	Glynwood-End moraine	0-12	End moraines on till plains	No	—
	Pewamo-End moraine	0-9	End moraines on till plains	Yes	2
Ble1B1: Blount silt loam, end moraine, 2 to 4 percent slopes	Blount-End moraine	80-95	End moraines on till plains	No	—
	Glynwood-End moraine	0-12	End moraines on till plains	No	—
	Pewamo-End moraine	0-9	End moraines on till plains	Yes	2
Blg1A1: Blount silt loam, ground moraine, 0 to 2 percent slopes	Blount-Ground moraine	80-95	Ground moraines on till plains	No	—
	Pewamo-Ground moraine	0-12	Ground moraines on till plains	Yes	2
	Glynwood-Ground moraine	0-9	Ground moraines on till plains	No	—
Blg1B1: Blount silt loam, ground moraine, 2 to 4 percent slopes	Blount-Ground moraine	80-95	Ground moraines on till plains	No	—
	Pewamo-Ground moraine	0-12	Ground moraines on till plains	Yes	2
	Glynwood-Ground moraine	0-9	Ground moraines on till plains	No	—
Br: Brookston silty clay loam, fine texture, 0 to 2 percent slopes	Brookston	85-95	Ground moraines	Yes	2,3
	Celina	0-5	Till plains	No	—
	Crosby	5-10	Till plains	No	—

Hydric Soil List - All Components--OH037-Darke County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
Ca: Carlisle muck	Carlisle	90	Bogs,swales	Yes	1,3
	Linwood	4	Depressions on outwash plains,drainageways on end moraines,drainage ways on ground moraines,drainage ways on outwash plains,depressions on end moraines,depressions on ground moraines	Yes	1,3
	Edwards	3	Depressions on outwash plains,depressions on ground moraines	Yes	1,3
	Walkill	3	Flood plains,depressions on moraines	Yes	2,3
CeA: Celina silt loam, 0 to 2 percent slopes	Celina	90	Moraines	No	—
	Brookston	4	Drainageways,depressions	Yes	2,3
	Crosby	4	Till plains	—	—
	slopes of 4 to 6 percent	2	—	—	—
CeB: Celina silt loam, 2 to 6 percent slopes	Celina	85-90	Till plains	No	—
	Brookston	0-5	Depressions	Yes	2,3
	Crosby	0-5	Till plains	No	—
	Kokomo	0-5	Depressions on till plains	Yes	2,3
CeB2: Celina silt loam, 2 to 6 percent slopes, eroded	Celina	85	Rises on till plains	No	—
	Crosby	10	Till plains	—	—
	Kokomo	5	Depressions on till plains	Yes	2,3
CrA: Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	Crosby	80-100	Water-lain moraines,recessionional moraines,ground moraines	No	—
	Kokomo-Drained	0-10	Depressions,swales,w ater-lain moraines	Yes	2,3

Hydric Soil List - All Components--OH037-Darke County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Celina-Eroded	0-10	Recessionial moraines,ground moraines,water-lain moraines	No	—
	Miamian-Eroded	0-10	Water-lain moraines,recessionial moraines,ground moraines	No	—
CrB: Crosby silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes	Crosby	80-100	Recessionial moraines,ground moraines,water-lain moraines	No	—
	Kokomo-Drained	0-10	Depressions,swales,w ater-lain moraines	Yes	2,3
	Celina-Eroded	0-10	Water-lain moraines,recessionial moraines,ground moraines	No	—
	Lewisburg	0-10	Water-lain moraines,recessionial moraines,ground moraines	No	—
	Miamian-Eroded	0-10	Water-lain moraines,recessionial moraines,ground moraines	No	—
CtA: Crosby-Celina silt loams, 0 to 2 percent slopes	Crosby	60	Flats on till plains	No	—
	Celina	30	Flats on till plains	No	—
	Kokomo	10	Depressions on till plains	Yes	2,3
CtB: Crosby-Celina silt loams, 2 to 4 percent slopes	Crosby	50	Rises on till plains	No	—
	Celina	40	Rises on till plains	No	—
	Kokomo	10	Depressions on till plains	Yes	2,3
CvA: Crosby-Lewisburg silt loams, 0 to 2 percent slopes	Crosby	60	Flats on till plains	No	—
	Lewisburg	30	Flats on till plains	No	—
	Kokomo	10	Depressions on till plains	Yes	2,3
DeA: Del Rey silt loam, 0 to 3 percent slopes	Del Rey	85	Lakeshores	No	—
	Montgomery	15	Depressions	Yes	2,3
Ed: Edwards muck	Edwards	90	Bogs,swales	Yes	1,3
	Linwood	4	Depressions	Yes	1,3

Hydric Soil List - All Components--OH037-Darke County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Carlisle	3	Depressions	Yes	1,3
	Walkkill	3	Depressions	Yes	2,3
Ee: Eel silt loam, occasionally flooded	Eel	90	Flood plains	No	—
	Shoals	5	Flood plains	—	—
	Sloan	5	Oxbows, sloughs	Yes	2,3
EfA: Eel silt loam, gravelly substratum, 0 to 1 percent slopes, occasionally flooded	Eel	85	Flood plains	No	—
	Rosburg	5	Flood plains	—	—
	Stonelick	5	Flood plains	—	—
	Sloan	5	Flood plains	Yes	2,3,4
EnA: Eldean loam, 0 to 2 percent slopes	Eldean	90	Outwash terraces	No	—
	Savona	4	Terraces, outwash plains	—	—
	Ockley	4	Terraces	—	—
	slopes of 4 to 6 percent	2	—	—	—
EnB: Eldean loam, 2 to 6 percent slopes	Eldean	90	Outwash terraces	No	—
	Ockley	4	Terraces	—	—
	Savona	4	Terraces, outwash plains	—	—
	slopes of 8 to 12 percent	2	—	—	—
ErC2: Eldean-Miamian complex, 6 to 12 percent slopes, eroded	Eldean	40	Kame moraines	No	—
	Miamian	35	Hillslopes	No	—
	Westland	5	Drainageways, depressions	Yes	2,3
	Ockley	5	Terraces	—	—
	thinner subsoil	5	—	—	—
	stones and boulders on the surface and throughout the soil	5	—	—	—
	severely eroded areas with clay loam surface layer	5	—	—	—
ErD2: Eldean-Miamian complex, 12 to 18 percent slopes, eroded	Eldean	40	Kame moraines	No	—
	Miamian	35	Hillslopes	No	—

Hydric Soil List - All Components--OH037-Darke County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	slopes of 6 to 10 percent	5	—	—	—
	Ockley	5	Terraces	—	—
	thinner subsoil	5	—	—	—
	stones and boulders on the surface and throughout the soil	5	—	—	—
	severely eroded areas with clay loam surface layer	5	—	—	—
Gwd5C2: Glynwood clay loam, 6 to 12 percent slopes, eroded	Glynwood	75-90	End moraines	No	—
	Blount	0-9	Rises on ground moraines, flats on ground moraines	No	—
	Morley	0-9	Till plains	No	—
Gwe1B1: Glynwood silt loam, end moraine, 2 to 6 percent slopes	Glynwood-End moraine	80-90	End moraines on till plains	No	—
	Blount-End moraine	0-12	End moraines on till plains	No	—
	Pewamo	0-9	End moraines on till plains	Yes	2
Gwe1B2: Glynwood silt loam, end moraine, 2 to 6 percent slopes, eroded	Glynwood-End moraine	80-90	End moraines on till plains	No	—
	Blount-End moraine	0-12	End moraines on till plains	No	—
	Pewamo	0-9	End moraines on till plains	Yes	2
Gwg1B1: Glynwood silt loam, ground moraine, 2 to 6 percent slopes	Glynwood-Ground moraine	80-90	Ground moraines on till plains	No	—
	Blount-Ground moraine	0-12	Ground moraines on till plains	No	—
	Pewamo	0-9	Ground moraines on till plains	Yes	2
Gwg1B2: Glynwood silt loam, ground moraine, 2 to 6 percent slopes, eroded	Glynwood-Ground moraine	80-90	Ground moraines on till plains	No	—
	Blount-Ground moraine	0-12	Ground moraines on till plains	No	—
	Pewamo	0-9	Ground moraines on till plains	Yes	2

Hydric Soil List - All Components--OH037-Darke County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
Gwg5C2: Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded	Glynwood	75-90	Ground moraines	No	—
	Blount	0-9	Flats on ground moraines	No	—
	Pewamo	0-9	Depressions on till plains	Yes	2
Gwg5C3: Glynwood clay loam, 6 to 12 percent slopes, severely eroded	Glynwood	75-90	Ground moraines	No	—
	Blount	0-9	Flats on ground moraines	No	—
	Pewamo	0-9	Depressions on till plains	Yes	2
GwM5C3: Glynwood-Mississinewa clay loams, 6 to 12 percent slopes, severely eroded	Glynwood	60-90	End moraines	No	—
	Mississinewa	10-35	End moraines	No	—
	Blount	0-9	Flats on end moraines	No	—
	Morley	0-9	Till plains	No	—
GyD3: Glynwood clay loam, 12 to 18 percent slopes, severely eroded	Glynwood	85	Hillslopes	No	—
	uneroded areas	8	—	—	—
	slopes of 20 to 25 percent	7	—	—	—
KeD2: Kendallville-Eldean silt loams, 12 to 18 percent slopes, eroded	Kendallville	50	Kames	No	—
	Eldean	30	Outwash terraces	No	—
	Miamian	10	Till plains	—	—
	Fox	5	Terraces	—	—
	Rodman	5	Terraces	—	—
KoA: Kokomo silty clay loam, 0 to 1 percent slopes	Kokomo	90	Depressions on till plains, flats on till plains	Yes	2,3
	Celina	5	Till plains, moraines	No	—
	Crosby	5	Till plains	No	—
LeB: Lewisburg silt loam, 2 to 6 percent slopes	Lewisburg	85	Moraines	No	—
	Brookston	4	Drainageways, depressions	Yes	2,3
	Pyrmont	4	Till plains	—	—
	Crosby	4	Till plains	—	—

Hydric Soil List - All Components--OH037-Darke County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	less than 10 inches to till	3	—	—	—
	stones and boulders on the surface and throughout the soil		—	—	—
LfB: Lewisburg-Celina silt loams, 2 to 6 percent slopes	Lewisburg	50	Rises on till plains	No	—
	Celina	40	Rises on till plains	No	—
	Kokomo	5	Depressions on till plains	Yes	2,3
	Crosby	5	Till plains	—	—
Ln: Linwood muck	Linwood	90	Bogs,swales	Yes	1,3
	Edwards	5	Depressions	Yes	1,3
	Walkill	5	Depressions	Yes	2,3
Lp: Lippincott silty clay loam	Lippincott	85	Depressions	Yes	2,3
	Montgomery	5	Depressions	Yes	2,3
	Algiers	5	Flood plains	No	—
	Patton	5	Depressions	Yes	2,3
LrA: Lippincott silty clay loam, 0 to 2 percent slopes	Lippincott	80	Depressions on outwash terraces	Yes	2,3
	Savona	10	Terraces,outwash plains	No	—
	Westland	10	Depressions on outwash terraces	Yes	2,3
Md: Medway silt loam, occasionally flooded	Medway	95	Flood plains	No	—
	Sloan	5	Oxbows,sloughs	Yes	2,3
MfE2: Miami-Kendallville silt loams, 18 to 25 percent slopes, eroded	Miami	55	Kames	No	—
	Kendallville	40	Kames	No	—
	Miamian	5	Till plains	—	—
MhC2: Miami loam, 6 to 12 percent slopes, eroded	Miami	95	Kames	No	—
	Celina-Eroded	5	Till plains,moraines	—	—
MkB: Miamian-Celina silt loams, 2 to 6 percent slopes	Miamian	60	Rises on till plains	No	—
	Celina	30	Rises on till plains	No	—
	Crosby	5	Till plains	—	—
	Kokomo	5	Depressions on till plains	Yes	2,3

Hydric Soil List - All Components--OH037-Darke County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
MkB2: Miamian-Celina silt loams, 2 to 6 percent slopes, eroded	Miamian	60	Rises on till plains	No	—
	Celina	30	Rises on till plains	No	—
	Crosby	5	Till plains	—	—
	Kokomo	5	Depressions on till plains	Yes	2,3
MmA: Miamian silt loam, 0 to 2 percent slopes	Miamian	90	Moraines	No	—
	Crosby	5	Till plains	—	—
	Brookston	3	Depressions	Yes	2,3
	slopes of 4 to 6 percent	2	—	—	—
MmB: Miamian silt loam, 2 to 6 percent slopes	Miamian	85-95	Till plains	No	—
	Brookston	0-5	Depressions	Yes	2,3
	Celina	0-5	Till plains	No	—
	Crosby	0-5	Till plains	No	—
MmC2: Miamian silt loam, 6 to 12 percent slopes, eroded	Miamian	85-95	Till plains	No	—
	Celina	0-10	Till plains	No	—
	Crosby	0-10	Till plains	No	—
	Losantville	0-5	Till plains	No	—
MmD2: Miamian silt loam, 12 to 18 percent slopes, eroded	Miamian	85	Hillslopes	No	—
	slopes of 20 to 25 percent	8	—	—	—
	severely eroded areas with clay loam surface layer	7	—	—	—
	stones and boulders on the surface and throughout the soil		—	—	—
MmE: Miamian silt loam, 18 to 25 percent slopes	Miamian	85	Hillslopes	No	—
	slopes of 30 to 40 percent	8	—	—	—
	severely eroded areas	7	—	—	—
	stones and boulders on the surface and throughout the soil		—	—	—
MnC3: Miamian clay loam, shallow to dense till substratum, 6 to 12 percent slopes, severely eroded	Miamian-Severely eroded	85-95	Till plains	No	—
	Brookston	0-5	Till plains	Yes	2,3

Hydric Soil List - All Components--OH037-Darke County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Kokomo	0-10	Depressions on till plains	Yes	2,3
MnD3: Miamian clay loam, 12 to 18 percent slopes, severely eroded	Miamian	90	Hillslopes	No	—
	less eroded areas	5	—	—	—
	slopes of more than 20 percent	5	—	—	—
	stones and boulders on the surface and throughout the soil		—	—	—
MnI3A: Minster silty clay loam, till substratum, 0 to 1 percent slopes	Minster-Till substratum	80-95	Till plains	Yes	2
	Walkill	0-9	Till plains	Yes	2,3
	Blount	0-9	Rises on till plains	No	—
Mns3A: Minster silty clay loam, 0 to 1 percent slopes	Minster	85-95	Lake plains	Yes	2
	McGary	0-9	Lake plains	No	—
	Saranac	0-6	Flood plains	Yes	2
MpC3: Miamian-Losantville clay loams, 6 to 12 percent slopes, severely eroded	Miamian	60	Till plains	No	—
	Losantville	30	Till plains	No	—
	Celina	5	Till plains,moraines	—	—
	Miami	5	Till plains	—	—
MpD3: Miamian-Losantville clay loams, 12 to 18 percent slopes, severely eroded	Miamian	60	Till plains	No	—
	Losantville	30	Till plains	No	—
	Celina	5	Till plains,moraines	—	—
	Miami	5	Till plains	—	—
MrE2: Miamian-Hennepin silt loams, 18 to 25 percent slopes, eroded	Miamian	70	Till plains	No	—
	Hennepin	30	Till plains	No	—
MsA: Milford silty clay loam, gravelly substratum, 0 to 2 percent slopes	Milford	100	Depressions on lake plains	Yes	2,3
OcA: Ockley silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes	Ockley	80-95	Outwash terraces	No	—
	Fox	0-10	Terraces,outwash plains	No	—

Hydric Soil List - All Components--OH037-Darke County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Eldean	0-10	Outwash terraces	No	—
	Sleeth	0-10	Outwash terraces, stream terraces	No	—
OcB: Ockley silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes	Ockley	80-90	Outwash terraces	No	—
	Sleeth	0-10	Outwash terraces, stream terraces	No	—
	Fox	0-10	Outwash plains, terraces	No	—
	Eldean	0-10	Outwash terraces	No	—
OdA: Odell silt loam, 0 to 3 percent slopes	Odell	85	Moraines	No	—
	Brookston	4	Depressions	Yes	2,3
	Crosby	4	Till plains	—	—
	Celina	4	Till plains, moraines	—	—
	Patton	3	Depressions	Yes	2,3
Pa: Patton silty clay loam	Patton	90	Depressions	Yes	2,3
	Montgomery	5	Depressions	Yes	2,3
	Algiers	5	Flood plains	No	—
Pe: Pewamo silty clay loam	Pewamo	95	Depressions	Yes	2,3
	Blount	3	Flats on ground moraines, flats on end moraines, rises on ground moraines, rises on end moraines	No	—
	Montgomery	2	Depressions	Yes	2,3
PyA: Pymont silt loam, 0 to 3 percent slopes	Pymont	90	Moraines	No	—
	Lewisburg	3	Till plains	—	—
	Celina	3	Till plains, moraines	—	—
	Brookston	2	Depressions, drainage ways	Yes	2,3
	less than 10 inches to till	2	—	—	—
RaA: Rainsville silt loam, 0 to 2 percent slopes	Rainsville	85	Ground moraines	No	—
	Ockley	10	Terraces	—	—
	Miamian	5	Till plains	—	—

Hydric Soil List - All Components--OH037-Darke County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
RaB: Rainsville silt loam, 2 to 6 percent slopes	Rainsville	85	Ground moraines	No	—
	Ockley	10	Terraces	—	—
	Miamian	5	Till plains	—	—
Sa: Saranac silty clay, frequently flooded	Saranac	90	Flood plains	Yes	2,3
	Pewamo	5	Depressions	Yes	2,3
	Montgomery	5	Depressions	Yes	2,3
SeA: Savona silt loam, 0 to 2 percent slopes	Savona	85	Outwash terraces	No	—
	Lippincott	5	Depressions	Yes	2,3
	Westland	5	Depressions	Yes	2,3
	less than 30 inches to sand and gravel	5	—	—	—
Sh: Shoals silt loam, occasionally flooded	Shoals	85	Flood plains	No	—
	Medway	5	Flood plains	—	—
	Eel	5	Flood-plain steps, flood plains	—	—
	Sloan	5	Oxbows, sloughs	Yes	2,3
SnA: Sloan silt loam, sandy substratum, 0 to 1 percent slopes, frequently flooded	Sloan	85	Flood plains	Yes	2,3,4
	Eel	10	Flood-plain steps, flood plains	No	—
	Medway	5	Flood plains	No	—
Tr: Treaty silty clay loam	Treaty	85	Depressions	Yes	2,3
	Crosby	9	Till plains	No	—
	Celina	6	Moraines, till plains	No	—
Ud: Udorthents, loamy	Udorthents	85	—	No	—
	undisturbed soils	5	—	—	—
	slopes of 15 to 25 percent	3	—	—	—
	somewhat poorly drained soils	3	—	—	—
	very poorly drained soils	3	Drainageways, depressions	Yes	2,3
	borrow pits and land fills	1	—	—	—
W: Water	Water	100	—	Unranked	—
Wb: Walkkill silt loam	Walkkill	90	Depressions	Yes	2,3
	Montgomery	4	Depressions	Yes	2,3

Hydric Soil List - All Components--OH037-Darke County, Ohio					
Map symbol and map unit name	Component/Local Phase	Comp. pct.	Landform	Hydric status	Hydric criteria met (code)
	Pewamo	3	Depressions	Yes	2,3
	Brookston	3	Depressions	Yes	2,3
WeA: Wea silt loam, 0 to 2 percent slopes	Wea	90	Depressions	No	—
	Medway	4	Flood plains	—	—
	slopes of 4 to 6 percent	4	—	—	—
	occasionally flooded soils	2	—	—	—
WnA: Westland silt loam, 0 to 2 percent slopes	Westland	85	Depressions on outwash terraces	Yes	2,3
	Savona	5	Terraces, outwash plains	No	—
	Thackery	5	Stream terraces, outwash plains	No	—
	Lippincott	5	Depressions on outwash terraces	Yes	2,3
Ws: Westland silty clay loam	Westland	85	Depressions	Yes	2,3
	Patton	5	Depressions	Yes	2,3
	Algiers	5	Flood plains	No	—
	Montgomery	5	Depressions	Yes	2,3

Data Source Information

Soil Survey Area: Darke County, Ohio
 Survey Area Data: Version 14, Sep 18, 2014