

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Erie County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AaA—Adrian muck, 0 to 1 percent slopes			
Adrian	93	D-1	
		D-1	0.30
AeA—Algiers silt loam, 0 to 2 percent slopes			
Algiers	90	C-1	
		C-1	0.11
AgF—Alexandria silt loam, 25 to 50 percent slopes			
Alexandria	85	A-3	
		A-3	0.03
AkA—Allis clay loam, 0 to 2 percent slopes			
Allis	90	C-2	
		C-2	0.12
AmD2—Amanda loam, 12 to 18 percent slopes, eroded			
Amanda	90	A-1	
		A-1	0.01
AnG—Amanda-Dekalb-Rock outcrop association, 40 to 70 percent slopes			
Amanda	50	H-1	
		H-1	0.71
Dekalb	25	H-1	
		H-1	0.71
Rock outcrop	20	Not rated	

Selected Soil Interpretations—Erie County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Bc—Beaches			
Beaches	90	Not rated	
BdB—Belmore loam, 2 to 6 percent slopes			
Belmore	95	A-1	
		A-1	0.01
BeA—Bennington loam, 0 to 2 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BgA—Bennington silt loam, 0 to 2 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BgB—Bennington silt loam, 2 to 6 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BkA—Bixler loamy fine sand, 0 to 2 percent slopes			
Bixler	90	C-1	
		C-1	0.11
BkB—Bixler loamy fine sand, 2 to 6 percent slopes			
Bixler	95	C-1	
		C-1	0.11
BvG—Brecksville silt loam, 40 to 70 percent slopes			
Brecksville	85	H-1	
		H-1	0.71
CaA—Cardington silt loam, 0 to 2 percent slopes			
Cardington	100	A-6	
		A-6	0.06
CaB—Cardington silt loam, 2 to 6 percent slopes			
Cardington	90	A-6	
		A-6	0.06
CbC2—Cardington silty clay loam, 6 to 12 percent slopes, eroded			
Cardington	90	A-6	
		A-6	0.06

Selected Soil Interpretations--Erie County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CcA—Castalia very channery loam, 0 to 2 percent slopes			
Castalia	85	F-1	
		F-1	0.51
CcB—Castalia very channery loam, 2 to 6 percent slopes			
Castalia	85	F-1	
		F-1	0.51
CcD—Castalia very channery loam, 12 to 18 percent slopes			
Castalia	85	F-1	
		F-1	0.51
ChB—Chili loam, loamy substratum, 2 to 6 percent slopes			
Chili	85	A-1	
		A-1	0.01
CmA—Colwood loam, 0 to 1 percent slopes			
Colwood	90	C-1	
		C-1	0.11
CnA—Colwood silt loam, bedrock substratum, 0 to 1 percent slopes			
Colwood	80	C-1	
		C-1	0.11
CoA—Condit silt loam, 0 to 1 percent slopes			
Condit	90	C-1	
		C-1	0.11
CtB—Conotton loam, 2 to 6 percent slopes			
Conotton	90	B-1	
		B-1	0.07
CuC—Conotton gravelly loam, 6 to 12 percent slopes			
Conotton	90	B-1	
		B-1	0.07
DbB—DeKalb channery loam, 2 to 6 percent slopes			
DeKalb	90	F-1	
		F-1	0.51

Selected Soil Interpretations--Erie County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
DbD—Dekalb channery loam, 12 to 18 percent slopes			
Dekalb	85	F-1	
		F-1	0.51
DeA—Del Rey silt loam, 0 to 2 percent slopes			
Del rey	90	C-1	
		C-1	0.11
DuA—Dunbridge loamy sand, 0 to 2 percent slopes			
Dunbridge	90	F-1	
		F-1	0.51
DuB—Dunbridge loamy sand, 2 to 6 percent slopes			
Dunbridge	90	F-1	
		F-1	0.51
EcA—Elliott silt loam, bedrock substratum, 0 to 2 percent slopes			
Elliott	85	C-1	
		C-1	0.11
EdB—Ellsworth silt loam, 2 to 6 percent slopes			
Ellsworth	85	A-1	
		A-1	0.01
EdC2—Ellsworth silt loam, 6 to 12 percent slopes, eroded			
Ellsworth, eroded	90	A-1	
		A-1	0.01
EnA—Elnora loamy fine sand, 0 to 4 percent slopes			
Elnora	95	B-1	
		B-1	0.07
EoA—Elnora loamy fine sand, bedrock substratum, 0 to 4 percent slopes			
Elnora	85	B-1	
		B-1	0.07
EsA—Endoaquents, loamy, 0 to 1 percent slopes			
Endoaquents	90	Not rated	
FnA—Fluvaquents, silty, 0 to 1 percent slopes, frequently flooded			
Fluvaquents	95	Not rated	

Selected Soil Interpretations—Erie County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FoB—Fox loam, 2 to 6 percent slopes			
Fox	90	A-1	
		A-1	0.01
FrA—Fries silty clay loam, 0 to 1 percent slopes			
Fries	85	C-2	
		C-2	0.12
FuA—Fulton silty clay loam, 0 to 2 percent slopes			
Fulton	95	C-2	
		C-2	0.12
GdA—Gilford fine sandy loam, 0 to 1 percent slopes			
Gilford	90	C-1	
		C-1	0.11
Gwg1B1—Glynwood silt loam, ground moraine, 2 to 6 percent slopes			
Glynwood, ground moraine	85	F-5	
		F-5	0.55
HdA—Harrod silt loam, 0 to 1 percent slopes, frequently flooded			
Harrod	90	B-3	
		B-3	0.09
HkA—Haskins loam, 0 to 2 percent slopes			
Haskins	85	C-1	
		C-1	0.11
HoA—Holly silt loam, 0 to 1 percent slopes, occasionally flooded			
Holly	90	C-3	
		C-3	0.13
HpB—Hornell loam, 2 to 6 percent slopes			
Hornell	85	C-2	
		C-2	0.12
HrB—Hornell silt loam, 2 to 6 percent slopes			
Hornell	90	C-2	
		C-2	0.12
HsA—Hornell silty clay loam, 0 to 2 percent slopes			
Hornell	85	C-2	
		C-2	0.12

Selected Soil Interpretations—Erie County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
JtA—Jimtown loam, 0 to 2 percent slopes			
Jimtown	85	C-1	
		C-1	0.11
JuA—Joliet silt loam, 0 to 1 percent slopes			
Joliet	85	E-1	
		E-1	0.40
KbA—Kibbie fine sandy loam, 0 to 2 percent slopes			
Kibbie	90	C-1	
		C-1	0.11
KcA—Kibbie loam, 0 to 2 percent slopes			
Kibbie	90	C-1	
		C-1	0.11
MaA—Mahoning silt loam, 0 to 2 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MaB—Mahoning silt loam, 2 to 6 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MbB—Marblehead loam, 0 to 6 percent slopes			
Marblehead	80	E-1	
		E-1	0.40
MeA—Mermill silty clay loam, 0 to 1 percent slopes			
Mermill	90	C-1	
		C-1	0.11
MfA—Milford silty clay loam, 0 to 1 percent slopes			
Milford	95	C-1	
		C-1	0.11
MgA—Millgrove loam, 0 to 1 percent slopes			
Millgrove	90	C-1	
		C-1	0.11
MmA—Millsdale silty clay loam, 0 to 1 percent slopes			
Millsdale	85	C-2	
		C-2	0.12

Selected Soil Interpretations—Erie County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MnA—Milton silt loam, 0 to 2 percent slopes			
Milton	85	F-1	
		F-1	0.51
MnB—Milton silt loam, 2 to 6 percent slopes			
Milton	85	F-1	
		F-1	0.51
MrA—Miner silty clay loam, 0 to 2 percent slopes			
Miner	85	C-2	
		C-2	0.12
MsA—Miner silt loam, shale substratum, 0 to 2 percent slopes			
Miner, shale substratum	85	C-2	
		C-2	0.12
MxA—Mitiwanga silt loam, 0 to 2 percent slopes			
Mitiwanga	85	C-1	
		C-1	0.11
MxB—Mitiwanga silt loam, 2 to 6 percent slopes			
Mitiwanga	85	C-1	
		C-1	0.11
NoA—Nolin silt loam, 0 to 2 percent slopes, occasionally flooded			
Nolin	95	A-5	
		A-5	0.05
OaB—Oakville loamy fine sand, 0 to 6 percent slopes			
Oakville	90	B-1	
		B-1	0.07
OgA—Ogontz fine sandy loam, 0 to 2 percent slopes			
Ogontz	90	A-6	
		A-6	0.06
OhB—Ogontz silt loam, 2 to 6 percent slopes			
Ogontz	90	A-6	
		A-6	0.06
OmA—Olmsted loam, 0 to 1 percent slopes			
Olmsted	90	C-1	
		C-1	0.11

Selected Soil Interpretations—Erie County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
On—Orrville silt loam, frequently flooded			
Orrville	90	C-3	
		C-3	0.13
OpA—Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, occasionally flooded			
Orrville	85	C-3	
		C-3	0.13
OrA—Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, frequently flooded			
Orrville	85	C-3	
		C-3	0.13
OsB—Oshtemo loamy sand, 0 to 6 percent slopes			
Oshtemo	90	A-1	
		A-1	0.01
PcA—Pewamo silty clay loam, 0 to 1 percent slopes			
Pewamo	90	C-1	
		C-1	0.11
Pg—Pits, gravel or sand			
Pits, gravel or sand	85	Not rated	
Pk—Pits, quarry			
Pits, quarry	90	Not rated	
PmA—Plumbrook fine sandy loam, 0 to 2 percent slopes			
Plumbrook	90	C-1	
		C-1	0.11
PrA—Prout silt loam, 0 to 2 percent slopes			
Prout	90	C-1	
		C-1	0.11
RaA—Randolph silt loam, 0 to 2 percent slopes			
Randolph	85	C-2	
		C-2	0.12
RcA—Rawson sandy loam, 0 to 2 percent slopes			
Rawson	95	A-1	
		A-1	0.01
RcB—Rawson sandy loam, 2 to 6 percent slopes			
Rawson	95	A-1	
		A-1	0.01

Selected Soil Interpretations--Erie County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RgA—Rimer loamy fine sand, 0 to 2 percent slopes			
Rimer	95	C-1	
		C-1	0.11
RhA—Ritchey loam, 0 to 2 percent slopes			
Ritchey	90	E-1	
		E-1	0.40
RhB—Ritchey loam, 2 to 6 percent slopes			
Ritchey	90	E-1	
		E-1	0.40
RhC—Ritchey loam, 6 to 12 percent slopes			
Ritchey	85	E-1	
		E-1	0.40
SaA—Sandusky loam, 0 to 1 percent slopes			
Sandusky	90	C-1	
		C-1	0.11
SbF—Saylesville silt loam, 25 to 40 percent slopes			
Saylesville	95	A-3	
		A-3	0.03
ShB—Shinrock silt loam, 2 to 6 percent slopes			
Shinrock	90	A-6	
		A-6	0.06
SkC2—Shinrock silty clay loam, 6 to 12 percent slopes, eroded			
Shinrock	90	A-6	
		A-6	0.06
SkD2—Shinrock silty clay loam, 12 to 18 percent slopes, eroded			
Shinrock	95	A-6	
		A-6	0.06
SpB—Spinks loamy fine sand, 0 to 6 percent slopes			
Spinks	95	B-1	
		B-1	0.07
SpD—Spinks loamy fine sand, 12 to 18 percent slopes			
Spinks	95	B-1	
		B-1	0.07

Selected Soil Interpretations--Erie County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SrB—Spinks loamy fine sand, 2 to 6 percent slopes			
Spinks	90	B-1	
		B-1	0.07
TgA—Tioga loam, 0 to 2 percent slopes, occasionally flooded			
Tioga	95	A-5	
		A-5	0.05
TnA—Toledo silty clay loam, 0 to 1 percent slopes			
Toledo	90	C-2	
		C-2	0.12
ToA—Toledo silty clay, 0 to 1 percent slopes			
Toledo	90	C-2	
		C-2	0.12
TpA—Toledo silty clay, 0 to 1 percent slopes, ponded			
Toledo	90	C-2	
		C-2	0.12
TuA—Tuscola fine sandy loam, 0 to 2 percent slopes			
Tuscola	90	A-6	
		A-6	0.06
TuB—Tuscola fine sandy loam, 2 to 6 percent slopes			
Tuscola	95	A-6	
		A-6	0.06
UcB—Udipsamments-Spinks complex, 0 to 6 percent slopes			
Udipsamment	70	Not rated	
Spinks	30	B-1	
		B-1	0.07
UdB—Udorthents, loamy, 0 to 6 percent slopes			
Udorthents	85	Not rated	
W—Water			
Water	100	Not rated	
WaB—Wakeman sandy loam, 2 to 6 percent slopes			
Wakeman	85	F-1	
		F-1	0.51

Selected Soil Interpretations--Erie County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WaC--Wakeman sandy loam, 6 to 12 percent slopes			
Wakeman	85	F-1	
		F-1	0.51
WeA--Weyers silt loam, 0 to 1 percent slopes			
Weyers	90	C-1	
		C-1	0.11
ZuC2--Zurich silt loam, 6 to 12 percent slopes, eroded			
Zurich	90	A-6	
		A-6	0.06
ZuD2--Zurich silt loam, 12 to 18 percent slopes, eroded			
Zurich	90	A-6	
		A-6	0.06
ZuE2--Zurich silt loam, 18 to 25 percent slopes, eroded			
Zurich	90	A-2	
		A-2	0.02
ZuF--Zurich silt loam, 25 to 40 percent slopes			
Zurich	90	A-3	
		A-3	0.03

Data Source Information

Soil Survey Area: Erie County, Ohio
 Survey Area Data: Version 13, Sep 18, 2014