

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations--Gallia County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AaC—Aaron silt loam, 8 to 15 percent slopes			
Aaron	85	A-6	
		A-6	0.06
AbC—Aaron-Gilpin complex, 8 to 15 percent slopes			
Aaron	50	A-6	
		A-6	0.06
Gilpin	35	F-1	
		F-1	0.51
AkB—Allegheny loam, 3 to 8 percent slopes			
Allegheny	80	A-1	
		A-1	0.01
AkC—Allegheny loam, 8 to 15 percent slopes			
Allegheny	80	A-1	
		A-1	0.01
AkD—Allegheny loam, 15 to 25 percent slopes			
Allegheny	80	A-2	
		A-2	0.02
BcF—Berks-Upshur association, very steep			
Berks	45	H-1	
		H-1	0.71
Upshur	30	H-1	
		H-1	0.71

Selected Soil Interpretations--Gallia County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BhD—Bethesda channery clay loam, 8 to 25 percent slopes			
Bethesda	90	E-3	
		E-3	0.42
BhF—Bethesda channery clay loam, 40 to 70 percent slopes			
Bethesda	80	H-1	
		H-1	0.71
ChD—Clymer loam, 15 to 25 percent slopes			
Clymer	85	A-2	
		A-2	0.02
Chg1AF—Chagrin silt loam, 0 to 3 percent slopes, frequently flooded			
Chagrin	95	A-5	
		A-5	0.05
CkB—Clymer silt loam, 3 to 8 percent slopes			
Clymer	85	A-1	
		A-1	0.01
CkC—Clymer silt loam, 8 to 15 percent slopes			
Clymer	85	A-1	
		A-1	0.01
CoB—Coolville silt loam, 1 to 6 percent slopes			
Coolville	90	A-6	
		A-6	0.06
CpB—Coolville silt loam, 3 to 8 percent slopes			
Coolville	90	A-6	
		A-6	0.06
Cub1AO—Cuba silt loam, 0 to 3 percent slopes, occasionally flooded			
Cuba	90	A-5	
		A-5	0.05
Dm—Dumps, mine			
Dumps	100	Not rated	
Dol1A1—Doles silt loam, 0 to 2 percent slopes			
Doles	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Gallia County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EkB—Elkinsville silt loam, 1 to 6 percent slopes			
Elkinsville	90	A-6	
		A-6	0.06
FaB—Fairpoint channery silty clay loam, 1 to 8 percent slopes			
Fairpoint	90	E-3	
		E-3	0.42
FaD—Fairpoint channery silty clay loam, 8 to 25 percent slopes			
Fairpoint	90	E-3	
		E-3	0.42
FaE—Fairpoint channery silty clay loam, 25 to 40 percent slopes			
Fairpoint	90	E-2	
		E-2	0.41
Gal2C1—Gallia loam, 6 to 12 percent slopes			
Gallia	85	A-1	
		A-1	0.01
GbB—Gallipolis silt loam, 1 to 6 percent slopes			
Gallipolis	90	A-6	
		A-6	0.06
GbC—Gallipolis silt loam, 6 to 15 percent slopes			
Gallipolis	90	A-6	
		A-6	0.06
GfB—Gallipolis silt loam, 2 to 6 percent slopes			
Gallipolis	85	A-6	
		A-6	0.06
GIR1D2—Gilpin-Rarden silt loams, 15 to 25 percent slopes, eroded			
Gilpin	50	F-1	
		F-1	0.51
Rarden	30	F-1	
		F-1	0.51
GIR1E1—Gilpin-Rarden silt loams, 25 to 40 percent slopes			
Gilpin	50	F-2	
		F-2	0.52
Rarden	30	F-2	
		F-2	0.52

Selected Soil Interpretations--Gallia County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GIRZE1—Gilpin-Rarden association, steep			
Gilpin	45	F-2	
		F-2	0.52
Rarden	35	F-6	
		F-6	0.56
GsC—Guernsey-Gilpin silt loams, 8 to 15 percent slopes			
Guernsey	45	A-6	
		A-6	0.06
Gilpin	40	F-1	
		F-1	0.51
GUSZE1—Gilpin-Upshur-Steinsburg association, steep			
Gilpin	35	F-2	
		F-2	0.52
Upshur	25	A-3	
		A-3	0.03
Steinsburg	20	F-2	
		F-2	0.52
GwE—Guernsey-Gilpin association, steep			
Guernsey	50	A-3	
		A-3	0.03
Gilpin	35	F-2	
		F-2	0.52
KaB—Kanawha silt loam, 1 to 8 percent slopes			
Kanawha	90	A-1	
		A-1	0.01
KbB—Kanawha silt loam, 2 to 6 percent slopes			
Kanawha	90	A-1	
		A-1	0.01
Kg—Kyger loamy sand, frequently flooded			
Kyger	90	C-3	
		C-3	0.13

Selected Soil Interpretations--Gallia County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
KnL1AF—Kinnick-Lindside silt loams, 0 to 3 percent slopes, frequently flooded			
Kinnick	70	A-5	
		A-5	0.05
Lindside	20	A-5	
		A-5	0.05
LaG1D1—Latham-Gilpin silt loams, 15 to 25 percent slopes			
Latham	50	F-1	
		F-1	0.51
Gilpin	35	F-1	
		F-1	0.51
LaG1D2—Latham-Gilpin silt loams, 15 to 25 percent slopes, eroded			
Latham	50	F-1	
		F-1	0.51
Gilpin	35	F-1	
		F-1	0.51
LaSZE1—Latham-Steinsburg association, steep			
Latham	45	F-2	
		F-2	0.52
Steinsburg	40	F-2	
		F-2	0.52
LgC—Lily loam, 8 to 15 percent slopes			
Lily	90	F-1	
		F-1	0.51
LgD—Lily loam, 15 to 25 percent slopes			
Lily	90	F-1	
		F-1	0.51
LhC—Lily silt loam, 8 to 15 percent slopes			
Lily	85	F-1	
		F-1	0.51
Lic1B1—Licking silt loam, 2 to 6 percent slopes			
Licking	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Gallia County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Lic1C2—Licking silt loam, 6 to 12 percent slopes, eroded			
Licking	85	A-1	
		A-1	0.01
Lic1D2—Licking silt loam, 12 to 18 percent slopes, eroded			
Licking	85	A-1	
		A-1	0.01
LiLXD1—Lily-Latham complex, 15 to 25 percent slopes			
Lily	45	F-1	
		F-1	0.51
Latham	40	F-1	
		F-1	0.51
LiRXD1—Lily-Rarden complex, 15 to 25 percent slopes			
Lily	45	F-1	
		F-1	0.51
Rarden	40	F-1	
		F-1	0.51
LpD—Lily-Upshur complex, 15 to 25 percent slopes			
Lily	50	F-1	
		F-1	0.51
Upshur	35	B-1	
		B-1	0.07
Ls—Lindside silt loam, occasionally flooded			
Lindside	95	A-5	
		A-5	0.05
McB—McGary silt loam, 1 to 6 percent slopes			
Mcgary	90	C-2	
		C-2	0.12
MoC—Monongahela loam, 8 to 15 percent slopes			
Monongahela	85	F-3	
		F-3	0.53
Ne—Newark silt loam, frequently flooded			
Newark	90	C-3	
		C-3	0.13

Selected Soil Interpretations--Gallia County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
New1AF—Newark silt loam, 0 to 3 percent slopes, frequently flooded			
Newark	90	C-3	
		C-3	0.13
No—Nolin silt loam, 0 to 3 percent slopes, occasionally flooded			
Nolin, occasionally flooded	85	A-5	
		A-5	0.05
Omu1B1—Omulga silt loam, 2 to 6 percent slopes			
Omulga	85	F-3	
		F-3	0.53
Omu1C1—Omulga silt loam, 6 to 12 percent slopes			
Omulga	85	F-3	
		F-3	0.53
Orr1AF—Orrville silt loam, 0 to 3 percent slopes, frequently flooded			
Orrville	85	C-3	
		C-3	0.13
Pe—Peoga silt loam			
Peoga	90	C-1	
		C-1	0.11
PgB—Pinegrove sandy loam, 1 to 8 percent slopes			
Pinegrove	90	B-1	
		B-1	0.07
Pio1AF—Piopolis silt loam, 0 to 2 percent slopes, frequently flooded			
Piopolis	85	C-3	
		C-3	0.13
PmB—Pinegrove coarse sandy loam, 0 to 8 percent slopes			
Pinegrove	90	B-1	
		B-1	0.07
PmD—Pinegrove coarse sandy loam, 8 to 25 percent slopes			
Pinegrove	85	B-1	
		B-1	0.07

Selected Soil Interpretations--Gallia County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
PmF—Pinegrove coarse sandy loam, 25 to 70 percent slopes			
Pinegrove	85	H-1	
		H-1	0.71
PnD—Pinegrove sand, 8 to 25 percent slopes			
Pinegrove	90	B-1	
		B-1	0.07
PnF—Pinegrove sand, 25 to 70 percent slopes			
Pinegrove	85	H-1	
		H-1	0.71
Pop1AF—Pope silt loam, 0 to 3 percent slopes, frequently flooded			
Pope	85	A-5	
		A-5	0.05
Pop1AO—Pope silt loam, 0 to 3 percent slopes, occasionally flooded			
Pope	90	A-5	
		A-5	0.05
Pop6AF—Pope fine sandy loam, 0 to 3 percent slopes, frequently flooded			
Pope	85	A-5	
		A-5	0.05
PpS1AF—Pope-Stokly silt loams, 0 to 3 percent slopes, frequently flooded			
Pope	45	A-5	
		A-5	0.05
Stokly	40	C-3	
		C-3	0.13
Ps—Pits, sand and gravel			
Pits	100	Not rated	
Rar1C2—Rarden silt loam, 8 to 15 percent slopes, eroded			
Rarden	85	F-1	
		F-1	0.51
RgLZE1—Rigley-Latham association, steep			
Rigley	45	A-3	
		A-3	0.03
Latham	30	F-2	
		F-2	0.52

Selected Soil Interpretations--Gallia County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RrG1C1—Rarden-Gilpin silt loams, 8 to 15 percent slopes			
Rarden	50	F-1	
		F-1	0.51
Gilpin	40	F-1	
		F-1	0.51
RrG1C2—Rarden-Gilpin silt loams, 8 to 15 percent slopes, eroded			
Rarden	50	F-1	
		F-1	0.51
Gilpin	40	F-1	
		F-1	0.51
RrG1D1—Rarden-Gilpin silt loams, 15 to 25 percent slopes			
Rarden	50	F-1	
		F-1	0.51
Gilpin	40	F-1	
		F-1	0.51
RrG1D2—Rarden-Gilpin silt loams, 15 to 25 percent slopes, eroded			
Rarden	50	F-1	
		F-1	0.51
Gilpin	40	F-1	
		F-1	0.51
RrSZE1—Rarden-Steinsburg association, steep			
Rarden	45	F-2	
		F-2	0.52
Steinsburg	35	F-2	
		F-2	0.52
RrW1C2—Rarden-Wharton silt loams, 8 to 15 percent slopes, eroded			
Rarden	45	F-1	
		F-1	0.51
Wharton	40	A-1	
		A-1	0.01

Selected Soil Interpretations--Gallia County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RrW1D2—Rarden-Wharton silt loams, 15 to 25 percent slopes, eroded			
Rarden	45	F-1	
		F-1	0.51
Wharton	45	A-2	
		A-2	0.02
ScE—Steinsburg-Clymer association, steep			
Steinsburg	60	F-2	
		F-2	0.52
Clymer	20	B-2	
		B-2	0.08
SgE—Steinsburg-Gilpin association, steep			
Steinsburg	55	F-2	
		F-2	0.52
Gilpin	15	F-2	
		F-2	0.52
SgF—Steinsburg-Gilpin association, very steep			
Steinsburg	55	H-1	
		H-1	0.71
Gilpin	20	H-1	
		H-1	0.71
SkP1AF—Stokly-Philo silt loams, 0 to 3 percent slopes, frequently flooded			
Stokly	55	C-3	
		C-3	0.13
Philo	30	A-5	
		A-5	0.05
SrF—Steinsburg-Rock outcrop association, very steep			
Steinsburg	60	H-1	
		H-1	0.71
Rock outcrop	15	Not rated	
Stn1AO—Stendal silt loam, 0 to 3 percent slopes, occasionally flooded			
Stendal	85	C-3	
		C-3	0.13

Selected Soil Interpretations--Gallia County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
TfA—Taggart silt loam, 0 to 2 percent slopes			
Taggart	85	C-1	
		C-1	0.11
TgA—Taggart silt loam, 0 to 3 percent slopes			
Taggart	85	C-1	
		C-1	0.11
Ud—Udorthents			
Udorthents	100	Not rated	
Uf—Udorthents, sanitary landfill			
Udorthents	100	Not rated	
UgC—Upshur-Gilpin complex, 8 to 15 percent slopes			
Upshur	50	A-1	
		A-1	0.01
Gilpin	25	F-1	
		F-1	0.51
UgC2—Upshur-Gilpin complex, 8 to 15 percent slopes, eroded			
Gilpin	40	F-1	
		F-1	0.51
Upshur	40	B-1	
		B-1	0.07
UgD—Upshur-Gilpin complex, 15 to 25 percent slopes			
Upshur	50	A-2	
		A-2	0.02
Gilpin	25	F-1	
		F-1	0.51
UgD2—Upshur-Gilpin complex, 15 to 25 percent slopes, eroded			
Gilpin	40	F-1	
		F-1	0.51
Upshur	40	B-1	
		B-1	0.07

Selected Soil Interpretations--Gallia County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
UgE—Upshur-Gilpin complex, 25 to 50 percent slopes			
Gilpin	40	F-2	
		F-2	0.52
Upshur	40	A-3	
		A-3	0.03
VaC2—Vandalia silty clay loam, 6 to 15 percent slopes, eroded			
Vandalia	80	A-1	
		A-1	0.01
VaD3—Vandalia silty clay loam, 15 to 25 percent slopes, severely eroded			
Vandalia	80	A-2	
		A-2	0.02
VnD3—Vandalia-Gilpin complex, 15 to 25 percent slopes, severely eroded			
Vandalia	55	A-2	
		A-2	0.02
Gilpin	35	F-1	
		F-1	0.51
W—Water			
Water	100	Not rated	
WeB—Wellston silt loam, 1 to 6 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WhA—Wheeling silt loam, 0 to 3 percent slopes			
Wheeling	90	A-1	
		A-1	0.01
WhB—Wheeling silt loam, 3 to 6 percent slopes			
Wheeling	85	A-1	
		A-1	0.01
WhC—Wheeling silt loam, 6 to 15 percent slopes			
Wheeling	85	A-1	
		A-1	0.01
WhE—Wheeling silt loam, 25 to 40 percent slopes			
Wheeling	85	A-3	
		A-3	0.03

Selected Soil Interpretations--Gallia County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WoB—Woodsfield silt loam, 1 to 6 percent slopes			
Woodsfield	90	A-1	
		A-1	0.01
Wya1B1—Wyatt silt loam, 2 to 6 percent slopes			
Wyatt	85	A-1	
		A-1	0.01
Wya3C2—Wyatt silty clay loam, 6 to 12 percent slopes, eroded			
Wyatt	85	A-1	
		A-1	0.01
Wya3D2—Wyatt silty clay loam, 12 to 18 percent slopes, eroded			
Wyatt	85	B-1	
		B-1	0.07
ZaB—Zanesville silt loam, 1 to 6 percent slopes			
Zanesville	90	F-3	
		F-3	0.53

Data Source Information

Soil Survey Area: Gallia County, Ohio
 Survey Area Data: Version 12, Sep 18, 2014