

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Geauga County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BgB—Bogart loam, 2 to 6 percent slopes			
Bogart	85	A-6	
		A-6	0.06
BrF—Brecksville silt loam, 25 to 70 percent slopes			
Brecksville	85	H-1	
		H-1	0.71
Ca—Canadice silt loam			
Canadice	85	C-2	
		C-2	0.12
CcA—Caneadea silt loam, 0 to 2 percent slopes			
Caneadea	85	C-2	
		C-2	0.12
CcB—Caneadea silt loam, 2 to 6 percent slopes			
Caneadea	85	C-2	
		C-2	0.12
CdB—Canfield silt loam, 2 to 6 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CdC—Canfield silt loam, 6 to 12 percent slopes			
Canfield	90	F-3	
		F-3	0.53

Selected Soil Interpretations--Geauga County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Cf--Carlisle muck, ponded			
Carlisle	85	D-1	
		D-1	0.30
CnA--Chili loam, 0 to 2 percent slopes			
Chili	85	A-1	
		A-1	0.01
CnB--Chili loam, 2 to 6 percent slopes			
Chili	100	A-1	
		A-1	0.01
CnC--Chili loam, 6 to 12 percent slopes			
Chili	100	A-1	
		A-1	0.01
CoC2--Chili gravelly loam, 6 to 12 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
CoD2--Chili gravelly loam, 12 to 18 percent slopes, eroded			
Chili	100	A-1	
		A-1	0.01
CpA--Chili silt loam, 0 to 2 percent slopes			
Chili	100	B-1	
		B-1	0.07
CpB--Chili silt loam, 2 to 6 percent slopes			
Chili	100	B-1	
		B-1	0.07
CyD--Chili-Oshtemo complex, 6 to 18 percent slopes			
Chili	57	A-1	
		A-1	0.01
Oshtemo	28	A-1	
		A-1	0.01
CyF--Chili-Oshtemo complex, 25 to 50 percent slopes			
Chili	60	A-3	
		A-3	0.03
Oshtemo	30	A-3	
		A-3	0.03

Selected Soil Interpretations--Geauga County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Da--Damascus silt loam			
Damascus	85	C-1	
		C-1	0.11
Dm--Damascus loam			
Damascus	100	C-1	
		C-1	0.11
DrA--Darlen silt loam, bedrock substratum, 0 to 2 percent slopes			
Darlen	85	C-1	
		C-1	0.11
DrB--Darlen silt loam, bedrock substratum, 2 to 6 percent slopes			
Darlen	100	C-1	
		C-1	0.11
DsB--Darlen-Hornell silt loams complex, 2 to 6 percent slopes			
Darlen	48	C-1	
		C-1	0.11
Hornell	42	C-2	
		C-2	0.12
EhB--Ellsworth silt loam, 2 to 6 percent slopes			
Ellsworth	85	A-1	
		A-1	0.01
EhB2--Ellsworth silt loam, 2 to 6 percent slopes, eroded			
Ellsworth, eroded	85	A-1	
		A-1	0.01
EhC--Ellsworth silt loam, 6 to 12 percent slopes			
Ellsworth	90	A-1	
		A-1	0.01
EhC2--Ellsworth silt loam, 6 to 12 percent slopes, eroded			
Ellsworth, eroded	90	A-1	
		A-1	0.01
EhD--Ellsworth silt loam, 12 to 18 percent slopes			
Ellsworth	90	A-1	
		A-1	0.01

Selected Soil Interpretations--Geauga County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EhD2—Ellsworth silt loam, 12 to 18 percent slopes, eroded			
Ellsworth, eroded	90	A-1	
		A-1	0.01
EhE—Ellsworth silt loam, 18 to 25 percent slopes			
Ellsworth	90	A-2	
		A-2	0.02
EhF—Ellsworth silt loam, 25 to 70 percent slopes			
Ellsworth	85	H-1	
		H-1	0.71
EmC—Ellsworth silt loam, shale substratum, 6 to 12 percent slopes			
Ellsworth, shale substratum	85	B-1	
		B-1	0.07
EmD—Ellsworth silt loam, shale substratum, 12 to 18 percent slopes			
Ellsworth, shale substratum	85	B-1	
		B-1	0.07
EsB—Ellsworth silt loam, sandstone substratum, 2 to 6 percent slopes			
Ellsworth, sandstone substratum	85	B-1	
		B-1	0.07
FcA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FcB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
Fr—Frenchtown silt loam			
Frenchtown	100	C-1	
		C-1	0.11
GaF—Gageville silt loam, 18 to 50 percent slopes			
Gageville	95	A-3	
		A-3	0.03
GbB—Geeburg silt loam, 2 to 6 percent slopes			
Geeburg	85	F-5	
		F-5	0.55

Selected Soil Interpretations--Geauga County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GbC—Geeburg silt loam, 6 to 12 percent slopes			
Geeburg	85	F-5	
		F-5	0.55
GfB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GfC—Glenford silt loam, 6 to 12 percent slopes			
Glenford	85	A-6	
		A-6	0.06
Ho—Holly silt loam, frequently flooded			
Holly	85	C-3	
		C-3	0.13
HsA—Haskins loam, 0 to 2 percent slopes			
Haskins	85	C-1	
		C-1	0.11
HsB—Haskins loam, 2 to 6 percent slopes			
Haskins	85	C-1	
		C-1	0.11
JmA—Jimtown loam, 0 to 2 percent slopes			
Jimtown	90	C-1	
		C-1	0.11
JmB—Jimtown loam, 2 to 6 percent slopes			
Jimtown	100	C-1	
		C-1	0.11
JtA—Jimtown silt loam, 0 to 3 percent slopes			
Jimtown	85	C-1	
		C-1	0.11
LrB—Lordstown loam, 2 to 6 percent slopes			
Lordstown	85	F-1	
		F-1	0.51
LrC—Lordstown loam, 6 to 12 percent slopes			
Lordstown	85	F-1	
		F-1	0.51

Selected Soil Interpretations--Geauga County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LxD—Lordstown-Rock outcrop complex, 12 to 18 percent slopes			
Lordstown	65	F-1	
		F-1	0.51
Rock outcrop	20	Not rated	
LxF—Lordstown-Rock outcrop complex, 18 to 70 percent slopes			
Lordstown	55	H-1	
		H-1	0.71
Rock outcrop	35	Not rated	
LyB—Loudonville silt loam, 2 to 6 percent slopes			
Loudonville	85	F-1	
		F-1	0.51
LyC—Loudonville silt loam, 6 to 12 percent slopes			
Loudonville	85	F-1	
		F-1	0.51
LyC2—Loudonville silt loam, 6 to 12 percent slopes, moderately eroded			
Loudonville	100	F-1	
		F-1	0.51
MgA—Mahoning silt loam, 0 to 2 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MgB—Mahoning silt loam, 2 to 6 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MgC—Mahoning silt loam, 6 to 12 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MnB—Mitiwanga silt loam, 2 to 6 percent slopes			
Mitiwanga	100	C-1	
		C-1	0.11
MsA—Mahoning silt loam, shale substratum, 0 to 2 percent slopes			
Mahoning, shale substratum	85	C-2	
		C-2	0.12

Selected Soil Interpretations--Geauga County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MsB—Mahoning silt loam, shale substratum, 2 to 6 percent slopes			
Mahoning, shale substratum	85	C-2	
		C-2	0.12
MtA—Mitiwanga silt loam, 0 to 3 percent slopes			
Mitiwanga	85	C-1	
		C-1	0.11
MvB—Mitiwanga silt loam, moderately well drained variant, 2 to 6 percent slopes			
Mitiwanga variant	100	F-1	
		F-1	0.51
MvC—Mitiwanga silt loam, moderately well drained variant, 6 to 12 percent slopes			
Mitiwanga variant	100	F-1	
		F-1	0.51
My—Mill silt loam, 0 to 2 percent slopes			
Mill	86	C-1	
		C-1	0.11
Or—Orrville silt loam, frequently flooded			
Orrville	85	C-3	
		C-3	0.13
OsB—Oshtemo sandy loam, 2 to 6 percent slopes			
Oshtemo	100	A-1	
		A-1	0.01
OsC—Oshtemo sandy loam, 6 to 12 percent slopes			
Oshtemo	100	A-1	
		A-1	0.01
Pg—Pits, gravel			
Pits	100	Not rated	
Pq—Pits, quarry			
Pits	100	Not rated	
PsA—Platea silt loam, 0 to 2 percent slopes			
Platea	85	C-2	
		C-2	0.12
PsB—Platea silt loam, 2 to 6 percent slopes			
Platea	85	C-2	
		C-2	0.12

Selected Soil Interpretations--Geauga County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
PtA—Platea-Darien silt loams complex, 0 to 2 percent slopes			
Platea	50	C-2	
		C-2	0.12
Darien	39	C-1	
		C-1	0.11
PtB—Platea-Darien silt loams complex, 2 to 6 percent slopes			
Platea	50	C-2	
		C-2	0.12
Darien	39	C-1	
		C-1	0.11
ReA—Ravenna silt loam, 0 to 2 percent slopes			
Ravenna	90	C-1	
		C-1	0.11
ReB—Ravenna silt loam, 2 to 6 percent slopes			
Ravenna	90	C-1	
		C-1	0.11
RmB—Rawson silt loam, 2 to 6 percent slopes			
Rawson	85	F-5	
		F-5	0.55
		A-1	0.01
RsB—Rittman silt loam, 2 to 6 percent slopes			
Rittman	85	F-3	
		F-3	0.53
RsC—Rittman silt loam, 6 to 12 percent slopes			
Rittman	90	F-3	
		F-3	0.53
RsC2—Rittman silt loam, 6 to 12 percent slopes, eroded			
Rittman	85	F-3	
		F-3	0.53
RsD—Rittman silt loam, 12 to 18 percent slopes			
Rittman	90	F-3	
		F-3	0.53
RsE—Rittman silt loam, 18 to 25 percent slopes			
Rittman	90	F-3	
		F-3	0.53

Selected Soil Interpretations--Geauga County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RsF—Rittman silt loam, 25 to 50 percent slopes			
Rittman	90	F-4	
		F-4	0.54
Sb—Sebring silt loam			
Sebring	85	C-1	
		C-1	0.11
Sf—Sheffield silt loam			
Sheffield	85	C-2	
		C-2	0.12
Tg—Tioga loam, frequently flooded			
Tioga	85	A-5	
		A-5	0.05
TrA—Trumbull silt loam, 0 to 2 percent slopes			
Trumbull	90	C-2	
		C-2	0.12
Ud—Udorthents, loamy			
Udorthents	100	Not rated	
Ur—Urban land			
Urban land	100	Not rated	
W—Water			
Water	100	Not rated	
Wa—Wabasha silty clay loam, ponded			
Wabasha	80	C-3	
		C-3	0.13
WbA—Wadsworth silt loam, 0 to 2 percent slopes			
Wadsworth	85	C-1	
		C-1	0.11
WbB—Wadsworth silt loam, 2 to 6 percent slopes			
Wadsworth	85	C-1	
		C-1	0.11
Wc—Walkkill silt loam, ponded			
Walkkill	85	C-3	
		C-3	0.13

Selected Soil Interpretations--Geauga County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Wk—Wick silt loam, 0 to 2 percent slopes, frequently flooded			
Wick	89	C-3	
		C-3	0.13
Wt—Willette muck, ponded			
Willette	85	D-1	
		D-1	0.30
WuD—Wooster silt loam, 12 to 18 percent slopes			
Wooster	100	F-3	
		F-3	0.53

### Data Source Information

Soil Survey Area: Geauga County, Ohio  
 Survey Area Data: Version 15, Sep 19, 2014