

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations--Hancock County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AdA—Adrian muck, drained, 0 to 1 percent slopes			
Adrian, drained	95	D-1	
		D-1	0.30
AkA—Alvada loam, 0 to 1 percent slopes			
Alvada	80	C-1	
		C-1	0.11
AmA—Alvada-Urban land complex, 0 to 2 percent slopes			
Alvada	50	Not assigned	
Urban land	25	Not rated	
AnA—Aquents, clayey, 0 to 1 percent slopes			
Aquents	90	Not assigned	
ApB—Arkport loamy fine sand, 2 to 6 percent slopes			
Arkport	90	B-1	
		B-1	0.07
ArA—Aurand loam, 0 to 2 percent slopes			
Aurand	90	C-1	
		C-1	0.11
AsA—Aurand-Urban land complex, 0 to 2 percent slopes			
Aurand	50	Not assigned	
Urban land	35	Not rated	

Selected Soil Interpretations--Hancock County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BgA—Biglick-Milton complex, 0 to 2 percent slopes			
Biglick	70	E-1	
		E-1	0.40
Milton	25	F-1	
		F-1	0.51
BgB—Biglick-Milton complex, 2 to 6 percent slopes			
Biglick	55	E-1	
		E-1	0.40
Milton	40	F-1	
		F-1	0.51
Ble1A1—Blount silt loam, end moraine, 0 to 2 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11
Ble1B1—Blount silt loam, end moraine, 2 to 4 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11
Blg1A1—Blount silt loam, ground moraine, 0 to 2 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11
Blg1B1—Blount silt loam, ground moraine, 2 to 4 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11
BnA—Blount loam, 0 to 2 percent slopes			
Blount	85	C-1	
		C-1	0.11
BpA—Blount-Houcktown complex, 0 to 3 percent slopes			
Blount	60	C-1	
		C-1	0.11
Houcktown	35	A-6	
		A-6	0.06

Selected Soil Interpretations--Hancock County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BrA—Blount-Jenera complex, 0 to 3 percent slopes			
Blount	55	C-1	
		C-1	0.11
Jenera	40	A-6	
		A-6	0.06
BuA—Blount-Urban land complex, 0 to 2 percent slopes			
Blount	50	Not assigned	
Urban land	35	Not rated	
ChC—Channahon-Biglick complex, 6 to 12 percent slopes			
Channahon	55	E-1	
		E-1	0.40
Biglick	40	E-1	
		E-1	0.40
CoA—Colwood loam, 0 to 1 percent slopes			
Colwood	80	C-1	
		C-1	0.11
CtA—Cygnet loam, 0 to 2 percent slopes			
Cygnet	90	A-6	
		A-6	0.06
CuA—Cygnet-Urban land complex, 0 to 2 percent slopes			
Cygnet	50	Not assigned	
Urban land	40	Not rated	
DbA—Darroch loam, 0 to 2 percent slopes			
Darroch	90	C-1	
		C-1	0.11
DeA—Del Rey silt loam, 0 to 2 percent slopes			
Del rey	85	C-1	
		C-1	0.11
DfA—Del Rey-Blount complex, 0 to 3 percent slopes			
Del rey	55	C-1	
		C-1	0.11
Blount	40	C-1	
		C-1	0.11

Selected Soil Interpretations--Hancock County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
DuB—Dunbridge loamy fine sand, 1 to 4 percent slopes			
Dunbridge	100	F-1	
		F-1	0.51
EmA—Elliott silt loam, 0 to 2 percent slopes			
Elliott	90	C-1	
		C-1	0.11
FbA—Flatrock loam, 0 to 2 percent slopes, occasionally flooded			
Flatrock	95	A-5	
		A-5	0.05
FcA—Flatrock silt loam, 0 to 2 percent slopes, occasionally flooded			
Flatrock	90	A-5	
		A-5	0.05
FdA—Flatrock silt loam, limestone substratum, 0 to 2 percent slopes, occasionally flooded			
Flatrock, limestone substratum	95	A-5	
		A-5	0.05
FoA—Fox loam, 0 to 2 percent slopes			
Fox	90	B-1	
		B-1	0.07
FoB—Fox loam, 2 to 6 percent slopes			
Fox	90	A-1	
		A-1	0.01
FoC2—Fox loam, 6 to 12 percent slopes, eroded			
Fox	100	B-1	
		B-1	0.07
FsA—Fulton silt loam, 0 to 2 percent slopes			
Fulton	80	C-2	
		C-2	0.12
FtA—Fulton silt loam, till substratum, 0 to 2 percent slopes			
Fulton, till substratum	95	C-2	
		C-2	0.12
GaB—Gallman loam, 2 to 6 percent slopes			
Gallman	90	A-1	
		A-1	0.01

Selected Soil Interpretations--Hancock County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GfA—Gilford mucky loam, 0 to 1 percent slopes			
Gilford	90	C-1	
		C-1	0.11
GmA—Glynwood loam, limestone substratum, 0 to 2 percent slopes			
Glynwood, limestone substratum	100	A-6	
		A-6	0.06
GsB—Glynwood-Blount-Houcktown complex, 1 to 4 percent slopes			
Glynwood	40	A-6	
		A-6	0.06
Blount	35	C-1	
		C-1	0.11
Houcktown	15	A-6	
		A-6	0.06
GuB—Glynwood-Urban land complex, 2 to 6 percent slopes			
Glynwood	55	Not assigned	
Urban land	35	Not rated	
Gwd5C2—Glynwood clay loam, 6 to 12 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06
Gwe1B1—Glynwood silt loam, end moraine, 2 to 6 percent slopes			
Glynwood, end moraine	85	F-5	
		F-5	0.55
Gwe5B2—Glynwood clay loam, end moraine, 2 to 6 percent slopes, eroded			
Glynwood, end moraine	85	F-5	
		F-5	0.55
Gwg1B1—Glynwood silt loam, ground moraine, 2 to 6 percent slopes			
Glynwood, ground moraine	85	F-5	
		F-5	0.55
Gwg5B2—Glynwood clay loam, ground moraine, 2 to 6 percent slopes, eroded			
Glynwood, ground moraine	85	F-5	
		F-5	0.55

Selected Soil Interpretations--Hancock County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Gwg5C2—Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06
HaA—Harrod silt loam, 0 to 1 percent slopes, frequently flooded			
Harrod	90	A-5	
		A-5	0.05
HcA—Hoytville silty clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
HkA—Haskins fine sandy loam, 0 to 2 percent slopes			
Haskins	95	C-1	
		C-1	0.11
HnA—Haskins loam, 0 to 2 percent slopes			
Haskins	95	C-1	
		C-1	0.11
HoA—Hoytville clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
HpA—Houcktown loam, 0 to 2 percent slopes			
Houcktown	95	A-6	
		A-6	0.06
HpB—Houcktown loam, 2 to 6 percent slopes			
Houcktown	90	A-6	
		A-6	0.06
HrB—Houcktown-Glynwood-Jenera complex, 1 to 4 percent slopes			
Houcktown	40	A-6	
		A-6	0.06
Glynwood	30	A-6	
		A-6	0.06
Jenera	25	A-6	
		A-6	0.06

Selected Soil Interpretations--Hancock County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
JeA—Jenera fine sandy loam, 0 to 2 percent slopes			
Jenera	85	A-6	
		A-6	0.06
JeB—Jenera fine sandy loam, 2 to 6 percent slopes			
Jenera	95	A-6	
		A-6	0.06
JfB—Jenera-Shinrock, till substratum complex, 1 to 4 percent slopes			
Jenera	55	A-6	
		A-6	0.06
Shinrock, till substratum	35	A-6	
		A-6	0.06
JoA—Joliet loam, 0 to 1 percent slopes			
Joliet	95	E-1	
		E-1	0.40
KnA—Knoxdale silt loam, 0 to 2 percent slopes, occasionally flooded			
Knoxdale	90	A-5	
		A-5	0.05
LbA—Lamberjack loam, 0 to 2 percent slopes			
Lamberjack	85	C-1	
		C-1	0.11
LcA—Lamberjack-Urban land complex, 0 to 2 percent slopes			
Lamberjack	40	Not assigned	
Urban land	35	Not rated	
LuB2—Lucas silty clay loam, 2 to 6 percent slopes, eroded			
Lucas	95	A-1	
		A-1	0.01
LyE—Lybrand silt loam, 18 to 50 percent slopes			
Lybrand	95	F-6	
		F-6	0.56
		A-3	0.03

Selected Soil Interpretations--Hancock County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MbA—Medway silt loam, 0 to 2 percent slopes, occasionally flooded			
Medway	90	A-5	
		A-5	0.05
McA—Medway silt loam, limestone substratum, 0 to 2 percent slopes, occasionally flooded			
Medway, limestone substratum	90	A-5	
		A-5	0.05
MeA—Mermill loam, 0 to 1 percent slopes			
Mermill	90	C-1	
		C-1	0.11
MfA—Mermill clay loam, 0 to 1 percent slopes			
Mermill	90	C-1	
		C-1	0.11
MgA—Millsdale silty clay loam, 0 to 1 percent slopes			
Millsdale	90	C-2	
		C-2	0.12
MnA—Milton silt loam, 0 to 2 percent slopes			
Milton	90	F-1	
		F-1	0.51
MpD3—Morley clay loam, 12 to 18 percent slopes, severely eroded			
Morley	90	B-1	
		B-1	0.07
MrA—Morley loam, limestone substratum, 0 to 2 percent slopes			
Morley, limestone substratum	95	A-1	
		A-1	0.01
MsB—Morley, limestone substratum-Milton complex, 2 to 6 percent slopes			
Morley, limestone substratum	60	A-1	
		A-1	0.01
Milton	30	F-1	
		F-1	0.51
MvB—Mortimer silt loam, 2 to 6 percent slopes			
Mortimer	95	A-6	
		A-6	0.06

Selected Soil Interpretations--Hancock County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MwB2—Mortimer silty clay loam, 2 to 6 percent slopes, eroded			
Mortimer	95	A-6	
		A-6	0.06
NnA—Nappanee loam, 0 to 2 percent slopes			
Nappanee	90	C-2	
		C-2	0.12
NnB—Nappanee loam, 2 to 6 percent slopes			
Nappanee	90	C-2	
		C-2	0.12
NpA—Nappanee silty clay loam, 0 to 2 percent slopes			
Nappanee	90	C-2	
		C-2	0.12
NpB2—Nappanee silty clay loam, 2 to 6 percent slopes, eroded			
Nappanee	90	C-2	
		C-2	0.12
NrA—Nappanee-Urban land complex, 0 to 2 percent slopes			
Nappanee	50	Not assigned	
Urban land	40	Not rated	
OrA—Oshtemo fine sandy loam, 0 to 2 percent slopes			
Oshtemo	85	A-1	
		A-1	0.01
OrB—Oshtemo fine sandy loam, 2 to 6 percent slopes			
Oshtemo	93	B-1	
		B-1	0.07
OrC—Oshtemo fine sandy loam, 6 to 12 percent slopes			
Oshtemo	95	A-1	
		A-1	0.01
OsB—Oshtemo sandy loam, till substratum, 2 to 6 percent slopes			
Oshtemo, till substratum	92	A-1	
		A-1	0.01

Selected Soil Interpretations--Hancock County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
OwB—Ottokee loamy fine sand, 0 to 6 percent slopes			
Ottokee	80	B-1	
		B-1	0.07
PbA—Patton silty clay loam, 0 to 1 percent slopes			
Patton	85	C-1	
		C-1	0.11
PmA—Pewamo silty clay loam, 0 to 1 percent slopes			
Pewamo	94	C-1	
		C-1	0.11
PnA—Pewamo-Urban land complex, 0 to 2 percent slopes			
Pewamo	50	Not assigned	
Urban land	30	Not rated	
Pt—Pits, quarry			
Pits	90	Not rated	
RcA—Randolph silt loam, 0 to 2 percent slopes			
Randolph	93	C-1	
		C-1	0.11
RgB—Rawson sandy loam, 2 to 6 percent slopes			
Rawson	95	F-5	
		F-5	0.55
RhA—Rensselaer loam, till substratum, 0 to 1 percent slopes			
Rensselaer, till substratum	88	C-1	
		C-1	0.11
RnA—Rimer loamy sand, 0 to 2 percent slopes			
Rimer	95	C-1	
		C-1	0.11
RoA—Rimer loamy fine sand, deep phase, 0 to 2 percent slopes			
Rimer, deep phase	95	C-1	
		C-1	0.11
RtA—Roszburg silt loam, 0 to 2 percent slopes, occasionally flooded			
Roszburg	85	A-5	
		A-5	0.05

Selected Soil Interpretations--Hancock County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SeA—Shawtown loam, 0 to 2 percent slopes			
Shawtown	85	A-1	
		A-1	0.01
SeB—Shawtown loam, 2 to 6 percent slopes			
Shawtown	91	A-1	
		A-1	0.01
SfB—Shinrock silt loam, 2 to 6 percent slopes			
Shinrock	95	A-6	
		A-6	0.06
SgC2—Shinrock silty clay loam, 6 to 12 percent slopes, eroded			
Shinrock	90	A-6	
		A-6	0.06
SkB—Shinrock, till substratum-Glynwood complex, 1 to 4 percent slopes			
Shinrock, till substratum	50	A-6	
		A-6	0.06
Glynwood	40	A-6	
		A-6	0.06
SmA—Shoals silt loam, 0 to 2 percent slopes, occasionally flooded			
Shoals	85	C-3	
		C-3	0.13
SnA—Sloan loam, 0 to 1 percent slopes, occasionally flooded			
Sloan	90	C-3	
		C-3	0.13
SoA—Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded			
Sloan	90	C-3	
		C-3	0.13
SpA—Sloan silty clay loam, limestone substratum, 0 to 1 percent slopes, occasionally flooded			
Sloan, limestone substratum	90	C-3	
		C-3	0.13
StB2—St. Clair silty clay loam, 2 to 6 percent slopes, eroded			
St. clair	90	F-5	
		F-5	0.55

Selected Soil Interpretations--Hancock County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
StC2—St. Clair silty clay loam, 6 to 12 percent slopes, eroded			
St. clair	95	F-5	
		F-5	0.55
ThA—Thackery loam, till substratum, 0 to 2 percent slopes			
Thackery, till substratum	80	A-6	
		A-6	0.06
TkA—Tiderishi loam, 0 to 2 percent slopes			
Tiderishi	85	C-1	
		C-1	0.11
TnA—Toledo silty clay loam, 0 to 1 percent slopes			
Toledo	90	C-2	
		C-2	0.12
ToB—Tuscola loamy fine sand, 2 to 6 percent slopes			
Tuscola	93	A-6	
		A-6	0.06
TpA—Tuscola fine sandy loam, 0 to 2 percent slopes			
Tuscola	93	A-6	
		A-6	0.06
TpB—Tuscola fine sandy loam, 2 to 6 percent slopes			
Tuscola	93	A-6	
		A-6	0.06
TuB—Tuscola silt loam, 2 to 6 percent slopes			
Tuscola	95	A-6	
		A-6	0.06
UcA—Udorthents, loamy, 0 to 2 percent slopes			
Udorthents	75	Not rated	
UcD—Udorthents, loamy, 2 to 25 percent slopes			
Udorthents	85	Not rated	
Ur—Urban land			
Urban land	88	Not rated	
VaA—Vanlue loam, 0 to 2 percent slopes			
Vanlue	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Hancock County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
VeA--Vaughnsville loam, 0 to 3 percent slopes			
Vaughnsville	100	A-1	
		A-1	0.01
W--Water			
Water	100	Not rated	
WeA--Westland-Rensselaer complex, 0 to 1 percent slopes			
Westland	50	C-1	
		C-1	0.11
Rensselaer	40	C-1	
		C-1	0.11

### Data Source Information

Soil Survey Area: Hancock County, Ohio  
 Survey Area Data: Version 15, Sep 18, 2014