

Survey Area Map Unit Symbols and Names

Report—Survey Area Map Unit Symbols and Names

Survey Area Map Unit Symbols and Names—Holmes County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
9mhl	AmE	Amanda loam, 18 to 25 percent slopes
9mhm	AwB	Amanda-Wooster complex, 2 to 6 percent slopes
9mhn	AwC2	Amanda-Wooster complex, 6 to 12 percent slopes, eroded
9mhp	AwD2	Amanda-Wooster complex, 12 to 18 percent slopes, eroded
1t91m	BeF	Berks silt loam, 25 to 70 percent slopes
9mhq	BkD	Berks silt loam, 15 to 25 percent slopes, very stony
9mhr	BkE	Berks silt loam, 25 to 35 percent slopes, very stony
9mhs	BkF	Berks silt loam, 35 to 70 percent slopes, very stony
1t91s	BID	Bethesda channery loam, 8 to 25 percent slopes
1t91t	BIF	Bethesda channery loam, 25 to 70 percent slopes
1t925	BmF	Bethesda channery clay loam, 25 to 70 percent slopes
9mht	BnB	Bethesda very channery clay loam, 0 to 8 percent slopes
9mhv	BnC	Bethesda very channery clay loam, 8 to 20 percent slopes
9mhw	BnF	Bethesda very channery clay loam, 20 to 70 percent slopes
1t9dm	BoB	Bogart gravelly loam, 2 to 6 percent slopes
9mhx	BtA	Bogart silt loam, 0 to 2 percent slopes
9mhy	BtB	Bogart silt loam, 2 to 6 percent slopes
9mhz	BvD	Brownsville channery silt loam, 15 to 25 percent slopes
9mj0	BvE	Brownsville channery silt loam, 25 to 35 percent slopes
9mj1	BvF	Brownsville channery silt loam, 35 to 70 percent slopes
9mj2	ByF	Brownsville-Rock outcrop complex, 35 to 70 percent slopes
1t9f1	BzE	Brownsville-Westmoreland complex, 18 to 25 percent slopes
1t9f2	BzF	Brownsville-Westmoreland complex, 25 to 40 percent slopes
2v03q	CdA	Canfield silt loam, 0 to 2 percent slopes
2v03t	CdB	Canfield silt loam, 2 to 6 percent slopes
2v040	CdC	Canfield silt loam, 6 to 12 percent slopes
2v043	CdC2	Canfield silt loam, 6 to 12 percent slopes, eroded
9mj6	Ce	Carlisle muck
9mj7	CgB	Centerburg silt loam, 2 to 6 percent slopes
9mj8	CgC2	Centerburg silt loam, 6 to 12 percent slopes, eroded
1t9f4	CkC	Chili gravelly loam, 6 to 12 percent slopes
1t9f5	CkD	Chili gravelly loam, 12 to 18 percent slopes

Survey Area Map Unit Symbols and Names--Holmes County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
1t9f6	CkE	Chili gravelly loam, 18 to 25 percent slopes
1t91q	CkF	Chili gravelly loam, 25 to 70 percent slopes
9mj9	CnA	Chili loam, 0 to 2 percent slopes
9mjb	CnB	Chili loam, 2 to 6 percent slopes
9mjc	CnC2	Chili loam, 6 to 12 percent slopes, eroded
9mjd	CnD2	Chili loam, 12 to 18 percent slopes, eroded
9mjf	CnE	Chili loam, 18 to 25 percent slopes
9mjg	CnF	Chili loam, 25 to 70 percent slopes
9mjh	CoE	Chili-Amanda complex, 18 to 25 percent slopes
9mjj	CpA	Cidermill silt loam, 0 to 2 percent slopes
9mjk	CpB	Cidermill silt loam, 2 to 6 percent slopes
1t9dr	CrD	Chili and Conotton gravelly loams, 12 to 18 percent slopes
1t9ds	CrE	Chili and Conotton gravelly loams, 18 to 35 percent slopes
1t9dt	CsC	Chili-Wooster complex, 6 to 12 percent slopes
1t9dv	CsD	Chili-Wooster complex, 12 to 18 percent slopes
9mjl	CtB	Coshocton silt loam, 2 to 6 percent slopes
9mjm	CtC2	Coshocton silt loam, 6 to 15 percent slopes, eroded
1t91v	CtD	Coshocton silt loam, 15 to 25 percent slopes
9mjn	CtD2	Coshocton silt loam, 15 to 25 percent slopes, eroded
2rfd	CtE	Coshocton silt loam, 25 to 35 percent slopes
1t91w	CuD	Coshocton silt loam, 15 to 25 percent slopes, very stony
9mjq	CvD	Coshocton silt loam, 12 to 25 percent slopes, very stony
1t926	CwD	Coshocton-Guernsey silt loams, 15 to 25 percent slopes
1t927	CwE	Coshocton-Guernsey silt loams, 25 to 40 percent slopes
1t928	CxD	Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes
1t91x	CzD	Coshocton-Westmoreland complex, 15 to 25 percent slopes
9mjr	EuA	Euclid silt loam, occasionally flooded
9mjs	FaB	Fairpoint silt loam, 0 to 8 percent slopes
9mjt	FaC	Fairpoint silt loam, 8 to 20 percent slopes
9mjv	FcB	Farmerstown silt loam, 0 to 8 percent slopes
9mjw	FcC	Farmerstown silt loam, 8 to 20 percent slopes
9mjx	FhA	Fitchville silt loam, 0 to 2 percent slopes
9mjy	FhB	Fitchville silt loam, 2 to 6 percent slopes
1t9f9	GeB	Gilpin silt loam, 2 to 6 percent slopes
1t91y	GeC	Gilpin silt loam, 6 to 15 percent slopes
2t111	GhB	Gilpin silt loam, 3 to 8 percent slopes
2t1kx	GhC	Gilpin silt loam, 8 to 15 percent slopes

Survey Area Map Unit Symbols and Names--Holmes County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
9mk1	GnA	Glenford silt loam, 0 to 2 percent slopes
9mk2	GnB	Glenford silt loam, 2 to 6 percent slopes
9mk3	GnC2	Glenford silt loam, 6 to 12 percent slopes, eroded
1t91z	GpC	Glenford silt loam, 6 to 15 percent slopes
1t929	HeC	Hazleton channery loam, 8 to 15 percent slopes
1t92b	HeD	Hazleton channery loam, 15 to 25 percent slopes
1t92c	HeE	Hazleton channery loam, 25 to 40 percent slopes
1t920	HkF	Hazleton channery sandy loam, 25 to 70 percent slopes, very bouldery
9mk4	HtC	Hazleton loam, 8 to 15 percent slopes
9mk5	HtD	Hazleton loam, 15 to 25 percent slopes
9mk6	HtE	Hazleton loam, 25 to 40 percent slopes
9mk7	HvF	Hazleton loam, 25 to 70 percent slopes, very bouldery
2s5h6	KeB	Keene silt loam, 3 to 8 percent slopes
9mk9	Kk	Killbuck silt loam, frequently flooded
2t326	Lo	Lobdell silt loam, 0 to 3 percent slopes, occasionally flooded
9mkc	LvB	Loudonville silt loam, 2 to 6 percent slopes
9mkd	LvC	Loudonville silt loam, 6 to 12 percent slopes
9mkf	LvD	Loudonville silt loam, 12 to 18 percent slopes
9mkg	LvE	Loudonville silt loam, 18 to 25 percent slopes
9mkh	Ly	Luray silty clay loam
9mkj	McC	Mechanicsburg silt loam, 6 to 12 percent slopes
1t91p	McC2	Mechanicsburg silt loam, 6 to 12 percent slopes, eroded
9mkk	McD	Mechanicsburg silt loam, 12 to 18 percent slopes
9mkl	Md	Melvin silt loam, frequently flooded
9mkm	Mg	Melvin silt loam, ponded
9mkn	Or	Orrville silt loam, occasionally flooded
9mkp	Pg	Pits, gravel
9mkq	Pu	Pits, quarry
9mkr	ReA	Ravenna silt loam, 0 to 2 percent slopes
9mks	ReB	Ravenna silt loam, 2 to 6 percent slopes
1t9fb	RfB	Rigley sandy loam, 2 to 6 percent slopes
1t921	RfC	Rigley sandy loam, 6 to 15 percent slopes
9mkt	RgB	Rigley sandy loam, 3 to 8 percent slopes
9mkv	RgC	Rigley sandy loam, 8 to 15 percent slopes
9mkw	RgD	Rigley sandy loam, 15 to 25 percent slopes
9mkx	ScD	Schaffemaker loamy sand, 12 to 25 percent slopes
9mky	Se	Sebring silt loam

Survey Area Map Unit Symbols and Names--Holmes County, Ohio		
National Map Symbol	Published Map Symbol	Map Unit Name
9mkz	Tg	Tioga loam, occasionally flooded
1t9fc	Tk	Tioga fine sandy loam, occasionally flooded
9ml0	Ud	Udorthents, loamy
9ml1	Up	Udorthents-Pits complex
9ml2	W	Water
1t91r	Wa	Walkill silt loam
1t922	WdC	Westmoreland silt loam, 6 to 15 percent slopes
2t310	WeC2	Westmoreland silt loam, 8 to 15 percent slopes
1t923	WeD	Westmoreland silt loam, 15 to 25 percent slopes
2t30z	WeD2	Westmoreland silt loam, 15 to 25 percent slopes
2t311	WeE	Westmoreland silt loam, 25 to 35 percent slopes
9ml6	WgC2	Westmoreland-Coshocton complex, 8 to 15 percent slopes, eroded
9ml7	WgD2	Westmoreland-Coshocton complex, 15 to 25 percent slopes, eroded
1t92d	WkC	Westmoreland-Guernsey silt loams, 8 to 15 percent slopes
1t92f	WkD	Westmoreland-Guernsey silt loams, 15 to 25 percent slopes
9ml8	WsB	Wooster silt loam, 2 to 6 percent slopes
9ml9	WsC	Wooster silt loam, 6 to 12 percent slopes
9mlb	WsC2	Wooster silt loam, 6 to 12 percent slopes, eroded
9mlc	WsD2	Wooster silt loam, 12 to 18 percent slopes, eroded
1t9f0	WsE	Wooster silt loam, 18 to 35 percent slopes
9mld	WtB	Wooster-Chili complex, 2 to 6 percent slopes
9mlf	WtC2	Wooster-Chili complex, 6 to 12 percent slopes, eroded
9mlg	WtD2	Wooster-Chili complex, 12 to 18 percent slopes, eroded

Data Source Information

Soil Survey Area: Holmes County, Ohio
 Survey Area Data: Version 13, Sep 18, 2014