

## Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

*Hydrologic soil groups* are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

*Surface runoff* refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

*Water table* refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

*Ponding* is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

*Flooding* is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

*Duration* and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

## Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

| Water Features—Huron County, Ohio                                    |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name  | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| AcC2—Alexandria silt loam, 6 to 12 percent slopes, moderately eroded |                  |                |           |             |             |               |          |           |          |           |
| Alexandria   | C                | High           | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                   |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                        | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| AcD—Alexandria silt loam,<br>12 to 18 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Alexandria   | C                | High           | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                 |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| AcF--Alexandria silt loam, 25 to 50 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Alexandria   | C                | Very high      | January   | 4.0-6.0     | 5.0-7.0     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 4.0-6.0     | 5.0-7.0     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 4.0-6.0     | 5.0-7.0     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 4.0-6.0     | 5.0-7.0     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 4.0-6.0     | 5.0-7.0     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | 4.0-6.0     | 5.0-7.0     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                                |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                     | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| AdD2--Alexandria silty clay loam, 12 to 18 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Alexandria  | C                | High           | January   | 4.0-6.0     | 5.0-7.0     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 4.0-6.0     | 5.0-7.0     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 4.0-6.0     | 5.0-7.0     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 4.0-6.0     | 5.0-7.0     | —             | —        | None      | —        | None      |
|   |                  |                | May       | 4.0-6.0     | 5.0-7.0     | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | 4.0-6.0     | 5.0-7.0     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                 |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| AfD2--Amanda loam, 12 to 18 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Amanda   | C                | —              | January   | 4.0-6.0     | 4.5-6.0     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 4.0-6.0     | 4.5-6.0     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 4.0-6.0     | 4.5-6.0     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 4.0-6.0     | 4.5-6.0     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 4.0-6.0     | 4.5-6.0     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | 4.0-6.0     | 4.5-6.0     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                                  |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                       | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| AgG—Amanda-Dekalb-Rock outcrop association, 40 to 70 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Amanda  | C                | —              | January   | 4.0-6.0     | 4.5-6.0     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 4.0-6.0     | 4.5-6.0     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 4.0-6.0     | 4.5-6.0     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 4.0-6.0     | 4.5-6.0     | —             | —        | None      | —        | None      |
|   |                  |                | May       | 4.0-6.0     | 4.5-6.0     | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |          |           |          |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
|                                    |                  |                | December  | 4.0-6.0     | 4.5-6.0     | —             | —        | None      | —        | None      |
| Dekalb                             | A                | —              | January   | —           | —           | —             | —        | None      | —        | None      |
|                                    |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|                                    |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|                                    |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|                                    |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|                                    |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|                                    |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|                                    |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|                                    |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|                                    |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|                                    |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|                                    |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |
| Rock outcrop                       | —                | —              | Jan-Dec   | —           | —           | —             | —        | —         | —        | —         |

| Water Features--Huron County, Ohio         |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name              | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| BeD--Belmore loam, 12 to 18 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Belmore                                    | A                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio               |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                    | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| BgA--Bennington silt loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Bennington                                       | C/D              | High           | January   | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | December  | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio               |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                    | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| EgB--Bennington silt loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Bennington                                       | C/D              | High           | January   | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | December  | 1.0-2.5     | 2.3-4.2     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio   |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name  | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| BgB2--Bennington silt loam,<br>2 to 6 percent slopes,<br>moderately eroded |                  |                |           |             |             |               |          |           |          |           |
| Bennington   | C/D              | High           | January   | 0.5-1.5     | 2.5-3.5     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 0.5-1.5     | 2.5-3.5     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 0.5-1.5     | 2.5-3.5     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 0.5-1.5     | 2.5-3.5     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 0.5-1.5     | 2.5-3.5     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | 0.5-1.5     | 2.5-3.5     | —             | —        | None      | —        | None      |
|  |                  |                | December  | 0.5-1.5     | 2.5-3.5     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                          |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                               | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| BkA—Bixler loamy fine sand, 0 to 2 percent slopes           |                  |                |           |             |             |               |          |           |          |           |
| Bixler  | A                | Very low       | January   | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | February  | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | March     | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | April     | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | May       | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | December  | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
| Ble1A1—Blount silt loam, end moraine, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Blount, end moraine   | D                | High           | January   | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |
|   |                  |                | February  | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |
|   |                  |                | March     | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |
|   |                  |                | April     | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |
|   |                  |                | May       | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |
|   |                  |                | November  | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |
|   |                  |                | December  | 0.5-1.0     | 2.5-5.0     | —             | —        | —         | —        | —         |

| Water Features--Huron County, Ohio                             |                  |                |          |             |             |               |          |           |          |           |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                  | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| Ble1B1—Blount silt loam, end moraine, 2 to 4 percent slopes    |                  |                |          |             |             |               |          |           |          |           |
| Blount, end moraine  | D                | High           | January  | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
|  |                  |                | February | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
|  |                  |                | March    | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
|  |                  |                | April    | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
|  |                  |                | May      | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
|  |                  |                | November | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
|  |                  |                | December | 0.5-1.0     | 2.5-4.7     | —             | —        | —         | —        | —         |
| Blg1A1—Blount silt loam, ground moraine, 0 to 2 percent slopes |                  |                |          |             |             |               |          |           |          |           |
| Blount, ground moraine   | D                | High           | January  | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | February | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | March    | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | April    | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | May      | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | November | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | December | 0.5-1.0     | 2.6-4.5     | —             | —        | —         | —        | —         |

| Water Features--Huron County, Ohio                             |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                  | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| Blg1B1—Blount silt loam, ground moraine, 2 to 4 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Blount, ground moraine   | D                | High           | January   | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | February  | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | March     | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | April     | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | May       | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | November  | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
|  |                  |                | December  | 0.5-1.0     | 2.5-4.5     | —             | —        | —         | —        | —         |
| BrF—Brecksville silt loam, 40 to 70 percent slopes             |                  |                |           |             |             |               |          |           |          |           |
| Brecksville  | D                | Very high      | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                              |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                   | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| CcC2—Cardington silty clay loam, 6 to 12 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Cardington  | C                | —              | January   | 1.5-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.5-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.5-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.5-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 1.5-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|   |                  |                | December  | 1.5-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio               |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                    | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| CdB--Cardington silt loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Cardington                                       | C                | High           | January   | 1.5-3.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.5-3.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.5-3.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.5-3.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | 1.5-3.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | December  | 1.5-3.0     | 2.3-4.2     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                       |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                            | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| CdB2—Cardington silt loam, 2 to 6 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Cardington   | C                | Medium         | January   | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|  |                  |                | December  | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio               |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                    | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| CdC—Cardington silt loam, 6 to 12 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Cardington                                       | C                | High           | January   | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |
|  |                  |                | December  | 2.0-3.0     | 2.5-4.0     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                        |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                             | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| CdC2—Cardington silt loam, 6 to 12 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Cardington  | C                | Very high      | January   | 1.5-3.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.5-3.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.5-3.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.5-3.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 1.5-3.0     | 2.3-4.2     | —             | —        | None      | —        | None      |
|   |                  |                | December  | 1.5-3.0     | 2.3-4.2     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |                     |            |          |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|------------|----------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |            | Flooding |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency  | Duration | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |            |          |           |
| Ce--Carlisle muck                  |                  |                |           |             |             |               |                     |            |          |           |
| Carlisle                           | A/D              | Negligible     | January   | 0.0-1.0     | >6.0        | 0.0-0.5       | Brief (2 to 7 days) | Occasional | —        | None      |
|                                    |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-0.5       | Brief (2 to 7 days) | Occasional | —        | None      |
|                                    |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-0.5       | Brief (2 to 7 days) | Occasional | —        | None      |
|                                    |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-0.5       | Brief (2 to 7 days) | Occasional | —        | None      |
|                                    |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-0.5       | Brief (2 to 7 days) | Occasional | —        | None      |
|                                    |                  |                | June      | 0.0-1.0     | >6.0        | 0.0-0.5       | Brief (2 to 7 days) | Occasional | —        | None      |
|                                    |                  |                | July      | —           | —           | —             | —                   | —          | —        | None      |
|                                    |                  |                | August    | —           | —           | —             | —                   | —          | —        | None      |
|                                    |                  |                | September | 0.0-1.0     | >6.0        | 0.0-0.5       | Brief (2 to 7 days) | Occasional | —        | None      |
|                                    |                  |                | October   | 0.0-1.0     | >6.0        | 0.0-0.5       | Brief (2 to 7 days) | Occasional | —        | None      |
|                                    |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-0.5       | Brief (2 to 7 days) | Occasional | —        | None      |
|                                    |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-0.5       | Brief (2 to 7 days) | Occasional | —        | None      |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |                     |           |          |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |           | Flooding |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency | Duration | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |           |          |           |
| Cf--Carlisle muck, ponded          |                  |                |           |             |             |               |                     |           |          |           |
| Carlisle                           | A/D              | Negligible     | January   | 0.0-1.0     | >6.0        | 0.0-2.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-2.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-2.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-2.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-2.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | June      | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | July      | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | August    | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | September | 0.0-1.0     | >6.0        | 0.0-2.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | October   | 0.0-1.0     | >6.0        | 0.0-2.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-2.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-2.0       | Long (7 to 30 days) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio                     |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                          | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| CgB—Castalia channery silt loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Castalia   | A                | Very high      | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                      |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                           | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| ChB—Chili loam, loamy substratum, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Chili   | B                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                       |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                            | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| ChC—Chili loam, loamy substratum, 6 to 12 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Chili  | B                | Medium         | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                     |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                          | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| CjB—Castalia very channery loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Castalia   | A                | —              | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                     |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                          | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| CkE--Chili-Udorthents complex, 18 to 30 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Chili  | A                | Medium         | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |
| Udorthents   | —                | —              | Jan-Dec   | —           | —           | —             | —        | —         | —        | —         |

| Water Features--Huron County, Ohio    |                  |                |           |             |             |               |          |           |          |           |
|---------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name         | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|                                       |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|                                       |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| CIB—Chili loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Chili                                 | B                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|                                       |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |                     |           |          |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |           | Flooding |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency | Duration | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |           |          |           |
| Cm--Colwood silt loam              |                  |                |           |             |             |               |                     |           |          |           |
| Colwood                            | B/D              | Negligible     | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | June      | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | July      | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | August    | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | September | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | October   | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |                     |           |          |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |           | Flooding |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency | Duration | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |           |          |           |
| Co—Condit silty clay loam          |                  |                |           |             |             |               |                     |           |          |           |
| Condit                             | C/D              | Negligible     | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | June      | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | July      | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | August    | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | September | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | October   | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio      |                  |                |           |             |             |               |                            |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------------------------|-----------|----------|-----------|
| Map unit symbol and soil name           | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                            |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration                   | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                            |           |          |           |
| CpA—Colwood loam, 0 to 1 percent slopes |                  |                |           |             |             |               |                            |           |          |           |
| Colwood                                 | C/D              | —              | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Very brief (4 to 48 hours) | Frequent  | —        | None      |
|   |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Very brief (4 to 48 hours) | Frequent  | —        | None      |
|   |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Very brief (4 to 48 hours) | Frequent  | —        | None      |
|   |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Very brief (4 to 48 hours) | Frequent  | —        | None      |
|   |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Very brief (4 to 48 hours) | Frequent  | —        | None      |
|   |                  |                | June      | —           | —           | —             | —                          | —         | —        | None      |
|   |                  |                | July      | —           | —           | —             | —                          | —         | —        | None      |
|   |                  |                | August    | —           | —           | —             | —                          | —         | —        | None      |
|   |                  |                | September | —           | —           | —             | —                          | —         | —        | None      |
|   |                  |                | October   | 0.0-1.0     | >6.0        | 0.0-1.0       | Very brief (4 to 48 hours) | Frequent  | —        | None      |
|   |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-1.0       | Very brief (4 to 48 hours) | Frequent  | —        | None      |
|   |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Very brief (4 to 48 hours) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio          |                  |                |          |             |             |               |                     |            |          |           |
|---|------------------|----------------|----------|-------------|-------------|---------------|---------------------|------------|----------|-----------|
| Map unit symbol and soil name               | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |                     |            | Flooding |           |
|   |                  |                |          | Upper limit | Lower limit | Surface depth | Duration            | Frequency  | Duration | Frequency |
|   |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |            |          |           |
| CrA—Condit silt loam, 0 to 1 percent slopes |                  |                |          |             |             |               |                     |            |          |           |
| Condit                                      | C/D              | Negligible     | January  | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |
|   |                  |                | February | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |
|   |                  |                | March    | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |
|   |                  |                | April    | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |
|   |                  |                | May      | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |
|   |                  |                | November | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |
|   |                  |                | December | 0.0-1.0     | 3.1-6.2     | 0.0-1.0       | Long (7 to 30 days) | Occasional | —        | —         |

| Water Features--Huron County, Ohio                |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                     | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| EmA—Elnora loamy fine sand, 0 to 4 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Elnora  | A/D              | —              | January   | 1.5-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.5-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.5-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.5-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                     | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| EnA—Elnora loamy fine sand, 1 to 3 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Elnora  | A/D              | Very low       | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.5-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.5-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.5-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | May       | 1.5-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio              |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                   | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| FcA—Fitchville silt loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Fitchville                                      | C/D              | Medium         | January   | 0.5-1.5     | 2.5-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 0.5-1.5     | 2.5-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 0.5-1.5     | 2.5-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 0.5-1.5     | 2.5-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | May       | 0.5-1.5     | 2.5-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 0.5-1.5     | 2.5-5.0     | —             | —        | None      | —        | None      |
|   |                  |                | December  | 0.5-1.5     | 2.5-5.0     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                |                  |                |           |             |             |               |                     |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name                     | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |           |          |           |
| FpA--Fries silty clay loam, 0 to 1 percent slopes |                  |                |           |             |             |               |                     |           |          |           |
| Fries   | D                | —              | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |
|   |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |
|   |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |
|   |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |
|   |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |
|   |                  |                | June      | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |
|   |                  |                | July      | —           | —           | —             | —                   | —         | —        | None      |
|   |                  |                | August    | —           | —           | —             | —                   | —         | —        | None      |
|   |                  |                | September | —           | —           | —             | —                   | —         | —        | None      |
|   |                  |                | October   | —           | —           | —             | —                   | —         | —        | None      |
|   |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |
|   |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio                         |                  |                |           |             |             |               |                     |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name                              | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |           |          |           |
| Fr--Fries silty clay loam                                  |                  |                |           |             |             |               |                     |           |          |           |
| Fries  | D                | Negligible     | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|  |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|  |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|  |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|  |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|  |                  |                | June      | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|  |                  |                | July      | —           | —           | —             | —                   | —         | —        | None      |
|  |                  |                | August    | —           | —           | —             | —                   | —         | —        | None      |
|  |                  |                | September | —           | —           | —             | —                   | —         | —        | None      |
|  |                  |                | October   | —           | —           | —             | —                   | —         | —        | None      |
|  |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|  |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
| Gwd5C2--Glynwood clay loam, 6 to 12 percent slopes, eroded |                  |                |           |             |             |               |                     |           |          |           |
| Glynwood   | D                | Very high      | January   | 1.0-2.0     | 2.1-3.3     | —             | —                   | —         | —        | —         |
|  |                  |                | February  | 1.0-2.0     | 2.1-3.3     | —             | —                   | —         | —        | —         |
|  |                  |                | March     | 1.0-2.0     | 2.1-3.3     | —             | —                   | —         | —        | —         |
|  |                  |                | April     | 1.0-2.0     | 2.1-3.3     | —             | —                   | —         | —        | —         |

| Water Features--Huron County, Ohio                                    |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name   | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| Gwe5B2—Glynwood clay loam, end moraine, 2 to 6 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Glynwood, end moraine   | D                | High           | January   | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|   |                  |                | May       | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                               |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                                    | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| Gwg1B1—Glynwood silt loam, ground moraine, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Glynwood, ground moraine   | D                | High           | January   | 1.0-2.0     | 2.3-3.7     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.0-2.0     | 2.3-3.7     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.0-2.0     | 2.3-3.7     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.0-2.0     | 2.3-3.7     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 1.0-2.0     | 2.3-3.7     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | 1.0-2.0     | 2.3-3.7     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                                       |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name  | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| Gwg5B2—Glynwood clay loam, ground moraine, 2 to 6 percent slopes, eroded |                  |                |           |             |             |               |          |           |          |           |
| Glynwood, ground moraine   | D                | High           | January   | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|  |                  |                | May       | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | 1.0-2.0     | 2.0-3.5     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio       |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name            | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| HhA--Haskins loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Haskins                                  | C/D              | —              | January   | 1.0-2.5     | 2.5-5.0     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.0-2.5     | 2.5-5.0     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.0-2.5     | 2.5-5.0     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.0-2.5     | 2.5-5.0     | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio       |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name            | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| HkA--Haskins loam, 0 to 3 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Haskins                                  | C/D              | Medium         | January   | 1.0-2.5     | 2.1-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.0-2.5     | 2.1-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.0-2.5     | 2.1-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.0-2.5     | 2.1-4.2     | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                                |                  |                |          |             |             |               |          |           |                     |            |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name                                     | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |            |
|   |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency  |
|   |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |            |
| HnA--Holly silt loam, 0 to 1 percent slopes, occasionally flooded |                  |                |          |             |             |               |          |           |                     |            |
| Holly   | B/D              | —              | January  | 0.0-1.0     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | February | 0.0-1.0     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | March    | 0.0-1.0     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | April    | 0.0-1.0     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | May      | 0.0-1.0     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | November | —           | —           | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | December | 0.0-1.0     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Occasional |

| Water Features--Huron County, Ohio      |                  |                |          |             |             |               |          |           |                     |           |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name           | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |           |
|   |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency |
|   |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |           |
| Ho--Holly silt loam, frequently flooded |                  |                |          |             |             |               |          |           |                     |           |
| Holly                                   | B/D              | Medium         | January  | 0.0-1.0     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Frequent  |
|   |                  |                | February | 0.0-1.0     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Frequent  |
|   |                  |                | March    | 0.0-1.0     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Frequent  |
|   |                  |                | April    | 0.0-1.0     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Frequent  |
|   |                  |                | May      | 0.0-1.0     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Frequent  |
|   |                  |                | November | —           | —           | —             | —        | None      | Long (7 to 30 days) | Frequent  |
|   |                  |                | December | 0.0-1.0     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Frequent  |

| Water Features--Huron County, Ohio                  |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                       | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| HrA--Hornell silty clay loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Hornell   | D                | —              | January   | 0.5-1.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | February  | 0.5-1.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | March     | 0.5-1.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | April     | 0.5-1.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 0.5-1.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | December  | 0.5-1.5     | >6.0        | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio      |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name           | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| JsA—Jimtown loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Jimtown                                 | B/D              | —              | January   | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | May       | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio       |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name            | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| JtA--Jimtown loam, 0 to 3 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Jimtown                                  | B/D              | Low            | January   | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | May       | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                     | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| KaA—Kibbie fine sandy loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Kibbie  | B/D              | —              | January   | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | May       | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | December  | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio     |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name          | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| KbA—Kibbie loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Kibbie                                 | B/D              | Low            | January   | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | May       | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | December  | 1.0-2.0     | >6.0        | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |                     |           |          |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |           | Flooding |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency | Duration | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |           |          |           |
| Le--Lenawee silty clay loam        |                  |                |           |             |             |               |                     |           |          |           |
| Lenawee                            | C/D              | Medium         | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | June      | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | July      | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | August    | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | September | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | October   | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio  |                  |                |           |             |             |               |                     |           |          |           |
|-------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name       | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |           | Flooding |           |
|                                     |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency | Duration | Frequency |
|                                     |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |           |          |           |
| Lf--Lenawee variant silty clay loam |                  |                |           |             |             |               |                     |           |          |           |
| Lenawee variant                     | C/D              | Medium         | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                     |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                     |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                     |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                     |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                     |                  |                | June      | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                     |                  |                | July      | —           | —           | —             | —                   | —         | —        | None      |
|                                     |                  |                | August    | —           | —           | —             | —                   | —         | —        | None      |
|                                     |                  |                | September | —           | —           | —             | —                   | —         | —        | None      |
|                                     |                  |                | October   | —           | —           | —             | —                   | —         | —        | None      |
|                                     |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                     |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |                               |           |          |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                               |           | Flooding |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration                      | Frequency | Duration | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                               |           |          |           |
| Lm--Linwood muck                   |                  |                |           |             |             |               |                               |           |          |           |
| Linwood                            | B/D              | Negligible     | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|                                    |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|                                    |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|                                    |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|                                    |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|                                    |                  |                | June      | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|                                    |                  |                | July      | —           | —           | —             | —                             | —         | —        | None      |
|                                    |                  |                | August    | —           | —           | —             | —                             | —         | —        | None      |
|                                    |                  |                | September | —           | —           | —             | —                             | —         | —        | None      |
|                                    |                  |                | October   | —           | —           | —             | —                             | —         | —        | None      |
|                                    |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |
|                                    |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long (more than 30 days) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio        |                  |                |          |             |             |               |          |           |                     |           |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name             | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |           |
|   |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency |
|   |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |           |
| Ln--Lobdell silt loam, rarely flooded     |                  |                |          |             |             |               |          |           |                     |           |
| Lobdell                                   | C                | Low            | January  | 2.0-3.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|   |                  |                | February | 2.0-3.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|   |                  |                | March    | 2.0-3.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|   |                  |                | April    | 2.0-3.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|   |                  |                | November | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Rare      |
|   |                  |                | December | 2.0-3.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Rare      |
| Lo--Lobdell silt loam, frequently flooded |                  |                |          |             |             |               |          |           |                     |           |
| Lobdell                                   | C                | Low            | January  | 2.0-3.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|   |                  |                | February | 2.0-3.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|   |                  |                | March    | 2.0-3.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|   |                  |                | April    | 2.0-3.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|   |                  |                | November | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|   |                  |                | December | 2.0-3.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |          |           |                     |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding            |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |           |
| Lp--Lobdell silt loam              |                  |                |           |             |             |               |          |           |                     |           |
| Lobdell                            | C                | Low            | January   | 1.5-3.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|                                    |                  |                | February  | 1.5-3.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|                                    |                  |                | March     | 1.5-3.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|                                    |                  |                | April     | 1.5-3.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
| Lq--Lorain silty clay loam         |                  |                |           |             |             |               |          |           |                     |           |
| Lorain                             | C/D              | High           | January   | 0.0         | 1.5-5.0     | —             | —        | None      | —                   | None      |
|                                    |                  |                | February  | 0.0         | 1.5-5.0     | —             | —        | None      | —                   | None      |
|                                    |                  |                | March     | 0.0         | 1.5-5.0     | —             | —        | None      | —                   | None      |
|                                    |                  |                | April     | 0.0         | 1.5-5.0     | —             | —        | None      | —                   | None      |
|                                    |                  |                | May       | —           | —           | —             | —        | None      | —                   | None      |
|                                    |                  |                | June      | —           | —           | —             | —        | None      | —                   | None      |
|                                    |                  |                | July      | —           | —           | —             | —        | None      | —                   | None      |
|                                    |                  |                | August    | —           | —           | —             | —        | None      | —                   | None      |
|                                    |                  |                | September | —           | —           | —             | —        | None      | —                   | None      |
|                                    |                  |                | October   | —           | —           | —             | —        | None      | —                   | None      |
|                                    |                  |                | November  | —           | —           | —             | —        | None      | —                   | None      |
|                                    |                  |                | December  | —           | —           | —             | —        | None      | —                   | None      |

| Water Features--Huron County, Ohio        |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name             | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| LrB—Lordstown loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Lordstown                                 | C                | Very high      | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |                     |           |          |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |           | Flooding |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency | Duration | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |           |          |           |
| Lu--Luray silty clay loam          |                  |                |           |             |             |               |                     |           |          |           |
| Luray                              | C/D              | —              | January   | 0.0-0.5     | 2.5-5.0     | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | February  | 0.0-0.5     | 2.5-5.0     | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | March     | 0.0-0.5     | 2.5-5.0     | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | April     | 0.0-0.5     | 2.5-5.0     | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | May       | 0.0-0.5     | 2.5-5.0     | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | June      | 0.0-0.5     | 2.5-5.0     | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | July      | 0.0-0.5     | 2.5-5.0     | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | August    | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | September | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | October   | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | November  | 0.0-0.5     | 2.5-5.0     | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | December  | 0.0-0.5     | 2.5-5.0     | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio           |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| LzB--Lykens silt loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Lykens                                       | C                | Low            | January   | 1.5-3.0     | 2.5-5.0     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.5-3.0     | 2.5-5.0     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.5-3.0     | 2.5-5.0     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.5-3.0     | 2.5-5.0     | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | 1.5-3.0     | 2.5-5.0     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                    |                  |                |           |             |             |               |                            |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------------------------|-----------|----------|-----------|
| Map unit symbol and soil name                         | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                            |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration                   | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                            |           |          |           |
| MkA--Millsdale silty clay loam, 0 to 1 percent slopes |                  |                |           |             |             |               |                            |           |          |           |
| Millsdale   | C/D              | —              | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Very brief (4 to 48 hours) | Frequent  | —        | None      |
|   |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Very brief (4 to 48 hours) | Frequent  | —        | None      |
|   |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Very brief (4 to 48 hours) | Frequent  | —        | None      |
|   |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Very brief (4 to 48 hours) | Frequent  | —        | None      |
|   |                  |                | May       | —           | —           | —             | —                          | —         | —        | None      |
|   |                  |                | June      | —           | —           | —             | —                          | —         | —        | None      |
|   |                  |                | July      | —           | —           | —             | —                          | —         | —        | None      |
|   |                  |                | August    | —           | —           | —             | —                          | —         | —        | None      |
|   |                  |                | September | —           | —           | —             | —                          | —         | —        | None      |
|   |                  |                | October   | —           | —           | —             | —                          | —         | —        | None      |
|   |                  |                | November  | —           | —           | —             | —                          | —         | —        | None      |
|   |                  |                | December  | —           | —           | —             | —                          | —         | —        | None      |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |                     |           |          |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |           | Flooding |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency | Duration | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |           |          |           |
| Mm—Millsdale silty clay loam       |                  |                |           |             |             |               |                     |           |          |           |
| Millsdale                          | C/D              | Negligible     | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | May       | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | June      | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | July      | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | August    | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | September | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | October   | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | November  | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | December  | —           | —           | —             | —                   | —         | —        | None      |

| Water Features--Huron County, Ohio          |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name               | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| MnA—Milton silt loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Milton                                      | C                | Low            | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio          |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name               | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| MnB—Milton silt loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Milton                                      | C                | High           | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio               |                  |                |           |             |             |               |                            |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------------------------|-----------|----------|-----------|
| Map unit symbol and soil name                    | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                            |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration                   | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                            |           |          |           |
| Mr--Miner silty clay loam, 0 to 2 percent slopes |                  |                |           |             |             |               |                            |           |          |           |
| Miner  | C/D              | —              | January   | 0.0-0.5     | 5.0-6.6     | 0.0-1.0       | Long (7 to 30 days)        | Frequent  | —        | None      |
|  |                  |                | February  | 0.0-0.5     | 5.0-6.6     | 0.0-1.0       | Long (7 to 30 days)        | Frequent  | —        | None      |
|  |                  |                | March     | 0.0-0.5     | 5.0-6.6     | 0.0-1.0       | Long (7 to 30 days)        | Frequent  | —        | None      |
|  |                  |                | April     | 0.0-0.5     | 2.5-5.0     | 0.0-1.0       | Long (7 to 30 days)        | Frequent  | —        | None      |
|  |                  |                | May       | 0.0-0.5     | 2.5-5.0     | 0.0-1.0       | Long (7 to 30 days)        | Frequent  | —        | None      |
|  |                  |                | June      | 1.0-1.9     | 2.5-5.0     | 0.0-0.5       | Very brief (4 to 48 hours) | Frequent  | —        | None      |
|  |                  |                | July      | —           | —           | —             | —                          | —         | —        | None      |
|  |                  |                | August    | —           | —           | —             | —                          | —         | —        | None      |
|  |                  |                | September | 1.0-1.9     | 2.5-5.0     | 0.0-0.5       | Very brief (4 to 48 hours) | Frequent  | —        | None      |
|  |                  |                | October   | 0.0-0.5     | 2.5-5.0     | 0.0-1.0       | Long (7 to 30 days)        | Frequent  | —        | None      |
|  |                  |                | November  | 0.0-0.5     | 2.5-5.0     | 0.0-1.0       | Long (7 to 30 days)        | Frequent  | —        | None      |
|  |                  |                | December  | 0.0-0.5     | 5.0-6.6     | 0.0-1.0       | Long (7 to 30 days)        | Frequent  | —        | None      |

| Water Features--Huron County, Ohio              |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                   | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| MwB--Mitiwanga silt loam, 1 to 4 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Mitiwanga                                       | C/D              | Low            | January   | 1.0-2.5     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.0-2.5     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.0-2.5     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.0-2.5     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | May       | 1.0-2.5     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | June      | 1.0-2.5     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 1.0-2.5     | 1.7-3.3     | —             | —        | None      | —        | None      |
|   |                  |                | December  | 1.0-2.5     | 1.7-3.3     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio              |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                   | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| MxB--Mitiwanga silt loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Mitiwanga                                       | C/D              | —              | January   | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | May       | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | June      | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |
|   |                  |                | December  | 1.0-2.5     | >6.0        | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio |                  |                |          |             |             |               |          |           |                     |            |
|------------------------------------|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |            |
|                                    |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency  |
|                                    |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |            |
| Om--Orrville silt loam             |                  |                |          |             |             |               |          |           |                     |            |
| Orrville                           | B/D              | Low            | January  | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|                                    |                  |                | February | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|                                    |                  |                | March    | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|                                    |                  |                | April    | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|                                    |                  |                | May      | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|                                    |                  |                | November | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|                                    |                  |                | December | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |

| Water Features--Huron County, Ohio   |                  |                |          |             |             |               |          |           |                     |            |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name  | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |            |
|  |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency  |
|  |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |            |
| OnA--Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, occasionally flooded |                  |                |          |             |             |               |          |           |                     |            |
| Orrville   | B/D              | —              | January  | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|  |                  |                | February | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|  |                  |                | March    | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|  |                  |                | April    | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|  |                  |                | May      | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|  |                  |                | June     | 1.0-2.5     | >6.0        | —             | —        | None      | —                   | —          |
|  |                  |                | November | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|  |                  |                | December | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |

| Water Features--Huron County, Ohio   |                  |                |          |             |             |               |          |           |                     |           |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name  | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |           |
|  |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency |
|  |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |           |
| OpA--Orrville silt loam, bedrock substratum, 0 to 2 percent slopes, frequently flooded |                  |                |          |             |             |               |          |           |                     |           |
| Orrville   | B/D              | —              | January  | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | February | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | March    | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | April    | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | May      | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | June     | 1.0-2.5     | >6.0        | —             | —        | None      | —                   | —         |
|  |                  |                | November | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | December | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |

| Water Features--Huron County, Ohio         |                  |                |          |             |             |               |          |           |                     |           |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name              | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |           |
|  |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency |
|  |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |           |
| Or--Orrville silt loam, frequently flooded |                  |                |          |             |             |               |          |           |                     |           |
| Orrville                                   | B/D              | Low            | January  | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | February | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | March    | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | April    | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | May      | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | June     | 1.0-2.5     | >6.0        | —             | —        | None      | —                   | —         |
|  |                  |                | November | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | December | 1.0-2.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |

| Water Features--Huron County, Ohio                 |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| OsB—Oshtemo fine sandy loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Oshtemo  | A                | Very low       | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                       |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                            | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| OtB—Otisville gravelly sandy loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Otisville  | A                | Negligible     | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio             |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                  | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| OvB--Oshtemo loamy sand, 0 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Oshtemo  | A                | —              | January   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |                     |           |          |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |           | Flooding |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency | Duration | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |           |          |           |
| Pa--Pandora silty clay loam        |                  |                |           |             |             |               |                     |           |          |           |
| Pandora                            | C/D              | Negligible     | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | June      | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | July      | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | August    | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | September | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | October   | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | November  | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio                 |                  |                |           |             |             |               |                     |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name                      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |           |          |           |
| PkA--Pewamo silty clay loam, 0 to 1 percent slopes |                  |                |           |             |             |               |                     |           |          |           |
| Pewamo   | C/D              | —              | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |
|  |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |
|  |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |
|  |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |
|  |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |
|  |                  |                | June      | —           | —           | —             | —                   | —         | —        | None      |
|  |                  |                | July      | —           | —           | —             | —                   | —         | —        | None      |
|  |                  |                | August    | —           | —           | —             | —                   | —         | —        | None      |
|  |                  |                | September | —           | —           | —             | —                   | —         | —        | None      |
|  |                  |                | October   | —           | —           | —             | —                   | —         | —        | None      |
|  |                  |                | November  | —           | —           | —             | —                   | —         | —        | None      |
|  |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Brief (2 to 7 days) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |                     |           |          |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |           | Flooding |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency | Duration | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |           |          |           |
| Pm--Pewamo silty clay loam         |                  |                |           |             |             |               |                     |           |          |           |
| Pewamo                             | C/D              | Negligible     | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | June      | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | July      | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | August    | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | September | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | October   | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | November  | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Long (7 to 30 days) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |                                     |           |          |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                                     |           | Flooding |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration                            | Frequency | Duration | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                                     |           |          |           |
| Pn--Pinnebog muck                  |                  |                |           |             |             |               |                                     |           |          |           |
| Pinnebog                           | A/D              | Negligible     | January   | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long<br>(more than<br>30 days) | Frequent  | —        | None      |
|                                    |                  |                | February  | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long<br>(more than<br>30 days) | Frequent  | —        | None      |
|                                    |                  |                | March     | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long<br>(more than<br>30 days) | Frequent  | —        | None      |
|                                    |                  |                | April     | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long<br>(more than<br>30 days) | Frequent  | —        | None      |
|                                    |                  |                | May       | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long<br>(more than<br>30 days) | Frequent  | —        | None      |
|                                    |                  |                | June      | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long<br>(more than<br>30 days) | Frequent  | —        | None      |
|                                    |                  |                | July      | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long<br>(more than<br>30 days) | Frequent  | —        | None      |
|                                    |                  |                | August    | —           | —           | —             | —                                   | —         | —        | None      |
|                                    |                  |                | September | —           | —           | —             | —                                   | —         | —        | None      |
|                                    |                  |                | October   | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long<br>(more than<br>30 days) | Frequent  | —        | None      |
|                                    |                  |                | November  | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long<br>(more than<br>30 days) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio         |                  |                |           |             |             |               |                                     |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name              | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                                     |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration                            | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                                     |           |          |           |
|  |                  |                | December  | 0.0-1.0     | >6.0        | 0.0-1.0       | Very long<br>(more than<br>30 days) | Frequent  | —        | None      |
| Ps—Pits                                    |                  |                |           |             |             |               |                                     |           |          |           |
| Pits                                       | —                | —              | Jan-Dec   | —           | —           | —             | —                                   | —         | —        | —         |
| PuA—Prout silt loam, 0 to 2 percent slopes |                  |                |           |             |             |               |                                     |           |          |           |
| Prout                                      | C/D              | High           | January   | 1.0-2.5     | 1.7-3.3     | —             | —                                   | None      | —        | None      |
|  |                  |                | February  | 1.0-2.5     | 1.7-3.3     | —             | —                                   | None      | —        | None      |
|  |                  |                | March     | 1.0-2.5     | 1.7-3.3     | —             | —                                   | None      | —        | None      |
|  |                  |                | April     | 1.0-2.5     | 1.7-3.3     | —             | —                                   | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —                                   | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —                                   | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —                                   | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —                                   | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —                                   | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —                                   | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —                                   | None      | —        | None      |
|  |                  |                | December  | 1.0-2.5     | 1.7-3.3     | —             | —                                   | None      | —        | None      |

| Water Features--Huron County, Ohio                  |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                       | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| SaF--Saylesville silt loam, 25 to 40 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Saylesville   | C                | Very high      | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio |                  |                |           |             |             |               |                     |           |          |           |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |                     |           | Flooding |           |
|                                    |                  |                |           | Upper limit | Lower limit | Surface depth | Duration            | Frequency | Duration | Frequency |
|                                    |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |                     |           |          |           |
| Sb--Sebring silt loam              |                  |                |           |             |             |               |                     |           |          |           |
| Sebring                            | C/D              | Medium         | January   | 0.0-0.5     | 2.5-4.0     | 0.0-0.5       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | February  | 0.0-0.5     | 2.5-4.0     | 0.0-0.5       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | March     | 0.0-0.5     | 2.5-4.0     | 0.0-0.5       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | April     | 0.0-0.5     | 2.5-4.0     | 0.0-0.5       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | May       | 0.0-0.5     | 2.5-4.0     | 0.0-0.5       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | June      | 0.0-0.5     | 2.5-4.0     | 0.0-0.5       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | July      | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | August    | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | September | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | October   | —           | —           | —             | —                   | —         | —        | None      |
|                                    |                  |                | November  | 0.0-0.5     | 2.5-4.0     | 0.0-0.5       | Long (7 to 30 days) | Frequent  | —        | None      |
|                                    |                  |                | December  | 0.0-0.5     | 2.5-4.0     | 0.0-0.5       | Long (7 to 30 days) | Frequent  | —        | None      |

| Water Features--Huron County, Ohio            |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                 | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| ScB—Shinrock silt loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Shinrock                                      | C                | Medium         | January   | 2.0-3.5     | 2.5-4.0     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 2.0-3.5     | 2.5-4.0     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 2.0-3.5     | 2.5-4.0     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 2.0-3.5     | 2.5-4.0     | —             | —        | None      | —        | None      |
|   |                  |                | May       | 2.0-3.5     | 2.5-4.0     | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | 2.0-3.5     | 2.5-4.0     | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                             |                  |                |          |             |             |               |          |           |                     |           |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name                                  | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |           |
|  |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency |
|  |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |           |
| Sd—Shoals silt loam, 0 to 2 percent slopes, frequently flooded |                  |                |          |             |             |               |          |           |                     |           |
| Shoals   | B/D              | Low            | January  | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | February | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | March    | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | April    | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | May      | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | June     | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Frequent  |
|  |                  |                | November | 0.5-1.5     | >6.0        | —             | —        | None      | —                   | —         |
|  |                  |                | December | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Frequent  |

| Water Features--Huron County, Ohio                |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                     | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| SeA—Seward loamy fine sand, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Seward  | C                | Medium         | January   | 3.0-6.0     | 3.5-6.2     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 3.0-6.0     | 3.5-6.2     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 3.0-6.0     | 3.5-6.2     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 3.0-6.0     | 3.5-6.2     | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                               |                  |                |          |             |             |               |          |           |                     |            |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name                                    | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |            |
|  |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency  |
|  |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |            |
| Sh—Shoals silt loam, 0 to 2 percent slopes, occasionally flooded |                  |                |          |             |             |               |          |           |                     |            |
| Shoals   | B/D              | Low            | January  | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|  |                  |                | February | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|  |                  |                | March    | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|  |                  |                | April    | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|  |                  |                | May      | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|  |                  |                | November | 0.5-1.5     | >6.0        | —             | —        | None      | —                   | —          |
|  |                  |                | December | 0.5-1.5     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |

| Water Features--Huron County, Ohio                |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                     | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| SnB—Spinks loamy fine sand, 0 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Spinks  | A                | —              | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                     | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| SpB—Spinks loamy fine sand, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Spinks  | A                | Very low       | January   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | February  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | March     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | April     | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio  |                  |                |          |             |             |               |          |           |                     |            |
|-------------------------------------|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name       | Hydrologic group | Surface runoff | Month    | Water table |             | Ponding       |          |           | Flooding            |            |
|                                     |                  |                |          | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency  |
|                                     |                  |                |          | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |            |
| Tg—Tioga loam, occasionally flooded |                  |                |          |             |             |               |          |           |                     |            |
| Tioga                               | A                | Low            | January  | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|                                     |                  |                | February | 3.0-6.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|                                     |                  |                | March    | 3.0-6.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|                                     |                  |                | April    | 3.0-6.0     | >6.0        | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|                                     |                  |                | May      | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|                                     |                  |                | November | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Occasional |
|                                     |                  |                | December | —           | —           | —             | —        | None      | Brief (2 to 7 days) | Occasional |

| Water Features--Huron County, Ohio         |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name              | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| TrA--Tiro silt loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Tiro                                       | C/D              | Medium         | January   | 1.0-2.5     | 2.5-4.6     | —             | —        | None      | —        | None      |
|  |                  |                | February  | 1.0-2.5     | 2.5-4.6     | —             | —        | None      | —        | None      |
|  |                  |                | March     | 1.0-2.5     | 2.5-4.6     | —             | —        | None      | —        | None      |
|  |                  |                | April     | 1.0-2.5     | 2.5-4.6     | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio        |                  |                |           |             |             |               |          |           |          |           |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name             | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| TrB—Tiro silt loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Tiro                                      | C/D              | Medium         | January   | 1.0-2.5     | 2.5-4.6     | —             | —        | None      | —        | None      |
|   |                  |                | February  | 1.0-2.5     | 2.5-4.6     | —             | —        | None      | —        | None      |
|   |                  |                | March     | 1.0-2.5     | 2.5-4.6     | —             | —        | None      | —        | None      |
|   |                  |                | April     | 1.0-2.5     | 2.5-4.6     | —             | —        | None      | —        | None      |
|   |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | November  | —           | —           | —             | —        | None      | —        | None      |
|   |                  |                | December  | —           | —           | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                 |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| TuA—Tuscola fine sandy loam, 0 to 2 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Tuscola  | C                | Low            | January   | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | February  | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | March     | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | April     | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | December  | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |

| Water Features--Huron County, Ohio                 |                  |                |           |             |             |               |          |           |          |           |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name                      | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding |           |
|  |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
|  |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |          |           |
| TuB—Tuscola fine sandy loam, 2 to 6 percent slopes |                  |                |           |             |             |               |          |           |          |           |
| Tuscola  | C                | Low            | January   | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | February  | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | March     | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | April     | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | May       | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | June      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | July      | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | August    | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | September | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | October   | —           | —           | —             | —        | None      | —        | None      |
|  |                  |                | November  | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
|  |                  |                | December  | 2.0-3.5     | >6.0        | —             | —        | None      | —        | None      |
| Ud—Udorthents, loamy                               |                  |                |           |             |             |               |          |           |          |           |
| Udorthents   | —                | —              | Jan-Dec   | —           | —           | —             | —        | —         | —        | —         |
| W—Water  |                  |                |           |             |             |               |          |           |          |           |
| Water  | —                | —              | Jan-Dec   | —           | —           | —             | —        | —         | —        | —         |

| Water Features--Huron County, Ohio                                  |                  |                |           |             |             |               |          |           |                     |            |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name                                       | Hydrologic group | Surface runoff | Month     | Water table |             | Ponding       |          |           | Flooding            |            |
|   |                  |                |           | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration            | Frequency  |
|   |                  |                |           | <i>Ft</i>   | <i>Ft</i>   | <i>Ft</i>     |          |           |                     |            |
| Wa--Walkkill silt loam, lacustrine substratum, occasionally flooded |                  |                |           |             |             |               |          |           |                     |            |
| Walkkill  | B/D              | Negligible     | January   | 0.0-0.5     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | February  | 0.0-0.5     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | March     | 0.0-0.5     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | April     | 0.0-0.5     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | May       | 0.0-0.5     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | June      | —           | —           | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | September | —           | —           | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | October   | —           | —           | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | November  | —           | —           | —             | —        | None      | Long (7 to 30 days) | Occasional |
|   |                  |                | December  | 0.0-0.5     | >6.0        | —             | —        | None      | Long (7 to 30 days) | Occasional |

## Data Source Information

Soil Survey Area: Huron County, Ohio  
 Survey Area Data: Version 14, Sep 18, 2014