

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Lawrence County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BcF—Berks-Upshur association, very steep			
Berks	45	H-1	
		H-1	0.71
Upshur	30	H-1	
		H-1	0.71
BdD—Bethesda channery silty clay loam, 8 to 25 percent slopes			
Bethesda	85	E-3	
		E-3	0.42
BdF—Bethesda channery silty clay loam, 25 to 70 percent slopes			
Bethesda	85	H-1	
		H-1	0.71
BhF—Bethesda channery clay loam, 40 to 70 percent slopes			
Bethesda	80	H-1	
		H-1	0.71
Cg—Chagrin loam, 0 to 3 percent slopes, frequently flooded			
Chagrin, frequently flooded	85	A-5	
		A-5	0.05
Chg1AF—Chagrin silt loam, 0 to 3 percent slopes, frequently flooded			
Chagrin	95	A-5	
		A-5	0.05

Selected Soil Interpretations--Lawrence County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CtB—Coolville-Tilsit silt loams, 2 to 6 percent slopes			
Coolville	60	A-6	
		A-6	0.06
Tilsit	25	F-3	
		F-3	0.53
Cu—Cuba silt loam, occasionally flooded			
Cuba	85	A-5	
		A-5	0.05
Cub1AO—Cuba silt loam, 0 to 3 percent slopes, occasionally flooded			
Cuba	90	A-5	
		A-5	0.05
Dp—Dumps			
Dumps	100	Not rated	
EkB—Elkinsville silt loam, 1 to 6 percent slopes			
Elkinsville	85	A-6	
		A-6	0.06
EkE—Elkinsville silt loam, 15 to 40 percent slopes			
Elkinsville	90	A-3	
		A-3	0.03
EmB—Elkinsville-Urban land complex, 1 to 8 percent slopes			
Elkinsville	40	Not assigned	
Urban land	40	Not rated	
FaD—Fairpoint channery silty clay loam, 8 to 25 percent slopes			
Fairpoint	85	E-3	
		E-3	0.42
GIL1D1—Gilpin-Latham silt loams, 15 to 25 percent slopes			
Gilpin	50	F-1	
		F-1	0.51
Latham	35	F-1	
		F-1	0.51

Selected Soil Interpretations--Lawrence County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GUSZE1—Gilpin-Upshur-Steinsburg association, steep			
Gilpin	35	F-2	
		F-2	0.52
Upshur	25	A-3	
		A-3	0.03
Steinsburg	20	F-2	
		F-2	0.52
KaB—Kanawha silt loam, 2 to 6 percent slopes			
Kanawha	90	A-1	
		A-1	0.01
KaC—Kanawha silt loam, 6 to 12 percent slopes			
Kanawha	90	A-1	
		A-1	0.01
Kg—Kyger loamy sand, frequently flooded			
Kyger	90	C-3	
		C-3	0.13
LaD—Lakin loamy fine sand, 8 to 25 percent slopes			
Lakin	80	B-1	
		B-1	0.07
LaG1D1—Latham-Gilpin silt loams, 15 to 25 percent slopes			
Latham	50	F-1	
		F-1	0.51
Gilpin	35	F-1	
		F-1	0.51
LaSXD1—Latham-Steinsburg complex, 15 to 25 percent slopes			
Latham	45	F-1	
		F-1	0.51
Steinsburg	40	F-1	
		F-1	0.51
Lic1B1—Licking silt loam, 2 to 6 percent slopes			
Licking	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Lawrence County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Lic1C2—Licking silt loam, 6 to 12 percent slopes, eroded			
Licking	85	A-1	
		A-1	0.01
LtC—Lily loam, 8 to 15 percent slopes			
Lily	90	F-1	
		F-1	0.51
LtD—Lily loam, 15 to 25 percent slopes			
Lily	90	F-1	
		F-1	0.51
McA—McGary silt loam, 0 to 2 percent slopes			
Mcgary	85	C-1	
		C-1	0.11
Me—Melvin silt loam, ponded			
Melvin	100	C-3	
		C-3	0.13
MrB—Morristown channery silty clay loam, 0 to 8 percent slopes			
Morristown	90	E-3	
		E-3	0.42
MrD—Morristown channery silty clay loam, 8 to 25 percent slopes			
Morristown	85	E-3	
		E-3	0.42
MrF—Morristown channery silty clay loam, 25 to 70 percent slopes			
Morristown	85	H-1	
		H-1	0.71
No—Nolin silt loam, 0 to 3 percent slopes, occasionally flooded			
Nolin, occasionally flooded	85	A-5	
		A-5	0.05
OmC2—Omulga silt loam, 6 to 15 percent slopes, eroded			
Omulga	85	F-3	
		F-3	0.53

Selected Soil Interpretations--Lawrence County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Omu1C1—Omulga silt loam, 6 to 12 percent slopes			
Omulga	85	F-3	
		F-3	0.53
Orr1AF—Orrville silt loam, 0 to 3 percent slopes, frequently flooded			
Orrville	85	C-3	
		C-3	0.13
Pe—Peoga silt loam, rarely flooded			
Peoga	85	C-1	
		C-1	0.11
PgD—Pinegrove loamy coarse sand, 8 to 25 percent slopes			
Pinegrove	85	B-1	
		B-1	0.07
PgF—Pinegrove loamy coarse sand, 25 to 70 percent slopes			
Pinegrove	85	H-1	
		H-1	0.71
Pio1AF—Piopolis silt loam, 0 to 2 percent slopes, frequently flooded			
Piopolis	85	C-3	
		C-3	0.13
Pio1AP—Piopolis silt loam, 0 to 2 percent slopes, ponded			
Piopolis	85	C-3	
		C-3	0.13
PkD—Pinegrove silty clay loam, 8 to 25 percent slopes			
Pinegrove	85	B-1	
		B-1	0.07
Pop1AF—Pope silt loam, 0 to 3 percent slopes, frequently flooded			
Pope	85	A-5	
		A-5	0.05

Selected Soil Interpretations--Lawrence County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
PpS1AF—Pope-Stokly silt loams, 0 to 3 percent slopes, frequently flooded			
Pope	45	A-5	
		A-5	0.05
Stokly	40	C-3	
		C-3	0.13
Ps—Pits, sand and gravel			
Pits	100	Not rated	
Px—Pope silt loam, frequently flooded			
Pope	85	A-5	
		A-5	0.05
RgLXD1—Rigley-Latham complex, 15 to 25 percent slopes			
Rigley	45	A-2	
		A-2	0.02
Latham	40	F-1	
		F-1	0.51
RgLZE1—Rigley-Latham association, steep			
Rigley	45	A-3	
		A-3	0.03
Latham	30	F-2	
		F-2	0.52
RrG1C1—Rarden-Gilpin silt loams, 8 to 15 percent slopes			
Rarden	50	F-1	
		F-1	0.51
Gilpin	40	F-1	
		F-1	0.51
RrG1D1—Rarden-Gilpin silt loams, 15 to 25 percent slopes			
Rarden	50	F-1	
		F-1	0.51
Gilpin	40	F-1	
		F-1	0.51

Selected Soil Interpretations--Lawrence County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RrLXD1—Rarden-Lily complex, 15 to 25 percent slopes			
Rarden	50	F-1	
		F-1	0.51
Lily	30	F-1	
		F-1	0.51
SaB—Sciotoville silt loam, 1 to 6 percent slopes			
Sciotoville	85	F-3	
		F-3	0.53
SbB—Shelocta silt loam, 2 to 6 percent slopes			
Shelocta	90	A-1	
		A-1	0.01
SbC—Shelocta silt loam, 6 to 15 percent slopes			
Shelocta	90	A-1	
		A-1	0.01
SbD—Shelocta silt loam, 15 to 25 percent slopes			
Shelocta	85	A-2	
		A-2	0.02
ScB—Sciotoville silt loam, 1 to 8 percent slopes			
Sciotoville	98	F-3	
		F-3	0.53
SfE—Steinsburg-Clymer association, steep			
Steinsburg	50	F-2	
		F-2	0.52
Clymer	30	B-2	
		B-2	0.08
SgB—Shelocta silt loam, 3 to 8 percent slopes			
Shelocta	90	A-1	
		A-1	0.01
SgC—Shelocta silt loam, 8 to 15 percent slopes			
Shelocta	90	A-1	
		A-1	0.01
ShLZE1—Shelocta-Latham association, steep			
Shelocta	50	A-3	
		A-3	0.03
Latham	25	F-2	
		F-2	0.52

Selected Soil Interpretations--Lawrence County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SkP1AF—Stokly-Philo silt loams, 0 to 3 percent slopes, frequently flooded			
Stokly	55	C-3	
		C-3	0.13
Philo	30	A-5	
		A-5	0.05
SsF—Steinsburg-Shelocta association, very steep			
Steinsburg	50	H-1	
		H-1	0.71
Shelocta	35	H-1	
		H-1	0.71
St—Stendal silt loam, occasionally flooded			
Stendal	85	C-3	
		C-3	0.13
Stn1AO—Stendal silt loam, 0 to 3 percent slopes, occasionally flooded			
Stendal	85	C-3	
		C-3	0.13
SWLZE1—Shelocta-Wharton-Latham association, steep			
Shelocta	45	A-3	
		A-3	0.03
Wharton	30	A-3	
		A-3	0.03
Latham	15	F-2	
		F-2	0.52
Tg—Tioga loam, occasionally flooded			
Tioga	90	A-5	
		A-5	0.05
To—Tioga loam, frequently flooded			
Tioga	90	A-5	
		A-5	0.05
Ud—Udorthents			
Udorthents	100	Not rated	

Selected Soil Interpretations--Lawrence County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
UgC—Upshur-Gilpin complex, 8 to 15 percent slopes			
Upshur	50	A-1	
		A-1	0.01
Gilpin	25	F-1	
		F-1	0.51
UgD—Upshur-Gilpin complex, 15 to 25 percent slopes			
Upshur	50	A-2	
		A-2	0.02
Gilpin	25	F-1	
		F-1	0.51
UgE—Upshur-Gilpin complex, 25 to 40 percent slopes			
Upshur	55	A-3	
		A-3	0.03
Gilpin	25	F-2	
		F-2	0.52
UgF—Upshur-Gilpin complex, 40 to 70 percent slopes			
Upshur	55	H-1	
		H-1	0.71
Gilpin	25	H-1	
		H-1	0.71
UtF—Upshur-Rock outcrop association, very steep			
Upshur	60	H-1	
		H-1	0.71
Rock outcrop	20	Not rated	
VaD3—Vandalia silty clay loam, 15 to 25 percent slopes, severely eroded			
Vandalia	80	A-2	
		A-2	0.02
W—Water			
Water	100	Not rated	
WaB—Watertown sandy loam, 1 to 8 percent slopes			
Watertown	90	B-1	
		B-1	0.07

Selected Soil Interpretations--Lawrence County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WeA—Weinbach silt loam, 0 to 2 percent slopes			
Weinbach	85	C-2	
		C-2	0.12
WmB—Wheeling silt loam, 1 to 6 percent slopes			
Wheeling	90	A-1	
		A-1	0.01
WmC2—Wheeling silt loam, 6 to 15 percent slopes, eroded			
Wheeling	85	A-1	
		A-1	0.01
WoB—Woodsfield silt loam, 3 to 8 percent slopes			
Woodsfield	90	A-1	
		A-1	0.01

Data Source Information

Soil Survey Area: Lawrence County, Ohio
 Survey Area Data: Version 12, Sep 19, 2014