

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AaB—Aaron silt loam, 2 to 8 percent slopes			
Aaron	80	A-6	
		A-6	0.06
AaC2—Aaron silt loam, 8 to 15 percent slopes, eroded			
Aaron	80	A-6	
		A-6	0.06
Ab—Abandoned Canal			
Abandoned canal	100	Not rated	
AcB—Alford silt loam, 2 to 8 percent slopes			
Alford	85	A-6	
		A-6	0.06
AcC2—Alford silt loam, 8 to 15 percent slopes, eroded			
Alford	80	A-6	
		A-6	0.06
AfA—Alford silt loam, 0 to 2 percent slopes			
Alford	100	A-6	
		A-6	0.06
AfB—Alford silt loam, 2 to 6 percent slopes			
Alford	100	A-6	
		A-6	0.06

Selected Soil Interpretations--Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AfC2—Alford silt loam, 6 to 12 percent slopes, eroded			
Alford	100	A-6	
		A-6	0.06
AhB—Alford-Urban land complex, 2 to 6 percent slopes			
Alford	45	Not assigned	
Urban land	35	Not rated	
Ak—Algiers silt loam, frequently flooded			
Algiers	85	C-3	
		C-3	0.13
AmB2—Amanda silt loam, 2 to 6 percent slopes, eroded			
Amanda	100	A-1	
		A-1	0.01
AmC2—Amanda silt loam, 6 to 12 percent slopes, eroded			
Amanda	100	A-1	
		A-1	0.01
AmD2—Amanda silt loam, 12 to 18 percent slopes, eroded			
Amanda	100	A-1	
		A-1	0.01
AmE—Amanda silt loam, 18 to 25 percent slopes			
Amanda	100	A-2	
		A-2	0.02
AmF—Amanda silt loam, 25 to 50 percent slopes			
Amanda	100	A-3	
		A-3	0.03
AvC2—Amanda variant silt loam, 6 to 12 percent slopes, eroded			
Amanda variant	100	A-6	
		A-6	0.06
AvD2—Amanda variant silt loam, 12 to 18 percent slopes, eroded			
Amanda variant	100	A-6	
		A-6	0.06

Selected Soil Interpretations--Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BeA—Bennington silt loam, 0 to 2 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BeB—Bennington silt loam, 2 to 6 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BfA—Bennington-Urban land complex, 0 to 3 percent slopes			
Bennington	45	Not assigned	
Urban land	35	Not rated	
BgB—Berks channery silt loam, 2 to 6 percent slopes			
Berks	100	F-1	
		F-1	0.51
BgD—Berks channery silt loam, 15 to 25 percent slopes			
Berks	85	F-1	
		F-1	0.51
BhF—Berks-Westmoreland complex, 40 to 70 percent slopes			
Berks	40	H-1	
		H-1	0.71
Westmoreland	35	H-1	
		H-1	0.71
BoD—Brownsville channery silt loam, 15 to 25 percent slopes			
Brownsville	85	B-1	
		B-1	0.07
BrC—Brownsville channery silt loam, 6 to 12 percent slopes			
Brownsville	100	B-1	
		B-1	0.07
BrD—Brownsville channery silt loam, 12 to 18 percent slopes			
Brownsville	100	B-1	
		B-1	0.07
BrE—Brownsville channery silt loam, 18 to 25 percent slopes			
Brownsville	100	B-1	
		B-1	0.07

Selected Soil Interpretations--Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BrF—Brownsville channery silt loam, 25 to 35 percent slopes			
Brownsville	100	B-2	
		B-2	0.08
BrG—Brownsville channery silt loam, 35 to 70 percent slopes			
Brownsville	100	H-1	
		H-1	0.71
Ca—Carlisle muck			
Carlisle	100	D-1	
		D-1	0.30
CbC—Clarksburg silt loam, 6 to 15 percent slopes			
Clarksburg	85	F-3	
		F-3	0.53
CeB—Centerburg silt loam, 2 to 6 percent slopes			
Centerburg	90	A-6	
		A-6	0.06
CeC2—Centerburg silt loam, 6 to 12 percent slopes, eroded			
Centerburg	95	A-6	
		A-6	0.06
CfB—Centerburg-Urban land complex, 2 to 6 percent slopes			
Centerburg	45	Not assigned	
Urban land	35	Not rated	
CfC—Centerburg-Urban land complex, 6 to 12 percent slopes			
Centerburg	45	Not assigned	
Urban land	35	Not rated	
ChA—Chili loam, 0 to 2 percent slopes			
Chili	100	A-1	
		A-1	0.01
ChB—Chili loam, 2 to 6 percent slopes			
Chili	100	A-1	
		A-1	0.01

Selected Soil Interpretations--Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ChC2—Chili loam, 6 to 12 percent slopes, eroded			
Chili	100	A-1	
		A-1	0.01
ChD2—Chili loam, 12 to 18 percent slopes, eroded			
Chili	100	A-1	
		A-1	0.01
ChE2—Chili loam, 18 to 25 percent slopes, eroded			
Chili	100	A-2	
		A-2	0.02
CjC2—Cincinnati silt loam, 6 to 15 percent slopes, eroded			
Cincinnati	80	F-3	
		F-3	0.53
CkB—Cincinnati silt loam, 2 to 6 percent slopes			
Cincinnati	100	F-3	
		F-3	0.53
CkC2—Cincinnati silt loam, 6 to 12 percent slopes, eroded			
Cincinnati	100	F-3	
		F-3	0.53
CmC2—Clarksburg silt loam, 6 to 12 percent slopes, eroded			
Clarksburg	100	F-3	
		F-3	0.53
CmD2—Clarksburg silt loam, 12 to 18 percent slopes, eroded			
Clarksburg	100	F-3	
		F-3	0.53
Cn—Condit silt loam, 0 to 1 percent slopes			
Condit	90	C-1	
		C-1	0.11
CoB—Coshocton silt loam, 2 to 6 percent slopes			
Coshocton	100	A-6	
		A-6	0.06

Selected Soil Interpretations--Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CoC2—Coshocton silt loam, 6 to 12 percent slopes, eroded			
Coshocton	100	A-6	
		A-6	0.06
CoD2—Coshocton silt loam, 12 to 18 percent slopes, eroded			
Coshocton	100	A-6	
		A-6	0.06
CoE2—Coshocton silt loam, 18 to 25 percent slopes, eroded			
Coshocton	100	A-2	
		A-2	0.02
CpC2—Clarksburg silt loam, 8 to 15 percent slopes, eroded			
Clarksburg	85	F-3	
		F-3	0.53
CrA—Crane silt loam, 0 to 2 percent slopes			
Crane	90	C-1	
		C-1	0.11
CsC2—Coshocton silt loam, 8 to 15 percent slopes, eroded			
Coshocton	80	A-6	
		A-6	0.06
CsD—Coshocton silt loam, 15 to 25 percent slopes			
Coshocton	75	A-2	
		A-2	0.02
CtC2—Coshocton silt loam, 6 to 15 percent slopes, eroded			
Coshocton	85	A-6	
		A-6	0.06
FaD—Fairpoint silty clay loam, 8 to 25 percent slopes			
Fairpoint	100	B-4	
		B-4	0.10
FcA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FcB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	95	C-1	
		C-1	0.11
FdB—Fairpoint silty clay loam, 1 to 15 percent slopes			
Fairpoint	80	B-4	
		B-4	0.10
FdD—Fairpoint silty clay loam, 15 to 25 percent slopes			
Fairpoint	80	B-4	
		B-4	0.10
FoD2—Fox gravelly loam, 12 to 18 percent slopes, eroded			
Fox	100	A-1	
		A-1	0.01
FoE2—Fox gravelly loam, 18 to 25 percent slopes, eroded			
Fox	100	A-2	
		A-2	0.02
FrB—Frankstown variant-Mertz complex, 2 to 6 percent slopes, very stony			
Frankstown variant	45	F-1	
		F-1	0.51
Mertz	35	B-1	
		B-1	0.07
GfA—Glenford silt loam, 0 to 2 percent slopes			
Glenford	95	A-6	
		A-6	0.06
GfB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	90	A-6	
		A-6	0.06
GhB—Gilpin silt loam, 3 to 8 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GnB—Guernsey silt loam, 2 to 6 percent slopes			
Guernsey	100	A-6	
		A-6	0.06

Selected Soil Interpretations--Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GnC2—Guernsey silt loam, 6 to 12 percent slopes, eroded			
Guernsey	100	A-6	
		A-6	0.06
GnD—Guernsey silt loam, 12 to 18 percent slopes			
Guernsey	100	A-6	
		A-6	0.06
HeF—Hazleton-Rock outcrop complex, 25 to 70 percent slopes			
Hazleton	55	H-1	
		H-1	0.71
Rock outcrop	25	Not rated	
HfD2—Homewood silt loam, 15 to 20 percent slopes, eroded			
Homewood	80	F-3	
		F-3	0.53
HkC2—Hickory silt loam, 6 to 12 percent slopes, eroded			
Hickory	100	A-1	
		A-1	0.01
HkD2—Hickory silt loam, 12 to 18 percent slopes, eroded			
Hickory	100	A-1	
		A-1	0.01
HoB—Homewood silt loam, 2 to 6 percent slopes			
Homewood	100	F-3	
		F-3	0.53
HoC2—Homewood silt loam, 6 to 12 percent slopes, eroded			
Homewood	100	F-3	
		F-3	0.53
HoD2—Homewood silt loam, 12 to 18 percent slopes, eroded			
Homewood	100	F-3	
		F-3	0.53
HoE2—Homewood silt loam, 18 to 25 percent slopes, eroded			
Homewood	100	F-3	
		F-3	0.53

Selected Soil Interpretations--Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
KeB--Keene silt loam, 3 to 8 percent slopes			
Keene	90	A-6	
		A-6	0.06
KeC2--Keene silt loam, 6 to 12 percent slopes, eroded			
Keene	100	A-6	
		A-6	0.06
KeD2--Keene silt loam, 12 to 18 percent slopes, eroded			
Keene	100	A-6	
		A-6	0.06
KfC2--Keene silt loam, 6 to 15 percent slopes, eroded			
Keene	80	A-6	
		A-6	0.06
Kk--Killbuck silt loam, frequently flooded			
Killbuck	100	C-3	
		C-3	0.13
Lu--Luray silty clay loam			
Luray	100	C-1	
		C-1	0.11
McB--Mechanicsburg silt loam, 2 to 6 percent slopes			
Mechanicsburg	100	A-1	
		A-1	0.01
McC2--Mechanicsburg silt loam, 6 to 12 percent slopes, eroded			
Mechanicsburg	100	A-1	
		A-1	0.01
McD2--Mechanicsburg silt loam, 12 to 18 percent slopes, eroded			
Mechanicsburg	100	A-1	
		A-1	0.01
McE--Mechanicsburg silt loam, 18 to 25 percent slopes			
Mechanicsburg	100	A-2	
		A-2	0.02

Selected Soil Interpretations--Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Md—Medway silt loam, occasionally flooded			
Medway	95	A-5	
		A-5	0.05
Me—Melvin silt loam, frequently flooded			
Melvin	100	C-3	
		C-3	0.13
MnA—Mentor silt loam, 0 to 2 percent slopes			
Mentor	100	A-6	
		A-6	0.06
MnB—Mentor silt loam, 2 to 6 percent slopes			
Mentor	95	A-6	
		A-6	0.06
MnC2—Mentor silt loam, 6 to 12 percent slopes, eroded			
Mentor	100	A-6	
		A-6	0.06
MnD2—Mentor silt loam, 12 to 18 percent slopes, eroded			
Mentor	100	A-6	
		A-6	0.06
MpD—Mertz very cherty silt loam, 15 to 35 percent slopes			
Mertz	70	Not assigned	
MrE—Mertz very cherty silt loam, 18 to 35 percent slopes, very stony			
Mertz	100	B-2	
		B-2	0.08
NeC2—Negley loam, 6 to 12 percent slopes, eroded			
Negley	100	A-1	
		A-1	0.01
NeD2—Negley loam, 12 to 18 percent slopes, eroded			
Negley	100	A-1	
		A-1	0.01
NeE—Negley loam, 18 to 25 percent slopes			
Negley	100	A-2	
		A-2	0.02

Selected Soil Interpretations--Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
NeF--Negley loam, 25 to 70 percent slopes			
Negley	100	H-1	
		H-1	0.71
OcA--Ockley silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes			
Ockley	85	A-1	
		A-1	0.01
OcB--Ockley silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes			
Ockley	85	A-1	
		A-1	0.01
OcC2--Ockley silt loam, 6 to 12 percent slopes, eroded			
Ockley	100	B-1	
		B-1	0.07
OeA--Ockley-Urban land complex, 0 to 3 percent slopes			
Ockley	45	Not assigned	
Urban land	35	Not rated	
OeC--Ockley-Urban land complex, 6 to 12 percent slopes			
Ockley	45	Not assigned	
Urban land	35	Not rated	
Or--Orrville silt loam, occasionally flooded			
Orrville	90	C-3	
		C-3	0.13
PaC2--Parke silt loam, 6 to 12 percent slopes, eroded			
Parke	100	A-6	
		A-6	0.06
Pe--Pewamo silty clay loam			
Pewamo	100	C-1	
		C-1	0.11
Pf--Pewamo-Urban land complex			
Pewamo	50	Not assigned	
Urban land	30	Not rated	
Pg--Pits, gravel			
Pits	100	Not rated	

Selected Soil Interpretations--Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RdD—Rigley channery loam, 15 to 25 percent slopes			
Rigley	80	A-2	
		A-2	0.02
ReD—Rigley sandy loam, 15 to 25 percent slopes			
Rigley	85	A-2	
		A-2	0.02
RfC—Rigley loam, 8 to 15 percent slopes			
Rigley	80	A-1	
		A-1	0.01
RgC—Rigley fine sandy loam, 6 to 12 percent slopes			
Rigley	100	A-1	
		A-1	0.01
RgD—Rigley fine sandy loam, 12 to 18 percent slopes			
Rigley	100	A-1	
		A-1	0.01
RgE—Rigley fine sandy loam, 18 to 25 percent slopes			
Rigley	100	A-2	
		A-2	0.02
RgF—Rigley fine sandy loam, 25 to 35 percent slopes			
Rigley	100	A-3	
		A-3	0.03
RhE—Rigley-Coshocton complex, 18 to 25 percent slopes			
Rigley	45	A-2	
		A-2	0.02
Coshocton	40	A-2	
		A-2	0.02
RhF—Rigley-Coshocton complex, 25 to 40 percent slopes			
Rigley	40	A-3	
		A-3	0.03
Coshocton	35	A-3	
		A-3	0.03

Selected Soil Interpretations--Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RsA--Rush silt loam, 0 to 2 percent slopes			
Rush	100	A-6	
		A-6	0.06
Se--Sebring silt loam			
Sebring	100	C-1	
		C-1	0.11
Sh--Shoals silt loam, 0 to 2 percent slopes, occasionally flooded			
Shoals	85	C-3	
		C-3	0.13
SkA--Sleeth silt loam, 0 to 2 percent slopes			
Sleeth	95	C-1	
		C-1	0.11
So--Sloan silt loam, frequently flooded			
Sloan	100	C-3	
		C-3	0.13
St--Stonelick loam, occasionally flooded			
Stonelick	100	A-5	
		A-5	0.05
Su--Stonelick-Urban land complex, occasionally flooded			
Stonelick	40	Not assigned	
Urban land	35	Not rated	
Tg--Tioga fine sandy loam, occasionally flooded			
Tioga	100	A-5	
		A-5	0.05
TsB--Titusville silt loam, 2 to 6 percent slopes			
Titusville	90	F-3	
		F-3	0.53
TsC2--Titusville silt loam, 6 to 12 percent slopes, eroded			
Titusville	95	F-3	
		F-3	0.53
Uf--Udorthents, loamy			
Udorthents	100	Not rated	
W--Water			
Water	100	Not rated	

Selected Soil Interpretations--Licking County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Wa--Walkkill silt loam, clayey substratum, frequently flooded			
Walkkill	100	C-3	
		C-3	0.13
Ws--Westland silty clay loam			
Westland	100	C-1	
		C-1	0.11
Wt--Westland-Urban land complex			
Westland	50	Not assigned	
Urban land	30	Not rated	

Data Source Information

Soil Survey Area: Licking County, Ohio
 Survey Area Data: Version 11, Sep 19, 2014