

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Lorain County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AkA—Allis loam, 0 to 2 percent slopes			
Allis	95	C-2	
		C-2	0.12
AIA—Allis silty clay loam, 0 to 2 percent slopes			
Allis	94	C-2	
		C-2	0.12
AmA—Allis-Urban land complex, nearly level			
Allis	60	Not assigned	
Urban land	30	Not rated	
BgA—Bennington silt loam, 0 to 2 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BgB—Bennington silt loam, 2 to 6 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BsA—Bogart sandy loam, 0 to 2 percent slopes			
Bogart	85	A-1	
		A-1	0.01
BtA—Bogart loam, 0 to 2 percent slopes			
Bogart	85	A-1	
		A-1	0.01
BtB—Bogart loam, 2 to 6 percent slopes			
Bogart	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Lorain County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CdB—Cardington silt loam, 2 to 6 percent slopes			
Cardington	85	A-6	
		A-6	0.06
CdC2—Cardington silt loam, 6 to 12 percent slopes, eroded			
Cardington	90	A-6	
		A-6	0.06
Cg—Carlisle mucky silt loam			
Carlisle	95	D-1	
		D-1	0.30
		C-1	0.11
Ch—Chagrin silt loam			
Chagrin	85	A-5	
		A-5	0.05
CIA—Chili loam, 0 to 2 percent slopes			
Chili	90	A-1	
		A-1	0.01
CIB—Chili loam, 2 to 6 percent slopes			
Chili	95	A-1	
		A-1	0.01
CID2—Chili loam, 6 to 18 percent slopes, moderately eroded			
Chili	85	A-1	
		A-1	0.01
CmC2—Chili gravelly loam, 6 to 12 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
CmE2—Chili gravelly loam, 12 to 25 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
CmF2—Chili gravelly loam, 25 to 70 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
CnB—Chili-Urban land complex, gently sloping			
Chili	60	Not assigned	
Urban land	30	Not rated	

Selected Soil Interpretations--Lorain County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CoB—Conotton gravelly loam, 2 to 6 percent slopes			
Conotton	85	B-1	
		B-1	0.07
CoC—Conotton gravelly loam, 6 to 12 percent slopes			
Conotton	85	B-1	
		B-1	0.07
Cp—Condit silty clay loam			
Condit	90	C-1	
		C-1	0.11
Cq—Condit silt loam, 0 to 1 percent slopes			
Condit	90	C-1	
		C-1	0.11
Cz—Udorthents			
Udorthents	100	Not rated	
DkB—Dekalb very channery loam, 1 to 6 percent slopes			
Dekalb	90	F-1	
		F-1	0.51
DsB—Del Rey silt loam, 1 to 4 percent slopes			
Del rey	85	C-1	
		C-1	0.11
EkE2—Ellsworth silt loam, 12 to 25 percent slopes, eroded			
Ellsworth, eroded	90	A-2	
		A-2	0.02
EkF—Ellsworth silt loam, 25 to 70 percent slopes			
Ellsworth	85	H-1	
		H-1	0.71
EIB—Ellsworth silt loam, 2 to 6 percent slopes			
Ellsworth	85	A-1	
		A-1	0.01
EIB2—Ellsworth silt loam, 2 to 6 percent slopes, eroded			
Ellsworth, eroded	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Lorain County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EIC2—Ellsworth silt loam, 6 to 12 percent slopes, eroded			
Ellsworth, eroded	90	A-1	
		A-1	0.01
EID2—Ellsworth silt loam, 12 to 18 percent slopes, eroded			
Ellsworth, eroded	90	A-1	
		A-1	0.01
EIF2—Ellsworth silt loam, 18 to 50 percent slopes, eroded			
Ellsworth, eroded	85	A-3	
		A-3	0.03
EnA—Elnora loamy fine sand, 1 to 3 percent slopes			
Elnora	90	B-1	
		B-1	0.07
FcA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FcB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	94	C-1	
		C-1	0.11
FdA—Fitchville silt loam, low terrace, 0 to 2 percent slopes			
Fitchville	85	C-3	
		C-3	0.13
FeA—Fitchville-Urban land complex, nearly level			
Fitchville	60	Not assigned	
Urban land	35	Not rated	
FuA—Fulton silt loam, 0 to 2 percent slopes			
Fulton	85	C-2	
		C-2	0.12
FuB—Fulton silt loam, 2 to 6 percent slopes			
Fulton	95	C-2	
		C-2	0.12
FvA—Fulton silt loam, sandy substratum, 0 to 2 percent slopes			
Fulton	95	C-2	
		C-2	0.12

Selected Soil Interpretations--Lorain County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HsA—Haskins loam, 0 to 2 percent slopes			
Haskins	85	C-2	
		C-2	0.12
HsB—Haskins loam, 2 to 6 percent slopes			
Haskins	85	C-2	
		C-2	0.12
HtA—Haskins-Urban land complex, nearly level			
Haskins	60	Not assigned	
Urban land	35	Not rated	
Hy—Holly silt loam			
Holly	95	C-3	
		C-3	0.13
HZA—Hornell silt loam, 0 to 2 percent slopes			
Hornell	90	F-1	
		F-1	0.51
HZB—Hornell silt loam, 2 to 6 percent slopes			
Hornell	85	F-1	
		F-1	0.51
JsA—Jimtown sandy loam, 0 to 2 percent slopes			
Jimtown	95	C-1	
		C-1	0.11
JtA—Jimtown loam, 0 to 2 percent slopes			
Jimtown	90	C-1	
		C-1	0.11
JtB—Jimtown loam, 2 to 6 percent slopes			
Jimtown	90	C-1	
		C-1	0.11
JuA—Jimtown-Urban land complex, nearly level			
Jimtown	50	Not assigned	
Urban land	30	Not rated	
La—Lobdell silt loam, frequently flooded			
Lobdell	80	A-5	
		A-5	0.05
Lb—Lobdell silt loam			
Lobdell	85	A-5	
		A-5	0.05

Selected Soil Interpretations--Lorain County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LcB—Lockport silty clay loam, 1 to 4 percent slopes			
Lockport	95	C-2	
		C-2	0.12
Ln—Lorain silty clay loam			
Lorain	90	C-2	
		C-2	0.12
Ls—Lorain silty clay loam, sandy substratum			
Lorain	97	C-2	
		C-2	0.12
Lu—Luray silt loam			
Luray	100	C-1	
		C-1	0.11
Ly—Luray silty clay loam			
Luray	90	C-1	
		C-1	0.11
MgA—Mahoning silt loam, 0 to 2 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MgB—Mahoning silt loam, 2 to 6 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MgB2—Mahoning silt loam, 2 to 6 percent slopes, eroded			
Mahoning, eroded	85	C-2	
		C-2	0.12
MhA—Mahoning silt loam, sandstone substratum, 0 to 2 percent slopes			
Mahoning, sandstone substratum	85	C-2	
		C-2	0.12
MkA—Mahoning-Tiro silt loams, 0 to 2 percent slopes			
Mahoning	50	C-2	
		C-2	0.12
Tiro	30	C-1	
		C-1	0.11

Selected Soil Interpretations--Lorain County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MkB—Mahoning-Tiro silt loams, 2 to 6 percent slopes			
Mahoning	50	C-2	
		C-2	0.12
Tiro	30	C-1	
		C-1	0.11
MmA—Mahoning-Urban land complex, 0 to 2 percent slopes			
Mahoning	45	Not assigned	
Urban land	35	Not rated	
MnB—Mentor silt loam, 2 to 6 percent slopes			
Mentor	85	A-6	
		A-6	0.06
MnC—Mentor silt loam, 6 to 12 percent slopes			
Mentor	95	A-6	
		A-6	0.06
MnE—Mentor silt loam, 12 to 25 percent slopes			
Mentor	95	A-2	
		A-2	0.02
Mo—Mermill loam			
Mermill	90	C-1	
		C-1	0.11
Mr—Miner silty clay loam, 0 to 2 percent slopes			
Miner	85	C-2	
		C-2	0.12
Ms—Miner silty clay loam, shale substratum, 0 to 2 percent slopes			
Miner, shale substratum	85	C-2	
		C-2	0.12
MtA—Mitiwanga silt loam, 0 to 2 percent slopes			
Mitiwanga	85	C-1	
		C-1	0.11
MtB—Mitiwanga silt loam, 2 to 6 percent slopes			
Mitiwanga	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Lorain County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MvB—Mitiwanga channery loam, 1 to 4 percent slopes			
Mitiwanga	95	C-1	
		C-1	0.11
MxB—Mitiwanga-Urban land complex, gently sloping			
Mitiwanga	60	Not assigned	
Urban land	35	Not rated	
Om—Olmsted fine sandy loam			
Olmsted	92	C-1	
		C-1	0.11
On—Olmsted loam, sandstone substratum			
Olmsted	95	C-1	
		C-1	0.11
Or—Orrville silt loam			
Orrville	85	C-3	
		C-3	0.13
OtA—Oshtemo sandy loam, 0 to 2 percent slopes			
Oshtemo	90	B-1	
		B-1	0.07
OtB—Oshtemo sandy loam, 2 to 6 percent slopes			
Oshtemo	85	B-1	
		B-1	0.07
OtC—Oshtemo sandy loam, 6 to 12 percent slopes			
Oshtemo	85	B-1	
		B-1	0.07
Qu—Quarries			
Quarries	100	Not rated	
RdA—Rawson loam, 0 to 2 percent slopes			
Rawson	85	F-5	
		F-5	0.55
		A-1	0.01
RdB—Rawson loam, 2 to 6 percent slopes			
Rawson	90	F-5	
		F-5	0.55
		A-1	0.01

Selected Soil Interpretations--Lorain County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RdC2—Rawson loam, 6 to 12 percent slopes, moderately eroded			
Rawson	95	F-5	
		F-5	0.55
		A-1	0.01
Sb—Sebring silt loam			
Sebring	85	C-1	
		C-1	0.11
Sd—Sebring silt loam, sandstone substratum			
Sebring	97	C-1	
		C-1	0.11
Se—Senecaville silt loam			
Senecaville	90	C-3	
		C-3	0.13
SkA—Shinrock silt loam, 0 to 2 percent slopes			
Shinrock	90	A-1	
		A-1	0.01
SkB—Shinrock silt loam, 2 to 6 percent slopes			
Shinrock	85	A-1	
		A-1	0.01
Sw—Stafford fine sandy loam			
Stafford	85	C-1	
		C-1	0.11
Tg—Tioga fine sandy loam			
Tioga	85	A-5	
		A-5	0.05
TrA—Trumbull silty clay loam, 0 to 2 percent slopes			
Trumbull	90	C-2	
		C-2	0.12
TyB—Tyner loamy sand, 1 to 6 percent slopes			
Tyner	90	B-1	
		B-1	0.07
TyC—Tyner loamy sand, 6 to 12 percent slopes			
Tyner	85	B-1	
		B-1	0.07

Selected Soil Interpretations--Lorain County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
UpC—Upshur silt loam, 2 to 8 percent slopes			
Upshur	95	F-1	
		F-1	0.51
UpF—Upshur silt loam, 25 to 70 percent slopes			
Upshur	85	H-1	
		H-1	0.71
W—Water			
Water	100	Not rated	
WeB—Weikert channery fine sandy loam, 1 to 6 percent slopes			
Weikert	85	F-1	
		F-1	0.51

### Data Source Information

Soil Survey Area: Lorain County, Ohio  
 Survey Area Data: Version 13, Sep 19, 2014