

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Medina County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AIA—Allis silty clay loam, 0 to 2 percent slopes			
Allis	94	C-2	
		C-2	0.12
BnA—Bennington silt loam, 0 to 2 percent slopes			
Bennington	95	C-1	
		C-1	0.11
BnB—Bennington silt loam, 2 to 6 percent slopes			
Bennington	95	C-1	
		C-1	0.11
BoA—Bennington-Tiro silt loams, 0 to 2 percent slopes			
Bennington	50	C-1	
		C-1	0.11
Tiro	30	C-1	
		C-1	0.11
BrF—Berks silt loam, 25 to 70 percent slopes			
Berks	100	H-1	
		H-1	0.71
BtA—Bogart loam, 0 to 2 percent slopes			
Bogart	100	B-1	
		B-1	0.07
BtB—Bogart loam, 2 to 6 percent slopes			
Bogart	100	B-1	
		B-1	0.07

Selected Soil Interpretations—Medina County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BuB—Bogart gravelly loam, 2 to 6 percent slopes			
Bogart	100	A-6	
		A-6	0.06
BvF—Brecksville silt loam, 25 to 70 percent slopes			
Brecksville	85	H-1	
		H-1	0.71
Ca—Canadice silty clay loam			
Canadice	95	C-3	
		C-3	0.13
CcA—Caneadea silt loam, 0 to 2 percent slopes			
Caneadea	95	C-2	
		C-2	0.12
CcB—Caneadea silt loam, 2 to 6 percent slopes			
Caneadea	95	C-2	
		C-2	0.12
CdA—Canfield silt loam, 0 to 2 percent slopes			
Canfield	85	F-3	
		F-3	0.53
CdB—Canfield silt loam, 2 to 6 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CdB2—Canfield silt loam, 2 to 6 percent slopes, eroded			
Canfield, eroded	90	F-3	
		F-3	0.53
CdC2—Canfield silt loam, 6 to 12 percent slopes, eroded			
Canfield, eroded	90	F-3	
		F-3	0.53
CeC—Canfield-Urban land complex, 6 to 12 percent slopes			
Canfield	50	Not assigned	
Urban land	40	Not rated	
CfB—Cardington fine sandy loam, 2 to 6 percent slopes			
Cardington	100	A-6	
		A-6	0.06

Selected Soil Interpretations—Medina County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CgB—Cardington silt loam, 2 to 6 percent slopes			
Cardington	100	A-6	
		A-6	0.06
CgB2—Cardington silt loam, 2 to 6 percent slopes, eroded			
Cardington	85	A-6	
		A-6	0.06
CgC2—Cardington silt loam, 6 to 12 percent slopes, moderately eroded			
Cardington	100	A-6	
		A-6	0.06
CgE2—Cardington silt loam, 12 to 25 percent slopes, moderately eroded			
Cardington	100	A-6	
		A-6	0.06
Ch—Carlisle muck			
Carlisle	100	D-1	
		D-1	0.30
Cm—Chagrin silt loam			
Chagrin	100	A-1	
		A-1	0.01
CnA—Chili loam, 0 to 2 percent slopes			
Chili	100	B-1	
		B-1	0.07
CnB—Chili loam, 2 to 6 percent slopes			
Chili	100	B-1	
		B-1	0.07
CnC—Chili loam, 6 to 12 percent slopes			
Chili	100	B-1	
		B-1	0.07
CoC2—Chili gravelly loam, 6 to 12 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
CoE2—Chili gravelly loam, 12 to 25 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07

Selected Soil Interpretations—Medina County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CoF2—Chili gravelly loam, 25 to 70 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
CpA—Chili silt loam, 0 to 2 percent slopes			
Chili	100	B-1	
		B-1	0.07
CpB—Chili silt loam, 2 to 6 percent slopes			
Chili	100	B-1	
		B-1	0.07
CpC—Chili silt loam, 6 to 12 percent slopes			
Chili	100	B-1	
		B-1	0.07
CqD—Chili gravelly loam, 12 to 18 percent slopes			
Chili	85	A-1	
		A-1	0.01
Cr—Chagrin silt loam, occasionally flooded			
Chagrin	85	A-5	
		A-5	0.05
CuB—Chili-Urban land complex, undulating			
Chili	40	Not assigned	
Urban land	35	Not rated	
Cy—Condit silt loam, 0 to 1 percent slopes			
Condit	90	C-1	
		C-1	0.11
Cz—Condit silty clay loam			
Condit	85	C-1	
		C-1	0.11
DeD—DeKalb sandy loam, 12 to 18 percent slopes			
DeKalb	85	F-1	
		F-1	0.51

Selected Soil Interpretations—Medina County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
DkF—Dekalb-Loudonville complex, 25 to 70 percent slopes			
Dekalb	40	H-1	
		H-1	0.71
Loudonville	40	H-1	
		H-1	0.71
EIB—Ellsworth silt loam, 2 to 6 percent slopes			
Ellsworth	85	A-1	
		A-1	0.01
EIB2—Ellsworth silt loam, 2 to 6 percent slopes, eroded			
Ellsworth, eroded	85	A-1	
		A-1	0.01
EIC—Ellsworth silt loam, 6 to 12 percent slopes			
Ellsworth	90	A-1	
		A-1	0.01
EIC2—Ellsworth silt loam, 6 to 12 percent slopes, eroded			
Ellsworth, eroded	90	A-1	
		A-1	0.01
EIE2—Ellsworth silt loam, 12 to 25 percent slopes, eroded			
Ellsworth, eroded	90	A-2	
		A-2	0.02
EIF—Ellsworth silt loam, 25 to 70 percent slopes			
Ellsworth	85	H-1	
		H-1	0.71
EIF2—Ellsworth silt loam, 18 to 50 percent slopes, eroded			
Ellsworth, eroded	85	A-3	
		A-3	0.03
EsB—Ellsworth silt loam, sandstone substratum, 2 to 6 percent slopes			
Ellsworth, sandstone substratum	85	B-1	
		B-1	0.07
EsC2—Ellsworth silt loam, sandstone substratum, 6 to 12 percent slopes, eroded			
Ellsworth, sandstone substratum, eroded	85	B-1	
		B-1	0.07

Selected Soil Interpretations—Medina County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EuB—Ellsworth-Urban land complex, 2 to 6 percent slopes			
Ellsworth	45	Not assigned	
Urban land	30	Not rated	
EvA—Euclid silt loam, occasionally flooded			
Euclid	85	C-3	
		C-3	0.13
ExC—Ellsworth-Urban land complex, 6 to 18 percent slopes			
Ellsworth	55	Not assigned	
Urban land	30	Not rated	
FcA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	95	C-1	
		C-1	0.11
FcB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	100	C-1	
		C-1	0.11
FIA—Fitchville silt loam, low terrace, 0 to 2 percent slopes			
Fitchville	95	C-3	
		C-3	0.13
GbB—Geeburg silt loam, 2 to 6 percent slopes			
Geeburg	85	F-5	
		F-5	0.55
GbC—Geeburg silt loam, 6 to 18 percent slopes			
Geeburg	100	F-5	
		F-5	0.55
GbD2—Geeburg silt loam, 12 to 18 percent slopes, moderately eroded			
Geeburg	90	F-5	
		F-5	0.55
GfA—Glenford silt loam, 0 to 2 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GfB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	100	A-6	
		A-6	0.06

Selected Soil Interpretations—Medina County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GfC—Glenford silt loam, 6 to 12 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GfC2—Glenford silt loam, 6 to 12 percent slopes, moderately eroded			
Glenford	100	A-6	
		A-6	0.06
HsA—Haskins loam, 0 to 2 percent slopes			
Haskins	100	C-2	
		C-2	0.12
HsB—Haskins loam, 2 to 6 percent slopes			
Haskins	100	C-2	
		C-2	0.12
Hy—Holly silt loam			
Holly	95	C-3	
		C-3	0.13
HzB—Hornell silt loam, 2 to 6 percent slopes			
Hornell	85	F-1	
		F-1	0.51
JsA—Jimtown silt loam, 0 to 2 percent slopes			
Jimtown	95	C-1	
		C-1	0.11
JtA—Jimtown loam, 0 to 2 percent slopes			
Jimtown	95	C-1	
		C-1	0.11
JtB—Jimtown loam, 2 to 6 percent slopes			
Jimtown	100	C-1	
		C-1	0.11
Ju—Jimtown-Urban land complex			
Jimtown	40	Not assigned	
Urban land	35	Not rated	
Ld—Linwood muck			
Linwood	100	D-1	
		D-1	0.30
Le—Lobdell silt loam			
Lobdell	95	A-1	
		A-1	0.01

Selected Soil Interpretations—Medina County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ln—Lorain silty clay loam			
Lorain	100	C-2	
		C-2	0.12
LoB—Loudonville silt loam, 2 to 6 percent slopes			
Loudonville	100	F-1	
		F-1	0.51
LoC—Loudonville silt loam, 6 to 12 percent slopes			
Loudonville	100	F-1	
		F-1	0.51
LoC2—Loudonville silt loam, 6 to 12 percent slopes, moderately eroded			
Loudonville	100	F-1	
		F-1	0.51
LoE2—Loudonville silt loam, 12 to 25 percent slopes, moderately eroded			
Loudonville	100	F-1	
		F-1	0.51
LrD—Loudonville silt loam, 12 to 18 percent slopes			
Loudonville	90	F-1	
		F-1	0.51
Ly—Luray silt loam			
Luray	100	C-1	
		C-1	0.11
MgA—Mahoning silt loam, 0 to 2 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MgB—Mahoning silt loam, 2 to 6 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MgB2—Mahoning silt loam, 2 to 6 percent slopes, eroded			
Mahoning, eroded	85	C-2	
		C-2	0.12
MIA—Mahoning silt loam, sandstone substratum, 0 to 2 percent slopes			
Mahoning, sandstone substratum	85	C-2	
		C-2	0.12

Selected Soil Interpretations—Medina County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MIB—Mahoning silt loam, sandstone substratum, 2 to 6 percent slopes			
Mahoning, sandstone substratum	90	C-2	
		C-2	0.12
MmA—Mahoning-Tiro silt loams, 0 to 2 percent slopes			
Mahoning	50	C-2	
		C-2	0.12
Tiro	30	C-1	
		C-1	0.11
MnA—Mahoning-Urban land complex, 0 to 2 percent slopes			
Mahoning	45	Not assigned	
Urban land	35	Not rated	
MoB—Mentor silt loam, 2 to 6 percent slopes			
Mentor	85	A-6	
		A-6	0.06
MpB—Mahoning-Urban land complex, 2 to 6 percent slopes			
Mahoning	45	Not assigned	
Urban land	30	Not rated	
Mr—Miner silty clay loam, 0 to 2 percent slopes			
Miner	85	C-2	
		C-2	0.12
Od—Olmsted loam			
Olmsted	100	C-1	
		C-1	0.11
Or—Orrville silt loam			
Orrville	95	C-3	
		C-3	0.13
Os—Orrville silt loam, bedrock substratum			
Orrville	100	C-3	
		C-3	0.13
OtB—Oshtemo sandy loam, 2 to 6 percent slopes			
Oshtemo	100	B-1	
		B-1	0.07

Selected Soil Interpretations—Medina County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ou—Orrville silt loam, frequently flooded			
Orrville	85	C-3	
		C-3	0.13
Pg—Pits, gravel			
Gravel pit	100	Not rated	
Pq—Pits, quarry			
Quarries	100	Not rated	
ReA—Ravenna silt loam, 0 to 2 percent slopes			
Ravenna	95	C-1	
		C-1	0.11
ReB—Ravenna silt loam, 2 to 6 percent slopes			
Ravenna	95	C-1	
		C-1	0.11
RnA—Ravenna-Urban land complex, nearly level			
Ravenna	40	Not assigned	
Urban land	35	Not rated	
RoB—Rawson loam, 2 to 6 percent slopes			
Rawson	100	F-5	
		F-5	0.55
RoC2—Rawson loam, 6 to 12 percent slopes, moderately eroded			
Rawson	95	F-5	
		F-5	0.55
		A-1	0.01
RsB—Rittman silt loam, 2 to 6 percent slopes			
Rittman	100	F-3	
		F-3	0.53
RsB2—Rittman silt loam, 2 to 6 percent slopes, moderately eroded			
Rittman	100	F-3	
		F-3	0.53
RsC—Rittman silt loam, 6 to 12 percent slopes			
Rittman	100	F-3	
		F-3	0.53

Selected Soil Interpretations—Medina County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RsC2—Rittman silt loam, 6 to 12 percent slopes, moderately eroded			
Rittman	100	F-3	
		F-3	0.53
RsE2—Rittman silt loam, 12 to 25 percent slopes, moderately eroded			
Rittman	100	F-3	
		F-3	0.53
RsF—Rittman silt loam, 25 to 70 percent slopes			
Rittman	100	F-3	
		F-3	0.53
RtD2—Rittman silt loam, 12 to 18 percent slopes, moderately eroded			
Rittman	100	F-3	
		F-3	0.53
ScF—Schaffemaker loamy sand, 25 to 70 percent slopes			
Schaffemaker	100	F-1	
		F-1	0.51
Sg—Sebring silt loam			
Sebring	95	C-1	
		C-1	0.11
St—Sebring silt loam, till substratum			
Sebring	100	C-1	
		C-1	0.11
Su—Shoals silt loam			
Shoals	95	C-1	
		C-1	0.11
Tg—Tioga loam			
Tioga	100	A-5	
		A-5	0.05
TrA—Trumbull silt loam, 0 to 2 percent slopes			
Trumbull	90	C-2	
		C-2	0.12
TsA—Trumbull silty clay loam, 0 to 2 percent slopes			
Trumbull	90	C-2	
		C-2	0.12

Selected Soil Interpretations—Medina County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ud—Udorthents, loamy			
Udorthents	100	Not rated	
W—Water			
Water	100	Not rated	
WaA—Wadsworth silt loam, 0 to 2 percent slopes			
Wadsworth	90	C-1	
		C-1	0.11
WaB—Wadsworth silt loam, 2 to 6 percent slopes			
Wadsworth	100	C-1	
		C-1	0.11
WbB—Wadsworth-Urban land complex, undulating			
Wadsworth	40	Not assigned	
Urban land	35	Not rated	
Wc—Walkkill silt loam			
Walkkill	100	C-3	
		C-3	0.13
WhB—Wheeling silt loam, 2 to 6 percent slopes			
Wheeling	95	A-1	
		A-1	0.01
Wt—Willette muck			
Willette	100	D-1	
		D-1	0.30
WuB—Wooster silt loam, 2 to 6 percent slopes			
Wooster	100	F-3	
		F-3	0.53
WuB2—Wooster silt loam, 2 to 6 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WuC2—Wooster silt loam, 6 to 12 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53

Selected Soil Interpretations—Medina County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WuE2—Wooster silt loam, 12 to 25 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WuF—Wooster silt loam, 25 to 70 percent slopes			
Wooster	100	F-3	
		F-3	0.53
WvB—Wooster-Riddles silt loams, 2 to 6 percent slopes			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53
WvC2—Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53
WvD2—Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53

### Data Source Information

Soil Survey Area: Medina County, Ohio  
 Survey Area Data: Version 14, Sep 19, 2014