

## Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

*Hydrologic soil groups* are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

*Surface runoff* refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

*Water table* refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

*Ponding* is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

*Flooding* is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

*Duration* and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

## Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

Water Features—Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
A1A—Allis silty clay loam, 0 to 2 percent slopes										
Allis	D	High	January	0.0-1.0	1.7-3.3	—	—	None	—	None
			February	0.0-1.0	1.7-3.3	—	—	None	—	None
			March	0.0-1.0	1.7-3.3	—	—	None	—	None
			April	0.0-1.0	1.7-3.3	—	—	None	—	None
			May	0.0-1.0	1.7-3.3	—	—	None	—	None
			June	0.0-1.0	1.7-3.3	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.0-1.0	1.7-3.3	—	—	None	—	None
			December	0.0-1.0	1.7-3.3	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BnA—Bennington silt loam, 0 to 2 percent slopes										
Bennington	C/D	High	January	0.5-1.5	2.0-5.8	—	—	None	—	None
			February	0.5-1.5	2.0-5.8	—	—	None	—	None
			March	0.5-1.5	2.0-5.8	—	—	None	—	None
			April	0.5-1.5	2.0-5.8	—	—	None	—	None
			May	0.5-1.5	2.0-5.8	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.5	2.0-5.8	—	—	None	—	None
			December	0.5-1.5	2.0-5.8	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BnB—Bennington silt loam, 2 to 6 percent slopes										
Bennington	C/D	High	January	0.5-1.5	2.0-5.8	—	—	None	—	None
			February	0.5-1.5	2.0-5.8	—	—	None	—	None
			March	0.5-1.5	2.0-5.8	—	—	None	—	None
			April	0.5-1.5	2.0-5.8	—	—	None	—	None
			May	0.5-1.5	2.0-5.8	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.5	2.0-5.8	—	—	None	—	None
			December	0.5-1.5	2.0-5.8	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BoA—Bennington-Tiro silt loams, 0 to 2 percent slopes										
Bennington	C/D	Medium	January	0.5-1.5	2.0-5.8	—	—	None	—	None
			February	0.5-1.5	2.0-5.8	—	—	None	—	None
			March	0.5-1.5	2.0-5.8	—	—	None	—	None
			April	0.5-1.5	2.0-5.8	—	—	None	—	None
			May	0.5-1.5	2.0-5.8	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.5	2.0-5.8	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.5-1.5	2.0-5.8	—	—	None	—	None
Tiro	C/D	Low	January	0.5-1.5	2.5-4.6	—	—	None	—	None
			February	0.5-1.5	2.5-4.6	—	—	None	—	None
			March	0.5-1.5	2.5-4.6	—	—	None	—	None
			April	0.5-1.5	2.5-4.6	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BrF--Berks silt loam, 25 to 70 percent slopes										
Berks	B	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BtA--Bogart loam, 0 to 2 percent slopes										
Bogart	B	Low	January	1.5-3.0	>6.0	—	—	None	—	None
			February	1.5-3.0	>6.0	—	—	None	—	None
			March	1.5-3.0	>6.0	—	—	None	—	None
			April	1.5-3.0	>6.0	—	—	None	—	None
			May	1.5-3.0	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	>6.0	—	—	None	—	None
			December	1.5-3.0	>6.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BtB—Bogart loam, 2 to 6 percent slopes										
Bogart	C	Low	January	1.5-3.0	>6.0	—	—	None	—	None
			February	1.5-3.0	>6.0	—	—	None	—	None
			March	1.5-3.0	>6.0	—	—	None	—	None
			April	1.5-3.0	>6.0	—	—	None	—	None
			May	1.5-3.0	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	>6.0	—	—	None	—	None
			December	1.5-3.0	>6.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BuB—Bogart gravelly loam, 2 to 6 percent slopes										
Bogart	B	Very low	January	1.5-3.0	>6.0	—	—	None	—	None
			February	1.5-3.0	>6.0	—	—	None	—	None
			March	1.5-3.0	>6.0	—	—	None	—	None
			April	1.5-3.0	>6.0	—	—	None	—	None
			May	1.5-3.0	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	>6.0	—	—	None	—	None
			December	1.5-3.0	>6.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BvF--Brecksville silt loam, 25 to 70 percent slopes										
Brecksville	D	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ca—Canadice silty clay loam										
Canadice	D	Negligible	January	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Brief (2 to 7 days)	Occasional
			February	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Brief (2 to 7 days)	Occasional
			March	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Brief (2 to 7 days)	Occasional
			April	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Brief (2 to 7 days)	Occasional
			May	0.0-0.5	>6.0	—	—	—	—	—
			June	0.0-0.5	>6.0	—	—	—	—	—
			November	—	—	0.0-0.5	Brief (2 to 7 days)	Occasional	Brief (2 to 7 days)	Occasional
			December	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Brief (2 to 7 days)	Occasional

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CcA—Caneadea silt loam, 0 to 2 percent slopes										
Caneadea	D	Very high	January	0.5-1.5	3.3-5.0	—	—	None	—	None
			February	0.5-1.5	3.3-5.0	—	—	None	—	None
			March	0.5-1.5	3.3-5.0	—	—	None	—	None
			April	0.5-1.5	3.3-5.0	—	—	None	—	None
			May	0.5-1.5	3.3-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.5-1.5	3.3-5.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CcB—Caneadea silt loam, 2 to 6 percent slopes										
Caneadea	D	Very high	January	0.5-1.5	3.3-5.0	—	—	None	—	None
			February	0.5-1.5	3.3-5.0	—	—	None	—	None
			March	0.5-1.5	3.3-5.0	—	—	None	—	None
			April	0.5-1.5	3.3-5.0	—	—	None	—	None
			May	0.5-1.5	3.3-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.5-1.5	3.3-5.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CdA—Canfield silt loam, 0 to 2 percent slopes										
Canfield	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CdB--Canfield silt loam, 2 to 6 percent slopes										
Canfield	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CdB2--Canfield silt loam, 2 to 6 percent slopes, eroded										
Canfield, eroded	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CdC2—Canfield silt loam, 6 to 12 percent slopes, eroded										
Canfield, eroded	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CeC—Canfield-Urban land complex, 6 to 12 percent slopes										
Canfield	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.8-1.7	1.2-2.5	—	—	None	—	None
Urban land	—	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CfB—Cardington fine sandy loam, 2 to 6 percent slopes										
Cardington	C	Very high	January	1.5-3.0	2.3-3.3	—	—	None	—	None
			February	1.5-3.0	2.3-3.3	—	—	None	—	None
			March	1.5-3.0	2.3-3.3	—	—	None	—	None
			April	1.5-3.0	2.3-3.3	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.3-3.3	—	—	None	—	None
			December	1.5-3.0	2.3-3.3	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CgB—Cardington silt loam, 2 to 6 percent slopes										
Cardington	C	Very high	January	1.5-3.0	2.3-3.3	—	—	None	—	None
			February	1.5-3.0	2.3-3.3	—	—	None	—	None
			March	1.5-3.0	2.3-3.3	—	—	None	—	None
			April	1.5-3.0	2.3-3.3	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.3-3.3	—	—	None	—	None
			December	1.5-3.0	2.3-3.3	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CgB2—Cardington silt loam, 2 to 6 percent slopes, eroded										
Cardington	C	Medium	January	2.0-3.5	2.3-3.7	—	—	None	—	None
			February	2.0-3.5	2.3-3.7	—	—	None	—	None
			March	2.0-3.5	2.3-3.7	—	—	None	—	None
			April	2.0-3.5	2.3-3.7	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	2.3-3.7	—	—	None	—	None
			December	2.0-3.5	2.3-3.7	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CgC2—Cardington silt loam, 6 to 12 percent slopes, moderately eroded										
Cardington	C	Very high	January	1.5-3.0	2.3-3.3	—	—	None	—	None
			February	1.5-3.0	2.3-3.3	—	—	None	—	None
			March	1.5-3.0	2.3-3.3	—	—	None	—	None
			April	1.5-3.0	2.3-3.3	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.3-3.3	—	—	None	—	None
			December	1.5-3.0	2.3-3.3	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CgE2—Cardington silt loam, 12 to 25 percent slopes, moderately eroded										
Cardington	C	Very high	January	1.5-3.0	2.3-3.3	—	—	None	—	None
			February	1.5-3.0	2.3-3.3	—	—	None	—	None
			March	1.5-3.0	2.3-3.3	—	—	None	—	None
			April	1.5-3.0	2.3-3.3	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.3-3.3	—	—	None	—	None
			December	1.5-3.0	2.3-3.3	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ch--Carlisle muck										
Carlisle	A/D	Negligible	January	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			July	—	—	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			August	—	—	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			September	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			October	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			November	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			December	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Cm--Chagrin silt loam										
Chagrin			February	3.0-5.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Rare
			March	3.0-5.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Rare
			April	—	—	—	—	None	Very brief (4 to 48 hours)	Rare
CnA--Chili loam, 0 to 2 percent slopes										
Chili	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CnB—Chili loam, 2 to 6 percent slopes										
Chili	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CnC—Chili loam, 6 to 12 percent slopes										
Chili	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoC2—Chili gravelly loam, 6 to 12 percent slopes, moderately eroded										
Chili	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoE2—Chili gravelly loam, 12 to 25 percent slopes, moderately eroded										
Chili	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoF2—Chili gravelly loam, 25 to 70 percent slopes, moderately eroded										
Chili	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CpA—Chili silt loam, 0 to 2 percent slopes										
Chili	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CpB—Chili silt loam, 2 to 6 percent slopes										
Chili	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CpC—Chili silt loam, 6 to 12 percent slopes										
Chili	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CqD—Chili gravelly loam, 12 to 18 percent slopes										
Chili	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Cr—Chagrin silt loam, occasionally flooded										
Chagrin	B	—	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CuB—Chili-Urban land complex, undulating										
Chili	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Cy—Condit silt loam, 0 to 1 percent slopes										
Condit	C/D	Negligible	January	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—
			February	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—
			March	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—
			April	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—
			May	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—
			November	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—
			December	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Cz—Condit silty clay loam										
Condit	C/D	—	January	0.0-1.0	3.5-5.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			February	0.0-1.0	3.5-5.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			March	0.0-1.0	3.5-5.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			April	0.0-1.0	3.5-5.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			May	0.0-1.0	3.5-5.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			June	0.0-1.0	3.5-5.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			July	0.0-1.0	3.5-5.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0-1.0	3.5-5.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			December	0.0-1.0	3.5-5.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DeD--Dekalb sandy loam, 12 to 18 percent slopes										
Dekalb	A	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DkF--Dekalb-Loudonville complex, 25 to 70 percent slopes										
Dekalb	A	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Loudonville	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EIB--Ellsworth silt loam, 2 to 6 percent slopes										
Ellsworth	D	—	January	0.9-2.0	5.0-6.6	—	—	None	—	None
			February	0.9-2.0	5.0-6.6	—	—	None	—	None
			March	0.9-2.0	5.0-6.6	—	—	None	—	None
			April	0.9-2.0	2.3-3.8	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.9-2.0	2.3-3.8	—	—	None	—	None
			December	0.9-2.0	5.0-6.6	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EIB2--Ellsworth silt loam, 2 to 6 percent slopes, eroded										
Ellsworth, eroded	D	—	January	0.9-2.0	5.0-6.6	—	—	None	—	None
			February	0.9-2.0	5.0-6.6	—	—	None	—	None
			March	0.9-2.0	5.0-6.6	—	—	None	—	None
			April	0.9-2.0	2.3-3.8	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.9-2.0	2.3-3.8	—	—	None	—	None
			December	0.9-2.0	5.0-6.6	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EIC—Ellsworth silt loam, 6 to 12 percent slopes										
Ellsworth	D	—	January	0.9-2.0	5.0-6.6	—	—	None	—	None
			February	0.9-2.0	5.0-6.6	—	—	None	—	None
			March	0.9-2.0	5.0-6.6	—	—	None	—	None
			April	0.9-2.0	2.3-3.8	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.9-2.0	2.3-3.8	—	—	None	—	None
			December	0.9-2.0	5.0-6.6	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EIC2—Ellsworth silt loam, 6 to 12 percent slopes, eroded										
Ellsworth, eroded	D	—	January	0.9-2.0	5.0-6.6	—	—	None	—	None
			February	0.9-2.0	5.0-6.6	—	—	None	—	None
			March	0.9-2.0	5.0-6.6	—	—	None	—	None
			April	0.9-2.0	2.3-3.8	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.9-2.0	2.3-3.8	—	—	None	—	None
			December	0.9-2.0	5.0-6.6	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EIE2—Ellsworth silt loam, 12 to 25 percent slopes, eroded										
Ellsworth, eroded	D	—	January	0.9-2.0	5.0-6.6	—	—	None	—	None
			February	0.9-2.0	5.0-6.6	—	—	None	—	None
			March	0.9-2.0	5.0-6.6	—	—	None	—	None
			April	0.9-2.0	2.3-3.8	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.9-2.0	2.3-3.8	—	—	None	—	None
			December	0.9-2.0	5.0-6.6	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EIF--Ellsworth silt loam, 25 to 70 percent slopes										
Ellsworth	D	—	January	0.9-2.0	5.0-6.6	—	—	None	—	None
			February	0.9-2.0	5.0-6.6	—	—	None	—	None
			March	0.9-2.0	5.0-6.6	—	—	None	—	None
			April	1.7-3.0	2.3-3.8	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.9-2.0	2.3-3.8	—	—	None	—	None
			December	0.9-2.0	5.0-6.6	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EIF2—Ellsworth silt loam, 18 to 50 percent slopes, eroded										
Ellsworth, eroded	D	—	January	0.9-2.0	5.0-6.6	—	—	None	—	None
			February	0.9-2.0	5.0-6.6	—	—	None	—	None
			March	0.9-2.0	5.0-6.6	—	—	None	—	None
			April	0.9-2.0	2.3-3.8	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.9-2.0	2.3-3.8	—	—	None	—	None
			December	0.9-2.0	5.0-6.6	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EsB—Ellsworth silt loam, sandstone substratum, 2 to 6 percent slopes										
Ellsworth, sandstone substratum	D	—	January	0.9-2.0	3.3-5.0	—	—	None	—	None
			February	0.9-2.0	3.3-5.0	—	—	None	—	None
			March	0.9-2.0	3.3-5.0	—	—	None	—	None
			April	0.9-2.0	2.3-3.8	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.9-2.0	2.3-3.8	—	—	None	—	None
			December	0.9-2.0	3.3-5.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EsC2—Ellsworth silt loam, sandstone substratum, 6 to 12 percent slopes, eroded										
Ellsworth, sandstone substratum, eroded	D	—	January	0.9-2.0	3.3-5.0	—	—	None	—	None
			February	0.9-2.0	3.3-5.0	—	—	None	—	None
			March	0.9-2.0	3.3-5.0	—	—	None	—	None
			April	0.9-2.0	2.3-3.8	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.9-2.0	2.3-3.8	—	—	None	—	None
			December	0.9-2.0	3.3-5.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EuB--Ellsworth-Urban land complex, 2 to 6 percent slopes										
Ellsworth	D	—	January	0.9-2.0	5.0-6.6	—	—	None	—	None
			February	0.9-2.0	5.0-6.6	—	—	None	—	None
			March	0.9-2.0	5.0-6.6	—	—	None	—	None
			April	0.9-2.0	2.3-3.8	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.9-2.0	2.3-3.8	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.9-2.0	5.0-6.6	—	—	None	—	None
Urban land	—	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EvA—Euclid silt loam, occasionally flooded										
Euclid	C/D	Medium	January	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			February	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			March	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			April	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			May	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			June	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			November	1.0-2.5	>6.0	—	—	None	—	—
			December	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ExC—Ellsworth-Urban land complex, 6 to 18 percent slopes										
Ellsworth	D	—	January	0.9-2.0	5.0-6.6	—	—	None	—	None
			February	0.9-2.0	5.0-6.6	—	—	None	—	None
			March	0.9-2.0	5.0-6.6	—	—	None	—	None
			April	0.9-2.0	2.3-3.8	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.9-2.0	2.3-3.8	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.9-2.0	5.0-6.6	—	—	None	—	None
Urban land	—	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FcA—Fitchville silt loam, 0 to 2 percent slopes										
Fitchville	C/D	Medium	January	0.5-1.5	2.5-5.0	0.0-0.5	Very brief (4 to 48 hours)	Rare	—	None
			February	0.5-1.5	2.5-5.0	0.0-0.5	Very brief (4 to 48 hours)	Rare	—	None
			March	0.5-1.5	2.5-5.0	0.0-0.5	Very brief (4 to 48 hours)	Rare	—	None
			April	0.5-1.5	2.5-5.0	—	—	—	—	None
			May	0.5-1.5	2.5-5.0	—	—	—	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.5-1.5	2.5-5.0	—	—	—	—	None
			December	0.5-1.5	2.5-5.0	—	—	—	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FcB—Fitchville silt loam, 2 to 6 percent slopes										
Fitchville	C/D	Medium	January	0.5-1.5	2.5-5.0	—	—	None	—	None
			February	0.5-1.5	2.5-5.0	—	—	None	—	None
			March	0.5-1.5	2.5-5.0	—	—	None	—	None
			April	0.5-1.5	2.5-5.0	—	—	None	—	None
			May	0.5-1.5	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.5	2.5-5.0	—	—	None	—	None
			December	0.5-1.5	2.5-5.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FIA—Fitchville silt loam, low terrace, 0 to 2 percent slopes										
Fitchville	C/D	Medium	January	0.5-1.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			February	0.5-1.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			March	0.5-1.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			April	0.5-1.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			May	0.5-1.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			June	0.5-1.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			November	0.5-1.5	>6.0	—	—	None	—	—
			December	0.5-1.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GbB—Geeburg silt loam, 2 to 6 percent slopes										
Geeburg	D	—	January	1.5-2.5	>6.0	—	—	None	—	None
			February	1.5-2.5	>6.0	—	—	None	—	None
			March	1.5-2.5	>6.0	—	—	None	—	None
			April	1.5-2.5	>6.0	—	—	None	—	None
			May	1.5-2.5	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-2.5	>6.0	—	—	None	—	None
			December	1.5-2.5	>6.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GbC—Geeburg silt loam, 6 to 18 percent slopes										
Geeburg	D	Very high	January	1.5-3.0	1.8-3.2	—	—	None	—	None
			February	1.5-3.0	1.8-3.2	—	—	None	—	None
			March	1.5-3.0	1.8-3.2	—	—	None	—	None
			April	1.5-3.0	1.8-3.2	—	—	None	—	None
			May	1.5-3.0	1.8-3.2	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	1.8-3.2	—	—	None	—	None
			December	1.5-3.0	1.8-3.2	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GbD2—Geeburg silt loam, 12 to 18 percent slopes, moderately eroded										
Geeburg	D	—	January	1.5-2.5	>6.0	—	—	None	—	None
			February	1.5-2.5	>6.0	—	—	None	—	None
			March	1.5-2.5	>6.0	—	—	None	—	None
			April	1.5-2.5	>6.0	—	—	None	—	None
			May	1.5-2.5	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-2.5	>6.0	—	—	None	—	None
			December	1.5-2.5	>6.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GfA—Glenford silt loam, 0 to 2 percent slopes										
Glenford	C	Medium	January	1.5-3.0	2.5-5.0	—	—	None	—	None
			February	1.5-3.0	2.5-5.0	—	—	None	—	None
			March	1.5-3.0	2.5-5.0	—	—	None	—	None
			April	1.5-3.0	2.5-5.0	—	—	None	—	None
			May	1.5-3.0	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.5-5.0	—	—	None	—	None
			December	1.5-3.0	2.5-5.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GfB—Glenford silt loam, 2 to 6 percent slopes										
Glenford	C	Medium	January	1.5-3.0	2.5-5.0	—	—	None	—	None
			February	1.5-3.0	2.5-5.0	—	—	None	—	None
			March	1.5-3.0	2.5-5.0	—	—	None	—	None
			April	1.5-3.0	2.5-5.0	—	—	None	—	None
			May	1.5-3.0	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.5-5.0	—	—	None	—	None
			December	1.5-3.0	2.5-5.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GfC—Glenford silt loam, 6 to 12 percent slopes										
Glenford	C	—	January	2.0-3.0	3.0-4.5	—	—	None	—	None
			February	2.0-3.0	3.0-4.5	—	—	None	—	None
			March	2.0-3.0	3.0-4.5	—	—	None	—	None
			April	2.0-3.0	3.0-4.5	—	—	None	—	None
			May	2.0-3.0	3.0-4.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.0	3.0-4.5	—	—	None	—	None
			December	2.0-3.0	3.0-4.5	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GfC2—Glenford silt loam, 6 to 12 percent slopes, moderately eroded										
Glenford	C	High	January	1.5-3.0	2.5-5.0	—	—	None	—	None
			February	1.5-3.0	2.5-5.0	—	—	None	—	None
			March	1.5-3.0	2.5-5.0	—	—	None	—	None
			April	1.5-3.0	2.5-5.0	—	—	None	—	None
			May	1.5-3.0	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.5-5.0	—	—	None	—	None
			December	1.5-3.0	2.5-5.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HsA—Haskins loam, 0 to 2 percent slopes										
Haskins	D	Very high	January	0.5-1.5	2.0-3.3	—	—	None	—	None
			February	0.5-1.5	2.0-3.3	—	—	None	—	None
			March	0.5-1.5	2.0-3.3	—	—	None	—	None
			April	0.5-1.5	2.0-3.3	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HsB—Haskins loam, 2 to 6 percent slopes										
Haskins	D	Very high	January	0.5-1.5	2.0-3.3	—	—	None	—	None
			February	0.5-1.5	2.0-3.3	—	—	None	—	None
			March	0.5-1.5	2.0-3.3	—	—	None	—	None
			April	0.5-1.5	2.0-3.3	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Hy--Holly silt loam										
Holly	B/D	Low	January	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	0.0-0.5	>6.0	—	—	None	—	—
			November	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HzB--Hornell silt loam, 2 to 6 percent slopes										
Hornell	D	Very high	January	1.5-3.0	1.7-3.3	—	—	None	—	None
			February	1.5-3.0	1.7-3.3	—	—	None	—	None
			March	1.5-3.0	1.7-3.3	—	—	None	—	None
			April	1.5-3.0	1.7-3.3	—	—	None	—	None
			May	1.5-3.0	1.7-3.3	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	1.7-3.3	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JsA—Jimtown silt loam, 0 to 2 percent slopes										
Jimtown	B/D	Low	January	0.5-1.5	3.0-5.0	—	—	None	—	None
			February	0.5-1.5	3.0-5.0	—	—	None	—	None
			March	0.5-1.5	3.0-5.0	—	—	None	—	None
			April	0.5-1.5	3.0-5.0	—	—	None	—	None
			May	0.5-1.5	3.0-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.5-1.5	3.0-5.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JtA—Jimtown loam, 0 to 2 percent slopes										
Jimtown	B/D	Low	January	0.5-1.5	>6.0	—	—	None	—	None
			February	0.5-1.5	>6.0	—	—	None	—	None
			March	0.5-1.5	>6.0	—	—	None	—	None
			April	0.5-1.5	>6.0	—	—	None	—	None
			May	0.5-1.5	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.5-1.5	>6.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JtB—Jimtown loam, 2 to 6 percent slopes										
Jimtown	B/D	Low	January	0.5-1.5	>6.0	—	—	None	—	None
			February	0.5-1.5	>6.0	—	—	None	—	None
			March	0.5-1.5	>6.0	—	—	None	—	None
			April	0.5-1.5	>6.0	—	—	None	—	None
			May	0.5-1.5	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.5-1.5	>6.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ju—Jimtown-Urban land complex										
Jimtown	B/D	Low	January	0.5-1.5	>6.0	—	—	None	—	None
			February	0.5-1.5	>6.0	—	—	None	—	None
			March	0.5-1.5	>6.0	—	—	None	—	None
			April	0.5-1.5	>6.0	—	—	None	—	None
			May	0.5-1.5	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.5-1.5	>6.0	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ld--Linwood muck										
Linwood	C/D	Low	January	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			July	—	—	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			August	—	—	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			September	—	—	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			October	—	—	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			November	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			December	0.0-0.5	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Le--Lobdell silt loam										
Lobdell	C	Low	January	1.5-3.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Rare
			February	1.5-3.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Rare
			March	1.5-3.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Rare
			April	1.5-3.0	>6.0	—	—	None	—	—
			December	1.5-3.0	>6.0	—	—	None	—	—

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ln--Lorain silty clay loam										
Lorain	C/D	Medium	January	0.0-0.5	2.5-4.6	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			February	0.0-0.5	2.5-4.6	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			March	0.0-0.5	2.5-4.6	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			April	0.0-0.5	2.5-4.6	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			May	—	—	—	—	—	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			December	—	—	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LoB--Loudonville silt loam, 2 to 6 percent slopes										
Loudonville	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LoC—Loudonville silt loam, 6 to 12 percent slopes										
Loudonville	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LoC2—Loudonville silt loam, 6 to 12 percent slopes, moderately eroded										
Loudonville	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LoE2--Loudonville silt loam, 12 to 25 percent slopes, moderately eroded										
Loudonville	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LrD—Loudonville silt loam, 12 to 18 percent slopes										
Loudonville	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ly—Luray silt loam										
Luray	C/D	Medium	January	0.0-0.5	>6.0	—	—	None	—	None
			February	0.0-0.5	>6.0	—	—	None	—	None
			March	0.0-0.5	>6.0	—	—	None	—	None
			April	0.0-0.5	>6.0	—	—	None	—	None
			May	0.0-0.5	>6.0	—	—	None	—	None
			June	0.0-0.5	>6.0	—	—	None	—	None
			July	0.0-0.5	>6.0	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.0-0.5	>6.0	—	—	None	—	None
			December	0.0-0.5	>6.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MgA—Mahoning silt loam, 0 to 2 percent slopes										
Mahoning	D	—	January	0.5-1.0	5.0-6.6	—	—	None	—	None
			February	0.5-1.0	5.0-6.6	—	—	None	—	None
			March	0.5-1.0	5.0-6.6	—	—	None	—	None
			April	0.5-1.0	2.3-3.7	—	—	None	—	None
			May	0.5-1.0	2.3-3.7	—	—	None	—	None
			June	1.2-3.1	2.3-3.7	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	1.2-3.1	2.3-3.7	—	—	None	—	None
			November	0.5-1.0	2.3-3.7	—	—	None	—	None
			December	0.5-1.0	5.0-6.6	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MgB--Mahoning silt loam, 2 to 6 percent slopes										
Mahoning	D	—	January	0.5-1.0	5.0-6.6	—	—	None	—	None
			February	0.5-1.0	5.0-6.6	—	—	None	—	None
			March	0.5-1.0	5.0-6.6	—	—	None	—	None
			April	0.5-1.0	2.3-3.7	—	—	None	—	None
			May	0.5-1.0	2.3-3.7	—	—	None	—	None
			June	1.2-3.1	2.3-3.7	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	1.2-3.1	2.3-3.7	—	—	None	—	None
			November	0.5-1.0	2.3-3.7	—	—	None	—	None
			December	0.5-1.0	5.0-6.6	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MgB2—Mahoning silt loam, 2 to 6 percent slopes, eroded										
Mahoning, eroded	D	—	January	0.5-1.0	5.0-6.6	—	—	None	—	None
			February	0.5-1.0	5.0-6.6	—	—	None	—	None
			March	0.5-1.0	5.0-6.6	—	—	None	—	None
			April	0.5-1.0	2.3-3.7	—	—	None	—	None
			May	0.5-1.0	2.3-3.7	—	—	None	—	None
			June	1.2-3.1	2.3-3.7	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	1.2-3.1	2.3-3.7	—	—	None	—	None
			November	0.5-1.0	2.3-3.7	—	—	None	—	None
			December	0.5-1.0	5.0-6.6	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MIA—Mahoning silt loam, sandstone substratum, 0 to 2 percent slopes										
Mahoning, sandstone substratum	D	—	January	0.5-1.0	3.3-5.0	—	—	None	—	None
			February	0.5-1.0	3.3-5.0	—	—	None	—	None
			March	0.5-1.0	3.3-5.0	—	—	None	—	None
			April	0.5-1.0	2.3-3.7	—	—	None	—	None
			May	0.5-1.0	2.3-3.7	—	—	None	—	None
			June	1.2-3.1	2.3-3.7	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	1.2-3.1	2.3-3.7	—	—	None	—	None
			November	0.5-1.0	2.3-3.7	—	—	None	—	None
			December	0.5-1.0	3.3-5.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MIB—Mahoning silt loam, sandstone substratum, 2 to 6 percent slopes										
Mahoning, sandstone substratum	D	—	January	0.5-1.0	3.3-5.0	—	—	None	—	None
			February	0.5-1.0	3.3-5.0	—	—	None	—	None
			March	0.5-1.0	3.3-5.0	—	—	None	—	None
			April	0.5-1.0	2.3-3.7	—	—	None	—	None
			May	0.5-1.0	2.3-3.7	—	—	None	—	None
			June	1.2-3.1	2.3-3.7	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	1.2-3.1	2.3-3.7	—	—	None	—	None
			November	0.5-1.0	2.3-3.7	—	—	None	—	None
			December	0.5-1.0	3.3-5.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MmA--Mahoning-Tiro silt loams, 0 to 2 percent slopes										
Mahoning	D	—	January	0.5-1.0	5.0-6.6	—	—	None	—	None
			February	0.5-1.0	5.0-6.6	—	—	None	—	None
			March	0.5-1.0	5.0-6.6	—	—	None	—	None
			April	0.5-1.0	2.3-3.7	—	—	None	—	None
			May	0.5-1.0	2.3-3.7	—	—	None	—	None
			June	1.2-3.1	2.3-3.7	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	1.2-3.1	2.3-3.7	—	—	None	—	None
			November	0.5-1.0	2.3-3.7	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.5-1.0	5.0-6.6	—	—	None	—	None
Tiro	C/D	—	January	0.5-1.5	2.5-4.6	—	—	None	—	None
			February	0.5-1.5	2.5-4.6	—	—	None	—	None
			March	0.5-1.5	2.5-4.6	—	—	None	—	None
			April	0.5-1.5	2.5-4.6	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MnA—Mahoning-Urban land complex, 0 to 2 percent slopes										
Mahoning	D	—	January	0.5-1.0	5.0-6.6	—	—	None	—	None
			February	0.5-1.0	5.0-6.6	—	—	None	—	None
			March	0.5-1.0	5.0-6.6	—	—	None	—	None
			April	0.5-1.0	2.3-3.7	—	—	None	—	None
			May	0.5-1.0	2.3-3.7	—	—	None	—	None
			June	1.2-3.1	2.3-3.7	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	1.2-3.1	2.3-3.7	—	—	None	—	None
			November	0.5-1.0	2.3-3.7	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.5-1.0	5.0-6.6	—	—	None	—	None
Urban land	—	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MoB—Mentor silt loam, 2 to 6 percent slopes										
Mentor	C	Low	January	—	—	—	—	None	—	None
			February	3.0	>6.0	—	—	None	—	None
			March	3.0	>6.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
MpB--Mahoning-Urban land complex, 2 to 6 percent slopes										
Mahoning	D	—	January	0.5-1.0	5.0-6.6	—	—	None	—	None
			February	0.5-1.0	5.0-6.6	—	—	None	—	None
			March	0.5-1.0	5.0-6.6	—	—	None	—	None
			April	0.5-1.0	2.3-3.7	—	—	None	—	None
			May	0.5-1.0	2.3-3.7	—	—	None	—	None
			June	1.2-3.1	2.3-3.7	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	1.2-3.1	2.3-3.7	—	—	None	—	None
			November	0.5-1.0	2.3-3.7	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.5-1.0	5.0-6.6	—	—	None	—	None
Urban land	—	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Mr--Miner silty clay loam, 0 to 2 percent slopes										
Miner	C/D	—	January	0.0-0.5	5.0-6.6	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			February	0.0-0.5	5.0-6.6	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			March	0.0-0.5	5.0-6.6	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			April	0.0-0.5	2.5-5.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			May	0.0-0.5	2.5-5.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			June	1.0-1.9	2.5-5.0	0.0-0.5	Very brief (4 to 48 hours)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	1.0-1.9	2.5-5.0	0.0-0.5	Very brief (4 to 48 hours)	Frequent	—	None
			October	0.0-0.5	2.5-5.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			November	0.0-0.5	2.5-5.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			December	0.0-0.5	5.0-6.6	0.0-1.0	Long (7 to 30 days)	Frequent	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Od—Olmsted loam										
Olmsted	B/D	Negligible	January	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			May	0.0-0.5	>6.0	—	—	—	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			December	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Or--Orrville silt loam										
Orrville	B/D	Negligible	January	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	0.5-1.5	>6.0	—	—	None	—	—
			November	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	0.5-1.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
Os--Orrville silt loam, bedrock substratum										
Orrville	B/D	High	January	0.5-1.5	3.3-5.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	0.5-1.5	3.3-5.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	0.5-1.5	3.3-5.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	0.5-1.5	3.3-5.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	0.5-1.5	3.3-5.0	—	—	None	—	—
			November	0.5-1.5	3.3-5.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	0.5-1.5	3.3-5.0	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OtB—Oshtemo sandy loam, 2 to 6 percent slopes										
Oshtemo	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ou—Orrville silt loam, frequently flooded										
Orrville	B/D	—	January	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	1.0-2.5	>6.0	—	—	None	—	—
			November	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
Pg—Pits, gravel										
Gravel pit	—	—	Jan-Dec	—	—	—	—	—	—	—
Pq—Pits, quarry										
Quarries	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ReA—Ravenna silt loam, 0 to 2 percent slopes										
Ravenna	C/D	Very high	January	0.5-1.5	2.2-2.7	0.0-0.5	Very brief (4 to 48 hours)	Rare	—	None
			February	0.5-1.5	2.2-2.7	0.0-0.5	Very brief (4 to 48 hours)	Rare	—	None
			March	0.5-1.5	2.2-2.7	0.0-0.5	Very brief (4 to 48 hours)	Rare	—	None
			April	0.5-1.5	2.2-2.7	—	—	—	—	None
			May	0.5-1.5	2.2-2.7	—	—	—	—	None
			June	0.5-1.5	2.2-2.7	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.5-1.5	2.2-2.7	—	—	—	—	None
			December	0.5-1.5	2.2-2.7	—	—	—	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ReB--Ravenna silt loam, 2 to 6 percent slopes										
Ravenna	C/D	Very high	January	0.5-1.5	2.2-2.7	—	—	None	—	None
			February	0.5-1.5	2.2-2.7	—	—	None	—	None
			March	0.5-1.5	2.2-2.7	—	—	None	—	None
			April	0.5-1.5	2.2-2.7	—	—	None	—	None
			May	0.5-1.5	2.2-2.7	—	—	None	—	None
			June	0.5-1.5	2.2-2.7	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.5	2.2-2.7	—	—	None	—	None
			December	0.5-1.5	2.2-2.7	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RnA—Ravenna-Urban land complex, nearly level										
Ravenna	C/D	Very high	January	0.5-1.5	2.2-2.7	—	—	None	—	None
			February	0.5-1.5	2.2-2.7	—	—	None	—	None
			March	0.5-1.5	2.2-2.7	—	—	None	—	None
			April	0.5-1.5	2.2-2.7	—	—	None	—	None
			May	0.5-1.5	2.2-2.7	—	—	None	—	None
			June	0.5-1.5	2.2-2.7	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.5	2.2-2.7	—	—	None	—	None
			December	0.5-1.5	2.2-2.7	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RoB—Rawson loam, 2 to 6 percent slopes										
Rawson	C	Very high	January	1.5-3.0	2.2-3.3	—	—	None	—	None
			February	1.5-3.0	2.2-3.3	—	—	None	—	None
			March	1.5-3.0	2.2-3.3	—	—	None	—	None
			April	1.5-3.0	2.2-3.3	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RoC2—Rawson loam, 6 to 12 percent slopes, moderately eroded										
Rawson	C	High	January	1.5-2.5	2.0-3.3	—	—	None	—	None
			February	1.5-2.5	2.0-3.3	—	—	None	—	None
			March	1.5-2.5	2.0-3.3	—	—	None	—	None
			April	1.5-2.5	2.0-3.3	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsB—Rittman silt loam, 2 to 6 percent slopes										
Rittman	C	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	1.5-3.0	2.0-4.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.0-4.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsB2—Rittman silt loam, 2 to 6 percent slopes, moderately eroded										
Rittman	C	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	1.5-3.0	2.0-4.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.0-4.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsC—Rittman silt loam, 6 to 12 percent slopes										
Rittman	C	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	1.5-3.0	2.0-4.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.0-4.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsC2--Rittman silt loam, 6 to 12 percent slopes, moderately eroded										
Rittman	C	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	1.5-3.0	2.0-4.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.0-4.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsE2—Rittman silt loam, 12 to 25 percent slopes, moderately eroded										
Rittman	C	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	1.5-3.0	2.0-4.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.0-4.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsF—Rittman silt loam, 25 to 70 percent slopes										
Rittman	C	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	1.5-3.0	2.0-4.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.0-4.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RtD2--Rittman silt loam, 12 to 18 percent slopes, moderately eroded										
Rittman	D	—	January	1.0-2.0	1.5-3.0	—	—	None	—	None
			February	1.0-2.0	1.5-3.0	—	—	None	—	None
			March	1.0-2.0	1.5-3.0	—	—	None	—	None
			April	1.0-2.0	1.5-3.0	—	—	None	—	None
			May	1.0-2.0	1.5-3.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.0	1.5-3.0	—	—	None	—	None
			December	1.0-2.0	1.5-3.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ScF—Schaffenaker loamy sand, 25 to 70 percent slopes										
Schaffenaker	A	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Sg--Sebring silt loam										
Sebring	C/D	Negligible	January	0.0-0.5	>6.0	—	—	None	—	None
			February	0.0-0.5	>6.0	—	—	None	—	None
			March	0.0-0.5	>6.0	—	—	None	—	None
			April	0.0-0.5	>6.0	—	—	None	—	None
			May	0.0-0.5	>6.0	—	—	None	—	None
			June	0.0-0.5	>6.0	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.0-0.5	>6.0	—	—	None	—	None
			December	0.0-0.5	>6.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
St--Sebring silt loam, till substratum										
Sebring	C/D	Negligible	January	0.0-0.5	2.5-4.2	—	—	None	—	None
			February	0.0-0.5	2.5-4.2	—	—	None	—	None
			March	0.0-0.5	2.5-4.2	—	—	None	—	None
			April	0.0-0.5	2.5-4.2	—	—	None	—	None
			May	0.0-0.5	2.5-4.2	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.0-0.5	2.5-4.2	—	—	None	—	None
			December	0.0-0.5	2.5-4.2	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Su--Shoals silt loam										
Shoals	C	Low	January	1.0-3.0	>6.0	—	—	None	—	None
			February	1.0-3.0	>6.0	—	—	None	—	None
			March	1.0-3.0	>6.0	—	—	None	—	None
			April	1.0-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Tg—Tioga loam										
Tioga	B	—	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TrA--Trumbull silt loam, 0 to 2 percent slopes										
Trumbull	C/D	—	January	0.0-0.5	5.0-6.6	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			February	0.0-0.5	5.0-6.6	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			March	0.0-0.5	5.0-6.6	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			April	0.0-0.5	3.3-5.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			May	0.0-0.5	3.3-5.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			June	0.5-1.7	3.3-5.0	0.0-0.3	Very brief (4 to 48 hours)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	0.5-1.7	3.3-5.0	0.0-0.3	Very brief (4 to 48 hours)	Frequent	—	None
			November	0.0-0.5	3.3-5.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			December	0.0-0.5	5.0-6.6	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TsA--Trumbull silty clay loam, 0 to 2 percent slopes										
Trumbull	C/D	—	January	0.0-0.5	5.0-6.6	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			February	0.0-0.5	5.0-6.6	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			March	0.0-0.5	5.0-6.6	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			April	0.0-0.5	3.3-5.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			May	0.0-0.5	3.3-5.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			June	0.5-1.7	3.3-5.0	0.0-0.3	Very brief (4 to 48 hours)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	0.5-1.7	3.3-5.0	0.0-0.3	Very brief (4 to 48 hours)	Frequent	—	None
			November	0.0-0.5	3.3-5.0	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None
			December	0.0-0.5	5.0-6.6	0.0-0.5	Brief (2 to 7 days)	Frequent	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ud—Udorthents, loamy										
Udorthents	—	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
W—Water										
Water	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WaA--Wadsworth silt loam, 0 to 2 percent slopes										
Wadsworth	D	Very high	January	0.5-1.5	1.7-2.3	—	—	None	—	None
			February	0.5-1.5	1.7-2.3	—	—	None	—	None
			March	0.5-1.5	1.7-2.3	—	—	None	—	None
			April	0.5-1.5	1.7-2.3	—	—	None	—	None
			May	0.5-1.5	1.7-2.3	—	—	None	—	None
			June	0.5-1.5	1.7-2.3	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.5	1.7-2.3	—	—	None	—	None
			December	0.5-1.5	1.7-2.3	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WaB--Wadsworth silt loam, 2 to 6 percent slopes										
Wadsworth	D	Very high	January	0.5-1.5	1.7-2.3	—	—	None	—	None
			February	0.5-1.5	1.7-2.3	—	—	None	—	None
			March	0.5-1.5	1.7-2.3	—	—	None	—	None
			April	0.5-1.5	1.7-2.3	—	—	None	—	None
			May	0.5-1.5	1.7-2.3	—	—	None	—	None
			June	0.5-1.5	1.7-2.3	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.5	1.7-2.3	—	—	None	—	None
			December	0.5-1.5	1.7-2.3	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WbB--Wadsworth-Urban land complex, undulating										
Wadsworth	D	Very high	January	0.5-1.5	1.7-2.3	—	—	None	—	None
			February	0.5-1.5	1.7-2.3	—	—	None	—	None
			March	0.5-1.5	1.7-2.3	—	—	None	—	None
			April	0.5-1.5	1.7-2.3	—	—	None	—	None
			May	0.5-1.5	1.7-2.3	—	—	None	—	None
			June	0.5-1.5	1.7-2.3	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.5	1.7-2.3	—	—	None	—	None
			December	0.5-1.5	1.7-2.3	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Wc--Walkkill silt loam										
Walkkill	C/D	Negligible	January	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.0-0.5	>6.0	—	—	None	—	—
			June	0.0-0.5	>6.0	—	—	None	—	—
			September	0.0-0.5	>6.0	—	—	None	—	—
			October	0.0-0.5	>6.0	—	—	None	—	—
			November	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WhB—Wheeling silt loam, 2 to 6 percent slopes										
Wheeling	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Wt--Willette muck										
Willette	C/D	Negligible	January	0.0-0.5	>6.0	—	—	None	—	None
			February	0.0-0.5	>6.0	—	—	None	—	None
			March	0.0-0.5	>6.0	—	—	None	—	None
			April	0.0-0.5	>6.0	—	—	None	—	None
			May	0.0-0.5	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.0-0.5	>6.0	—	—	None	—	None
			December	0.0-0.5	>6.0	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WuB--Wooster silt loam, 2 to 6 percent slopes										
Wooster	C	High	January	—	—	—	—	None	—	None
			February	3.0-4.0	3.5-4.5	—	—	None	—	None
			March	3.0-4.0	3.5-4.5	—	—	None	—	None
			April	3.0-4.0	3.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WuB2--Wooster silt loam, 2 to 6 percent slopes, moderately eroded										
Wooster	C	High	January	—	—	—	—	None	—	None
			February	3.0-4.0	3.5-4.5	—	—	None	—	None
			March	3.0-4.0	3.5-4.5	—	—	None	—	None
			April	3.0-4.0	3.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WuC2--Wooster silt loam, 6 to 12 percent slopes, moderately eroded										
Wooster	C	Very high	January	—	—	—	—	None	—	None
			February	3.0-4.0	3.5-4.5	—	—	None	—	None
			March	3.0-4.0	3.5-4.5	—	—	None	—	None
			April	3.0-4.0	3.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WuE2--Wooster silt loam, 12 to 25 percent slopes, moderately eroded										
Wooster	C	Very high	January	—	—	—	—	None	—	None
			February	3.0-4.0	3.5-4.5	—	—	None	—	None
			March	3.0-4.0	3.5-4.5	—	—	None	—	None
			April	3.0-4.0	3.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WuF--Wooster silt loam, 25 to 70 percent slopes										
Wooster	C	Very high	January	—	—	—	—	None	—	None
			February	3.0-4.0	3.5-4.5	—	—	None	—	None
			March	3.0-4.0	3.5-4.5	—	—	None	—	None
			April	3.0-4.0	3.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WvB--Wooster-Riddles silt loams, 2 to 6 percent slopes										
Riddles	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Wooster	C	Low	January	—	—	—	—	None	—	None
			February	4.0-6.0	4.3-6.7	—	—	None	—	None
			March	4.0-6.0	4.3-6.7	—	—	None	—	None
			April	4.0-6.0	4.3-6.7	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WvC2--Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded										
Riddles	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Wooster	C	Medium	January	—	—	—	—	None	—	None
			February	4.0-6.0	4.3-6.7	—	—	None	—	None
			March	4.0-6.0	4.3-6.7	—	—	None	—	None
			April	4.0-6.0	4.3-6.7	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WvD2--Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded										
Riddles	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Medina County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Wooster	C	Medium	January	—	—	—	—	None	—	None
			February	4.0-6.0	4.3-6.7	—	—	None	—	None
			March	4.0-6.0	4.3-6.7	—	—	None	—	None
			April	4.0-6.0	4.3-6.7	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

## Data Source Information

Soil Survey Area: Medina County, Ohio  
 Survey Area Data: Version 14, Sep 19, 2014