

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Meigs County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AgC—Aaron-Gilpin complex, 8 to 15 percent slopes			
Aaron	50	A-6	
		A-6	0.06
Gilpin	35	F-1	
		F-1	0.51
AuC2—Aaron-Upshur complex, 8 to 15 percent slopes, eroded			
Aaron	50	A-6	
		A-6	0.06
Upshur	35	A-1	
		A-1	0.01
BkF—Berks-Westmoreland silt loams, 40 to 70 percent slopes			
Berks	55	H-1	
		H-1	0.71
Westmoreland	35	H-1	
		H-1	0.71
Chg1AF—Chagrin silt loam, 0 to 3 percent slopes, frequently flooded			
Chagrin	95	A-5	
		A-5	0.05
CkA—Cidermill silt loam, 0 to 2 percent slopes			
Cidermill	90	A-1	
		A-1	0.01

Selected Soil Interpretations--Meigs County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CkB—Cidermill silt loam, 2 to 6 percent slopes			
Cidermill	90	A-1	
		A-1	0.01
CnA—Conotton gravelly loam, 0 to 2 percent slopes			
Conotton	90	B-1	
		B-1	0.07
CnC—Conotton gravelly loam, 6 to 12 percent slopes			
Conotton	90	B-1	
		B-1	0.07
CnE—Conotton gravelly loam, 18 to 40 percent slopes			
Conotton	85	B-2	
		B-2	0.08
DeF—DeKalb-Westmoreland complex, 40 to 70 percent slopes			
DeKalb	55	H-1	
		H-1	0.71
Westmoreland	35	H-1	
		H-1	0.71
Dol1A1—Doles silt loam, 0 to 2 percent slopes			
Doles	85	C-1	
		C-1	0.11
Dp—Dumps, mine			
Dumps	100	Not rated	
DuC—Duncannon silt loam, 6 to 12 percent slopes			
Duncannon	95	A-6	
		A-6	0.06
EkA—Elkinsville silt loam, 0 to 2 percent slopes			
Elkinsville	90	A-6	
		A-6	0.06
Gal2C1—Gallia loam, 6 to 12 percent slopes			
Gallia	85	A-1	
		A-1	0.01
Gal2D1—Gallia loam, 12 to 18 percent slopes			
Gallia	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Meigs County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GbA—Gallipolis silt loam, 0 to 2 percent slopes			
Gallipolis	90	A-6	
		A-6	0.06
GbB—Gallipolis silt loam, 2 to 6 percent slopes			
Gallipolis	85	A-6	
		A-6	0.06
GeD—Germano-Gilpin complex, 15 to 25 percent slopes			
Germano	40	F-1	
		F-1	0.51
Gilpin	35	F-1	
		F-1	0.51
GeE—Germano-Gilpin complex, 25 to 40 percent slopes			
Germano	65	F-2	
		F-2	0.52
Gilpin	15	F-2	
		F-2	0.52
GhB—Gilpin silt loam, 3 to 8 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GhC2—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
GIR1D1—Gilpin-Rarden silt loams, 15 to 25 percent slopes			
Gilpin	50	F-1	
		F-1	0.51
Rarden	30	F-1	
		F-1	0.51
GIR1D2—Gilpin-Rarden silt loams, 15 to 25 percent slopes, eroded			
Gilpin	50	F-1	
		F-1	0.51
Rarden	30	F-1	
		F-1	0.51

Selected Soil Interpretations--Meigs County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GIR1E1—Gilpin-Rarden silt loams, 25 to 40 percent slopes			
Gilpin	50	F-2	
		F-2	0.52
Rarden	30	F-2	
		F-2	0.52
GuC—Gilpin-Upshur silt loams, 8 to 15 percent slopes			
Gilpin	50	F-1	
		F-1	0.51
Upshur	30	F-5	
		F-5	0.55
GuD—Gilpin-Upshur silt loams, 15 to 25 percent slopes			
Gilpin	50	F-1	
		F-1	0.51
Upshur	30	F-5	
		F-5	0.55
GuE—Gilpin-Upshur complex, 25 to 50 percent slopes			
Gilpin	45	F-2	
		F-2	0.52
Upshur	35	A-3	
		A-3	0.03
GwD—Guernsey-Gilpin complex, 15 to 25 percent slopes			
Guernsey	45	A-2	
		A-2	0.02
Gilpin	40	F-1	
		F-1	0.51
GwE—Guernsey-Gilpin complex, 25 to 40 percent slopes			
Gilpin	45	F-2	
		F-2	0.52
Guernsey	45	A-3	
		A-3	0.03

Selected Soil Interpretations--Meigs County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Hay1AF---Haymond silt loam, 0 to 3 percent slopes, frequently flooded			
Haymond	85	A-5	
		A-5	0.05
KeB---Keene silt loam, 3 to 8 percent slopes			
Keene	90	A-6	
		A-6	0.06
KeC---Keene silt loam, 6 to 12 percent slopes			
Keene	80	A-6	
		A-6	0.06
KnL1AF---Kinnick-Lindside silt loams, 0 to 3 percent slopes, frequently flooded			
Kinnick	70	A-5	
		A-5	0.05
Lindside	20	A-5	
		A-5	0.05
Ky---Kyger loamy sand, frequently flooded			
Kyger	95	C-3	
		C-3	0.13
LaB---Lakin loamy fine sand, 1 to 6 percent slopes			
Lakin	95	B-1	
		B-1	0.07
LaC---Lakin loamy fine sand, 6 to 12 percent slopes			
Lakin	95	B-1	
		B-1	0.07
LaD---Lakin loamy fine sand, 12 to 18 percent slopes			
Lakin	95	B-1	
		B-1	0.07
LaE---Lakin loamy fine sand, 18 to 40 percent slopes			
Lakin	90	B-2	
		B-2	0.08
Lic1B1---Licking silt loam, 2 to 6 percent slopes			
Licking	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Meigs County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Lic1C2—Licking silt loam, 6 to 12 percent slopes, eroded			
Licking	85	A-1	
		A-1	0.01
Lic1D2—Licking silt loam, 12 to 18 percent slopes, eroded			
Licking	85	A-1	
		A-1	0.01
Mel1AF—Melvin silt loam, 0 to 2 percent slopes, frequently flooded			
Melvin	90	C-3	
		C-3	0.13
Mos1AF—Moshannon silt loam, 0 to 3 percent slopes, frequently flooded			
Moshannon	90	A-5	
		A-5	0.05
New1AF—Newark silt loam, 0 to 3 percent slopes, frequently flooded			
Newark	90	C-3	
		C-3	0.13
No—Nolin silt loam, 0 to 3 percent slopes, frequently flooded			
Nolin	90	A-5	
		A-5	0.05
Omu1B1—Omulga silt loam, 2 to 6 percent slopes			
Omulga	85	F-3	
		F-3	0.53
Omu1C1—Omulga silt loam, 6 to 12 percent slopes			
Omulga	85	F-3	
		F-3	0.53
Orr1AF—Orrville silt loam, 0 to 3 percent slopes, frequently flooded			
Orrville	85	C-3	
		C-3	0.13
PnB—Pinegrove coarse sandy loam, 0 to 8 percent slopes			
Pinegrove	90	B-1	
		B-1	0.07

Selected Soil Interpretations--Meigs County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
PnD—Pinegrove coarse sandy loam, 8 to 25 percent slopes			
Pinegrove	85	B-1	
		B-1	0.07
PnF—Pinegrove coarse sandy loam, 25 to 70 percent slopes			
Pinegrove	85	H-1	
		H-1	0.71
Pop1AF—Pope silt loam, 0 to 3 percent slopes, frequently flooded			
Pope	85	A-5	
		A-5	0.05
PpS1AF—Pope-Stokly silt loams, 0 to 3 percent slopes, frequently flooded			
Pope	45	A-5	
		A-5	0.05
Stokly	40	C-3	
		C-3	0.13
PuB—Pinegrove silty clay loam, 0 to 8 percent slopes			
Pinegrove	95	B-1	
		B-1	0.07
PuD—Pinegrove silty clay loam, 8 to 25 percent slopes			
Pinegrove	90	B-1	
		B-1	0.07
PuF—Pinegrove silty clay loam, 25 to 70 percent slopes			
Pinegrove	85	H-1	
		H-1	0.71
Px—Pits, gravel			
Pits	100	Not rated	
Rar1C2—Rarden silt loam, 8 to 15 percent slopes, eroded			
Rarden	85	F-1	
		F-1	0.51
RcB—Richland silt loam, 2 to 6 percent slopes			
Richland	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Meigs County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RdD—Richland loam, 15 to 25 percent slopes			
Richland	85	A-2	
		A-2	0.02
RdE—Richland loam, 25 to 40 percent slopes			
Richland	85	A-3	
		A-3	0.03
SkP1AF—Stokly-Philo silt loams, 0 to 3 percent slopes, frequently flooded			
Stokly	55	C-3	
		C-3	0.13
Philo	30	A-5	
		A-5	0.05
SsE—Steinsburg sandy loam, 25 to 40 percent slopes			
Steinsburg	85	F-2	
		F-2	0.52
SsF—Steinsburg sandy loam, 40 to 70 percent slopes			
Steinsburg	90	H-1	
		H-1	0.71
StF—Steinsburg fine sandy loam, 40 to 70 percent slopes			
Steinsburg	85	H-1	
		H-1	0.71
TaA—Taggart silt loam, 0 to 2 percent slopes			
Taggart	85	C-1	
		C-1	0.11
UbC—Upshur silt loam, 8 to 15 percent slopes			
Upshur	85	F-5	
		F-5	0.55
Ud—Udorthents			
Udorthents	100	Not rated	
UgC2—Upshur-Gilpin complex, 8 to 15 percent slopes, eroded			
Upshur	45	A-1	
		A-1	0.01
Gilpin	40	F-1	
		F-1	0.51

Selected Soil Interpretations--Meigs County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
UgD—Upshur-Gilpin complex, 15 to 25 percent slopes			
Upshur	60	A-2	
		A-2	0.02
Gilpin	25	F-1	
		F-1	0.51
UgE—Upshur-Gilpin complex, 25 to 50 percent slopes			
Upshur	45	A-3	
		A-3	0.03
Gilpin	35	F-2	
		F-2	0.52
UpC—Upshur silty clay loam, 8 to 15 percent slopes			
Upshur	85	A-1	
		A-1	0.01
UsD—Upshur-Steinsburg complex, 15 to 25 percent slopes			
Upshur	50	A-2	
		A-2	0.02
Steinsburg	30	F-1	
		F-1	0.51
UsE—Upshur-Steinsburg complex, 25 to 50 percent slopes			
Upshur	45	A-3	
		A-3	0.03
Steinsburg	30	F-2	
		F-2	0.52
VaC2—Vandalia silt loam, 8 to 15 percent slopes			
Vandalia	80	A-1	
		A-1	0.01
VaD2—Vandalia silt loam, 15 to 25 percent slopes			
Vandalia	80	A-2	
		A-2	0.02

Selected Soil Interpretations--Meigs County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
VbD—Vandalia-Brookside complex, 15 to 25 percent slopes			
Vandalia	55	A-2	
		A-2	0.02
Brookside	35	F-5	
		F-5	0.55
VcD—Vandalia-Richland complex, 15 to 25 percent slopes			
Vandalia	50	A-2	
		A-2	0.02
Richland	35	A-2	
		A-2	0.02
VnB2—Vincent silty clay loam, 2 to 6 percent slopes, eroded			
Vincent	90	A-1	
		A-1	0.01
VnC2—Vincent silty clay loam, 6 to 12 percent slopes, eroded			
Vincent	90	A-1	
		A-1	0.01
W—Water			
Water	100	Not rated	
WeC—Wellston silt loam, 8 to 15 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WgD—Westmoreland-Gilpin complex, 15 to 25 percent slopes			
Westmoreland	40	B-1	
		B-1	0.07
Gilpin	35	F-1	
		F-1	0.51
WgE—Westmoreland-Gilpin complex, 25 to 40 percent slopes			
Westmoreland	40	B-2	
		B-2	0.08
Gilpin	35	F-2	
		F-2	0.52

Selected Soil Interpretations--Meigs County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WgF—Westmoreland-Gilpin complex, 40 to 70 percent slopes			
Westmoreland	40	H-1	
		H-1	0.71
Gilpin	35	H-1	
		H-1	0.71
WoB—Woodsfield silt loam, 2 to 6 percent slopes			
Woodsfield	95	A-1	
		A-1	0.01
WpB—Woodsfield silt loam, 3 to 8 percent slopes			
Woodsfield	90	A-1	
		A-1	0.01
Wya1B1—Wyatt silt loam, 2 to 6 percent slopes			
Wyatt	85	A-1	
		A-1	0.01
Wya3C2—Wyatt silty clay loam, 6 to 12 percent slopes, eroded			
Wyatt	85	A-1	
		A-1	0.01
Wya3D2—Wyatt silty clay loam, 12 to 18 percent slopes, eroded			
Wyatt	85	B-1	
		B-1	0.07
ZnB—Zanesville silt loam, 3 to 8 percent slopes			
Zanesville	100	F-3	
		F-3	0.53

### Data Source Information

Soil Survey Area: Meigs County, Ohio  
 Survey Area Data: Version 10, Sep 19, 2014