

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations--Paulding County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BeB—Belmore loam, till substratum, 2 to 6 percent slopes			
Belmore	88	A-1	
		A-1	0.01
BkA—Bixler loamy sand, clayey substratum, 0 to 2 percent slopes			
Bixler	92	C-1	
		C-1	0.11
BrB2—Broughton silty clay loam, 2 to 6 percent slopes, eroded			
Broughton	93	F-5	
		F-5	0.55
BrC2—Broughton silty clay loam, 6 to 12 percent slopes, eroded			
Broughton	95	F-5	
		F-5	0.55
BrD2—Broughton silty clay loam, 12 to 18 percent slopes, eroded			
Broughton	95	F-5	
		F-5	0.55
BrE2—Broughton silty clay loam, 18 to 35 percent slopes, eroded			
Broughton	95	F-5	
		F-5	0.55

Selected Soil Interpretations--Paulding County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BsC3—Broughton silty clay, 6 to 12 percent slopes, severely eroded			
Broughton	95	F-5	
		F-5	0.55
BsD3—Broughton silty clay, 12 to 18 percent slopes, severely eroded			
Broughton	95	F-5	
		F-5	0.55
Db—Defiance silty clay loam, occasionally flooded			
Defiance	93	C-3	
		C-3	0.13
Dc—Defiance silty clay loam, frequently flooded			
Defiance	93	C-3	
		C-3	0.13
Fb—Flatrock silt loam, occasionally flooded			
Flatrock	97	A-5	
		A-5	0.05
Fc—Flatrock silt loam, frequently flooded			
Flatrock	97	A-5	
		A-5	0.05
FtA—Fulton loam, 0 to 2 percent slopes			
Fulton	94	C-2	
		C-2	0.12
FuA—Fulton silty clay loam, 0 to 2 percent slopes			
Fulton	94	C-2	
		C-2	0.12
FuB2—Fulton silty clay loam, 2 to 6 percent slopes, eroded			
Fulton	95	C-2	
		C-2	0.12
FxA—Fulton silty clay loam, loamy substratum, 0 to 2 percent slopes			
Fulton	95	C-2	
		C-2	0.12
FxB—Fulton silty clay loam, loamy substratum, 2 to 6 percent slopes			
Fulton	95	C-2	
		C-2	0.12

Selected Soil Interpretations--Paulding County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Gr—Granby loamy sand, clayey substratum			
Granby	92	C-1	
		C-1	0.11
HaA—Haskins loamy sand, 0 to 2 percent slopes			
Haskins	88	C-2	
		C-2	0.12
HcA—Hoytville silty clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
HkA—Haskins loam, 0 to 2 percent slopes			
Haskins	95	C-2	
		C-2	0.12
HkB—Haskins loam, 2 to 6 percent slopes			
Haskins	95	C-2	
		C-2	0.12
HtA—Hoytville silty clay, 0 to 1 percent slopes			
Hoytville	92	C-1	
		C-1	0.11
Kn—Knoxdale silt loam, occasionally flooded			
Knoxdale	97	A-5	
		A-5	0.05
La—Landes loam, occasionally flooded			
Landes	100	A-5	
		A-5	0.05
Lb—Latty silty clay loam			
Latty	90	C-2	
		C-2	0.12
Lc—Latty silty clay			
Latty	95	C-2	
		C-2	0.12
LtA—Lucas silt loam, loamy substratum, 0 to 2 percent slopes			
Lucas	95	A-1	
		A-1	0.01

Selected Soil Interpretations--Paulding County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LuB2—Lucas silty clay loam, loamy substratum, 2 to 6 percent slopes, eroded			
Lucas	95	A-1	
		A-1	0.01
LuC2—Lucas silty clay loam, loamy substratum, 6 to 12 percent slopes, eroded			
Lucas	93	A-1	
		A-1	0.01
Md—Medway silt loam, occasionally flooded			
Medway	100	A-5	
		A-5	0.05
Me—Mermill loam			
Mermill	92	C-2	
		C-2	0.12
Mg—Millgrove loam, till substratum			
Millgrove	85	C-1	
		C-1	0.11
NnA—Nappanee loam, 0 to 2 percent slopes			
Nappanee	93	C-2	
		C-2	0.12
NpA—Nappanee silty clay loam, 0 to 2 percent slopes			
Nappanee	90	C-2	
		C-2	0.12
NpB—Nappanee silty clay loam, 2 to 6 percent slopes			
Nappanee	95	C-2	
		C-2	0.12
NpB2—Nappanee silty clay loam, 2 to 6 percent slopes, eroded			
Nappanee	95	C-2	
		C-2	0.12
OsB—Oshtemo sandy loam, till substratum, 2 to 6 percent slopes			
Oshtemo	89	A-1	
		A-1	0.01
OtB—Ottokee loamy sand, 0 to 6 percent slopes			
Ottokee	95	B-1	
		B-1	0.07

Selected Soil Interpretations--Paulding County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Pc—Paulding clay, 0 to 1 percent slopes			
Paulding	93	F-7	
		F-7	0.57
Pt—Pits, quarry			
Pits, quarry	100	Not rated	
RkA—Rimer loamy sand, 0 to 2 percent slopes			
Rimer	96	C-2	
		C-2	0.12
RkB—Rimer loamy sand, 2 to 6 percent slopes			
Rimer	96	C-2	
		C-2	0.12
RmA—Rimer-Fulton complex, 0 to 2 percent slopes			
Rimer	64	C-2	
		C-2	0.12
Fulton	30	C-2	
		C-2	0.12
RnA—Roselms loam, 0 to 2 percent slopes			
Roselms	95	F-7	
		F-7	0.57
RoA—Roselms silty clay loam, 0 to 2 percent slopes			
Roselms	97	F-7	
		F-7	0.57
RoB—Roselms silty clay loam, 2 to 6 percent slopes			
Roselms	95	F-7	
		F-7	0.57
RpA—Roselms silty clay, 0 to 2 percent slopes			
Roselms	95	F-7	
		F-7	0.57
RpB2—Roselms silty clay, 2 to 6 percent slopes, eroded			
Roselms	95	F-7	
		F-7	0.57
Rt—Rossburg silt loam, occasionally flooded			
Rossburg	100	A-5	
		A-5	0.05

Selected Soil Interpretations--Paulding County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Sb—Saranac silty clay loam, occasionally flooded			
Saranac	90	C-3	
		C-3	0.13
Sh—Shoals silt loam, occasionally flooded			
Shoals	93	C-3	
		C-3	0.13
Sk—Shoals silt loam, frequently flooded			
Shoals	93	C-3	
		C-3	0.13
StB2—St. Clair silty clay loam, 2 to 6 percent slopes, eroded			
St. clair	95	F-5	
		F-5	0.55
StC2—St. Clair silty clay loam, 6 to 12 percent slopes, eroded			
St. clair	97	F-5	
		F-5	0.55
StD2—St. Clair silty clay loam, 12 to 18 percent slopes, eroded			
St. clair	95	F-5	
		F-5	0.55
StE2—St. Clair silty clay loam, 18 to 35 percent slopes, eroded			
St. clair	95	F-5	
		F-5	0.55
SuC3—St. Clair silty clay, 6 to 12 percent slopes, severely eroded			
St. clair	95	F-5	
		F-5	0.55
SuE3—St. Clair silty clay, 12 to 25 percent slopes, severely eroded			
St. clair	95	F-5	
		F-5	0.55
TeA—Tedrow loamy sand, 0 to 3 percent slopes			
Tedrow	93	C-1	
		C-1	0.11

Selected Soil Interpretations--Paulding County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Tn—Toledo silty clay loam			
Toledo	95	C-2	
		C-2	0.12
To—Toledo silty clay			
Toledo	95	C-2	
		C-2	0.12
Uc—Udorthents, clayey, hilly			
Udorthents	80	Not rated	
W—Water			
Water	100	Not rated	
Wb—Wabasha silty clay loam, frequently flooded			
Wabasha	90	C-3	
		C-3	0.13
WhA—Whitaker loam, 0 to 2 percent slopes			
Whitaker	100	C-1	
		C-1	0.11

Data Source Information

Soil Survey Area: Paulding County, Ohio
 Survey Area Data: Version 12, Sep 19, 2014