

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Perry County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ae—Aetna silt loam, occasionally flooded			
Aetna	80	C-3	
		C-3	0.13
AfB—Alford silt loam, 1 to 8 percent slopes			
Alford	90	A-6	
		A-6	0.06
AfC—Alford silt loam, 8 to 15 percent slopes			
Alford	90	A-6	
		A-6	0.06
AfC2—Alford silt loam, 8 to 15 percent slopes, eroded			
Alford	80	A-6	
		A-6	0.06
AfD—Alford silt loam, 15 to 25 percent slopes			
Alford	90	A-2	
		A-2	0.02
AgB—Alford silt loam, 2 to 8 percent slopes			
Alford	85	A-6	
		A-6	0.06
AmB2—Amanda silt loam, 2 to 6 percent slopes, eroded			
Amanda	95	A-1	
		A-1	0.01

Selected Soil Interpretations--Perry County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AmC2—Amanda silt loam, 6 to 12 percent slopes, eroded			
Amanda	90	A-1	
		A-1	0.01
AmD2—Amanda silt loam, 12 to 18 percent slopes, eroded			
Amanda	80	A-1	
		A-1	0.01
AoC3—Amanda silty clay loam, 6 to 12 percent slopes, severely eroded			
Amanda	80	A-1	
		A-1	0.01
BbE—Berks channery silt loam, 25 to 35 percent slopes			
Berks	85	F-2	
		F-2	0.52
BcF—Berks-Westmoreland complex, 40 to 70 percent slopes			
Berks	40	H-1	
		H-1	0.71
Westmoreland	35	H-1	
		H-1	0.71
BeA—Bennington silt loam, 0 to 3 percent slopes			
Bennington	85	C-1	
		C-1	0.11
BhB—Bethesda silt loam, 0 to 8 percent slopes			
Bethesda	85	B-4	
		B-4	0.10
BhD—Bethesda silt loam, 8 to 20 percent slopes			
Bethesda	85	B-4	
		B-4	0.10
BkB—Bethesda channery loam, 0 to 8 percent slopes			
Bethesda	85	E-3	
		E-3	0.42
BkD—Bethesda channery loam, 8 to 20 percent slopes			
Bethesda	85	E-3	
		E-3	0.42

Selected Soil Interpretations--Perry County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BkF—Bethesda channery loam, 40 to 70 percent slopes			
Bethesda	85	H-1	
		H-1	0.71
BvF—Brownsville silt loam, 40 to 70 percent slopes			
Brownsville	85	H-1	
		H-1	0.71
CdB—Centerburg silt loam, 2 to 6 percent slopes			
Centerburg	85	A-6	
		A-6	0.06
Chg1AF—Chagrin silt loam, 0 to 3 percent slopes, frequently flooded			
Chagrin	95	A-5	
		A-5	0.05
CkB—Cincinnati silt loam, 1 to 8 percent slopes			
Cincinnati	90	F-3	
		F-3	0.53
CkC2—Cincinnati silt loam, 8 to 15 percent slopes, eroded			
Cincinnati	85	F-3	
		F-3	0.53
CoC2—Cincinnati silt loam, 6 to 15 percent slopes, eroded			
Cincinnati	80	F-3	
		F-3	0.53
DkC—DeKalb loam, 8 to 15 percent slopes			
DeKalb	85	F-1	
		F-1	0.51
DkD—DeKalb loam, 15 to 25 percent slopes			
DeKalb	85	F-1	
		F-1	0.51
DkE—DeKalb loam, 25 to 40 percent slopes			
DeKalb	80	F-2	
		F-2	0.52
DmF—DeKalb loam, 40 to 70 percent slopes, very stony			
DeKalb	80	H-1	
		H-1	0.71

Selected Soil Interpretations--Perry County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ds—Dumps, mine			
Dumps	100	Not rated	
EnE—Enoch shaly clay loam, 20 to 40 percent slopes			
Enoch	80	Not assigned	
EuA—Euclid silt loam, rarely flooded			
Euclid	85	C-1	
		C-1	0.11
FbD—Fairpoint channery clay loam, 8 to 20 percent slopes			
Fairpoint	85	E-3	
		E-3	0.42
FbF—Fairpoint channery clay loam, 40 to 70 percent slopes			
Fairpoint	85	H-1	
		H-1	0.71
FcF—Fairpoint channery silty clay loam, 25 to 70 percent slopes			
Fairpoint	85	H-1	
		H-1	0.71
FdA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	80	C-1	
		C-1	0.11
FtA—Fitchville silt loam, 0 to 3 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
GdC—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
GdC2—Gilpin silt loam, 8 to 15 percent slopes, eroded			
Gilpin	80	F-1	
		F-1	0.51
GdD—Gilpin silt loam, 15 to 25 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GnB—Glenford silt loam, 1 to 8 percent slopes			
Glenford	80	A-6	
		A-6	0.06

Selected Soil Interpretations--Perry County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GoB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	80	A-6	
		A-6	0.06
GwC—Guernsey-Westmoreland silt loams, 8 to 15 percent slopes			
Guernsey	50	A-6	
		A-6	0.06
Westmoreland	30	B-1	
		B-1	0.07
GwD—Guernsey-Westmoreland silt loams, 15 to 25 percent slopes			
Guernsey	45	A-2	
		A-2	0.02
Westmoreland	35	B-1	
		B-1	0.07
GwE—Guernsey-Westmoreland silt loams, 25 to 40 percent slopes			
Guernsey	45	A-3	
		A-3	0.03
Westmoreland	35	B-2	
		B-2	0.08
HaD2—Homewood-Westmoreland silt loams, 15 to 25 percent slopes, eroded			
Homewood	45	F-3	
		F-3	0.53
Westmoreland	30	B-1	
		B-1	0.07
HaE2—Homewood-Westmoreland silt loams, 25 to 40 percent slopes, eroded			
Homewood	45	F-4	
		F-4	0.54
Westmoreland	35	B-2	
		B-2	0.08
HoD2—Homewood silt loam, 15 to 20 percent slopes, eroded			
Homewood	80	F-3	
		F-3	0.53

Selected Soil Interpretations--Perry County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Kn—Killbuck silt loam, frequently flooded			
Killbuck	85	C-3	
		C-3	0.13
KnL1AF—Kinnick-Lindside silt loams, 0 to 3 percent slopes, frequently flooded			
Kinnick	70	A-5	
		A-5	0.05
Lindside	20	A-5	
		A-5	0.05
LaB—Lakin loamy sand, 1 to 8 percent slopes			
Lakin	90	B-1	
		B-1	0.07
Lk—Lindside silt loam, occasionally flooded			
Lindside	75	A-5	
		A-5	0.05
Ln—Linwood muck			
Linwood	100	D-1	
		D-1	0.30
Lu—Luray silt loam			
Luray	85	C-1	
		C-1	0.11
Ma—Marengo clay loam			
Marengo	80	C-1	
		C-1	0.11
Mc—Melvin silt loam, ponded			
Melvin	85	C-3	
		C-3	0.13
MeB—Mentor silt loam, gravelly substratum, 1 to 8 percent slopes			
Mentor	95	A-6	
		A-6	0.06
MeC—Mentor silt loam, gravelly substratum, 8 to 15 percent slopes			
Mentor	85	A-6	
		A-6	0.06

Selected Soil Interpretations--Perry County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Mel1AF—Melvin silt loam, 0 to 2 percent slopes, frequently flooded			
Melvin	90	C-3	
		C-3	0.13
Ne—Newark silt loam, frequently flooded			
Newark	85	C-3	
		C-3	0.13
New1AF—Newark silt loam, 0 to 3 percent slopes, frequently flooded			
Newark	90	C-3	
		C-3	0.13
No—Nolin silt loam, 0 to 3 percent slopes, occasionally flooded			
Nolin, occasionally flooded	85	A-5	
		A-5	0.05
OcA—Ockley loam, 0 to 2 percent slopes			
Ockley	95	A-1	
		A-1	0.01
OcB—Ockley loam, 2 to 6 percent slopes			
Ockley	90	A-1	
		A-1	0.01
OcC2—Ockley loam, 6 to 12 percent slopes, eroded			
Ockley	85	A-1	
		A-1	0.01
Orr1AF—Orrville silt loam, 0 to 3 percent slopes, frequently flooded			
Orrville	85	C-3	
		C-3	0.13
Pa—Patton silty clay loam			
Patton	80	C-1	
		C-1	0.11
Pb—Patton silty clay loam, rarely flooded			
Patton	80	C-1	
		C-1	0.11
Pg—Peoga silt loam, rarely flooded			
Peoga	80	C-1	
		C-1	0.11

Selected Soil Interpretations--Perry County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Pm—Pewamo silty clay loam			
Pewamo	90	C-1	
		C-1	0.11
Sc—Sebring silt loam, rarely flooded			
Sebring	85	C-1	
		C-1	0.11
SfD—Shelocta-Cruze complex, 15 to 25 percent slopes			
Shelocta	45	A-2	
		A-2	0.02
Cruze	40	A-2	
		A-2	0.02
SfE—Shelocta-Cruze complex, 25 to 40 percent slopes			
Shelocta	45	A-3	
		A-3	0.03
Cruze	40	A-3	
		A-3	0.03
Uc—Udorthents-Pits complex			
Udorthents	70	Not rated	
Pits	20	Not rated	
Ud—Udorthents			
Udorthents	100	Not rated	
UpC—Upshur silty clay loam, 8 to 15 percent slopes			
Upshur	90	A-1	
		A-1	0.01
UpD—Upshur silty clay loam, 15 to 25 percent slopes			
Upshur	80	A-2	
		A-2	0.02
W—Water			
Water	100	Not rated	
WcB—Wellston silt loam, 3 to 8 percent slopes			
Wellston	85	A-6	
		A-6	0.06

Selected Soil Interpretations--Perry County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WhB—Wellston silt loam, 1 to 8 percent slopes			
Wellston	90	A-6	
		A-6	0.06
WhC—Wellston silt loam, 8 to 15 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WkB—Westmore silt loam, 1 to 8 percent slopes			
Westmore	80	A-6	
		A-6	0.06
WkC—Westmore silt loam, 8 to 15 percent slopes			
Westmore	85	A-6	
		A-6	0.06
WmC—Westmoreland silt loam, 8 to 15 percent slopes			
Westmoreland	80	A-1	
		A-1	0.01
WmD—Westmoreland silt loam, 15 to 25 percent slopes			
Westmoreland	80	A-2	
		A-2	0.02
WmE—Westmoreland silt loam, 25 to 35 percent slopes			
Westmoreland	80	A-3	
		A-3	0.03
WnE—Westmoreland loam, 20 to 40 percent slopes, very bouldery			
Westmoreland	90	A-3	
		A-3	0.03
WrC2—Westmoreland-Guernsey silt loams, 8 to 15 percent slopes, eroded			
Westmoreland	45	A-1	
		A-1	0.01
Guernsey	35	A-6	
		A-6	0.06

Selected Soil Interpretations--Perry County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WrD2—Westmoreland-Guernsey silt loams, 15 to 25 percent slopes, eroded			
Westmoreland	45	A-2	
		A-2	0.02
Guernsey	35	A-2	
		A-2	0.02
WrE2—Westmoreland-Guernsey silt loams, 25 to 40 percent slopes, eroded			
Westmoreland	45	A-3	
		A-3	0.03
Guernsey	35	A-3	
		A-3	0.03
WsF—Westmoreland-Guernsey silt loams, 40 to 70 percent slopes			
Westmoreland	50	H-1	
		H-1	0.71
Guernsey	30	H-1	
		H-1	0.71
WtC—Woodsfield silt loam, 8 to 15 percent slopes			
Woodsfield	90	A-1	
		A-1	0.01
ZnB—Zanesville silt loam, 1 to 8 percent slopes			
Zanesville	90	F-3	
		F-3	0.53
ZnC—Zanesville silt loam, 8 to 15 percent slopes			
Zanesville	85	F-3	
		F-3	0.53

Data Source Information

Soil Survey Area: Perry County, Ohio
 Survey Area Data: Version 11, Sep 19, 2014