

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AkA—Alvada loam, 0 to 1 percent slopes			
Alvada	90	C-1	
		C-1	0.11
AmA—Alvada silty clay loam, 0 to 1 percent slopes			
Alvada	90	C-1	
		C-1	0.11
ArB—Arkport loamy fine sand, 2 to 6 percent slopes			
Arkport	100	B-1	
		B-1	0.07
AsA—Aurand loam, 0 to 2 percent slopes			
Aurand	90	C-1	
		C-1	0.11
AuA—Aurand loam, 0 to 3 percent slopes			
Aurand	85	C-1	
		C-1	0.11
BIB—Belmore sandy loam, 2 to 6 percent slopes			
Belmore	100	A-1	
		A-1	0.01
Blg1A1—Blount silt loam, ground moraine, 0 to 2 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Blg1B1—Blount silt loam, ground moraine, 2 to 4 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11
BmA—Belmore loam, 0 to 2 percent slopes			
Belmore	100	A-1	
		A-1	0.01
BmB—Belmore loam, 2 to 6 percent slopes			
Belmore	100	A-1	
		A-1	0.01
BmC—Belmore loam, 6 to 12 percent slopes			
Belmore	100	A-1	
		A-1	0.01
BnA—Blount loam, 0 to 2 percent slopes			
Blount	85	C-1	
		C-1	0.11
BrB—Blount-Del Rey silt loams, 1 to 6 percent slopes			
Blount	35	C-1	
		C-1	0.11
Del rey	35	C-1	
		C-1	0.11
Bs—Bono silty clay loam			
Bono	100	C-2	
		C-2	0.12
BtB—Broughton silty clay loam, 2 to 6 percent slopes			
Broughton	100	F-5	
		F-5	0.55
		A-1	0.01
BuB2—Broughton clay, 2 to 6 percent slopes, moderately eroded			
Broughton	100	F-5	
		F-5	0.55
		A-1	0.01

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BuC2—Broughton clay, 6 to 12 percent slopes, moderately eroded			
Broughton	100	F-5	
		F-5	0.55
		A-1	0.01
BuC3—Broughton clay, 6 to 12 percent slopes, severely eroded			
Broughton	85	F-5	
		F-5	0.55
BuD2—Broughton clay, 12 to 18 percent slopes, moderately eroded			
Broughton	100	F-5	
		F-5	0.55
		A-1	0.01
BuE3—Broughton clay, 18 to 25 percent slopes, severely eroded			
Broughton	100	F-5	
		F-5	0.55
		A-2	0.02
BvA—Blount-Jenera complex, 0 to 3 percent slopes			
Blount	55	C-1	
		C-1	0.11
Jenera	40	A-6	
		A-6	0.06
BwB2—Broughton silty clay loam, 2 to 6 percent slopes, eroded			
Broughton	93	F-5	
		F-5	0.55
BwC2—Broughton silty clay loam, 6 to 12 percent slopes, eroded			
Broughton	95	F-5	
		F-5	0.55
BwD2—Broughton silty clay loam, 12 to 18 percent slopes, eroded			
Broughton	95	F-5	
		F-5	0.55
Cp—Clay pits			
Clay pits	95	Not rated	

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CsA—Colwood loam, 0 to 1 percent slopes			
Colwood	80	C-1	
		C-1	0.11
Cw—Colwood loam			
Colwood	100	C-1	
		C-1	0.11
Cx—Cut and fill land			
Cut and fill land	95	Not rated	
CyA—Cygnet loam, 0 to 2 percent slopes			
Cygnet	90	A-6	
		A-6	0.06
CzA—Cygnet loam, 0 to 3 percent slopes			
Cygnet	90	A-6	
		A-6	0.06
DbA—Darroch loam, 0 to 2 percent slopes			
Darroch	90	C-1	
		C-1	0.11
Df—Defiance silty clay loam			
Defiance	95	C-3	
		C-3	0.13
DgA—Del Rey loam, 0 to 2 percent slopes			
Del rey	90	C-1	
		C-1	0.11
DhA—Del Rey-Blount complex, 0 to 3 percent slopes			
Del rey	55	C-1	
		C-1	0.11
Blount	40	C-1	
		C-1	0.11
DIA—Del Rey silt loam, 0 to 2 percent slopes			
Del rey	90	C-1	
		C-1	0.11
DIB—Del Rey silt loam, 2 to 6 percent slopes			
Del rey	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
DmB—Del Rey-Fulton silt loams, 1 to 6 percent slopes			
Del rey	40	C-1	
		C-1	0.11
Fulton	40	C-2	
		C-2	0.12
DnA—Digby loam, 0 to 2 percent slopes			
Digby	90	C-1	
		C-1	0.11
DnB—Digby loam, 2 to 6 percent slopes			
Digby	90	C-1	
		C-1	0.11
DoA—Digby loam, moderately shallow variant, 0 to 2 percent slopes			
Digby variant	95	C-1	
		C-1	0.11
FsA—Fulton silt loam, 0 to 2 percent slopes			
Fulton	80	C-2	
		C-2	0.12
FtA—Fulton loam, 0 to 2 percent slopes			
Fulton	95	C-2	
		C-2	0.12
FuA—Fulton silty clay loam, 0 to 2 percent slopes			
Fulton	95	C-2	
		C-2	0.12
FuB—Fulton silty clay loam, 2 to 6 percent slopes			
Fulton	90	C-2	
		C-2	0.12
FvA—Fulton silty clay loam, gravelly substratum, 0 to 2 percent slopes			
Fulton	90	C-2	
		C-2	0.12
FwA—Fulton silty clay loam, loamy substratum, 0 to 2 percent slopes			
Fulton	95	C-2	
		C-2	0.12

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FxA—Fulton silt loam, till substratum, 0 to 2 percent slopes			
Fulton, till substratum	95	C-2	
		C-2	0.12
GaB—Gallman loam, 2 to 6 percent slopes			
Gallman	95	A-1	
		A-1	0.01
GdA—Glynwood loam, 0 to 2 percent slopes			
Glynwood	100	A-6	
		A-6	0.06
GfB—Glynwood-Blount-Houcktown complex, 1 to 4 percent slopes			
Glynwood	40	A-6	
		A-6	0.06
Blount	35	C-1	
		C-1	0.11
Houcktown	15	A-6	
		A-6	0.06
Gn—Genesee silt loam			
Genesee	95	A-5	
		A-5	0.05
Gp—Gravel pits			
Gravel pits	95	Not rated	
Gwg1B1—Glynwood silt loam, ground moraine, 2 to 6 percent slopes			
Glynwood, ground moraine	85	F-5	
		F-5	0.55
HaB—Haney sandy loam, 2 to 6 percent slopes			
Haney	100	A-6	
		A-6	0.06
HcA—Hoytville silty clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
HdA—Haney loam, 0 to 2 percent slopes			
Haney	100	A-6	
		A-6	0.06

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HdB--Haney loam, 2 to 6 percent slopes			
Haney	100	A-6	
		A-6	0.06
HkA--Haskins fine sandy loam, 0 to 2 percent slopes			
Haskins	95	C-2	
		C-2	0.12
HkB--Haskins fine sandy loam, 2 to 6 percent slopes			
Haskins	95	C-2	
		C-2	0.12
HnA--Haskins loam, 0 to 2 percent slopes			
Haskins	90	C-2	
		C-2	0.12
HnB--Haskins loam, 2 to 6 percent slopes			
Haskins	85	C-2	
		C-2	0.12
HoA--Hoytville clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
HtA--Hoytville silty clay, 0 to 1 percent slopes			
Hoytville	92	C-1	
		C-1	0.11
HwB--Houcktown sandy loam, 2 to 4 percent slopes			
Houcktown	95	A-6	
		A-6	0.06
HxA--Houcktown loam, 0 to 2 percent slopes			
Houcktown	95	A-6	
		A-6	0.06
HxB--Houcktown loam, 2 to 6 percent slopes			
Houcktown	95	A-6	
		A-6	0.06

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HyB—Houcktown-Glynwood-Jenera complex, 1 to 4 percent slopes			
Houcktown	40	A-6	
		A-6	0.06
Glynwood	30	A-6	
		A-6	0.06
Jenera	25	A-6	
		A-6	0.06
JeA—Jenera fine sandy loam, 0 to 2 percent slopes			
Jenera	85	A-6	
		A-6	0.06
KbA—Kibbie loam, 0 to 2 percent slopes			
Kibbie	85	C-1	
		C-1	0.11
KsA—Kibbie silt loam, 0 to 2 percent slopes			
Kibbie	95	C-1	
		C-1	0.11
KtB—Kibbie-Del Rey silt loams, 1 to 6 percent slopes			
Del rey	40	C-1	
		C-1	0.11
Kibbie	40	C-1	
		C-1	0.11
Kw—Knoxdale silt loam, occasionally flooded			
Knoxdale	90	A-5	
		A-5	0.05
La—Latty silty clay loam			
Latty	100	C-2	
		C-2	0.12
Lb—Latty silty clay			
Latty	95	C-2	
		C-2	0.12
Lc—Latty clay			
Latty	95	C-2	
		C-2	0.12

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ln--Lenawee silt loam			
Lenawee	100	C-1	
		C-1	0.11
Ls--Lenawee silty clay loam			
Lenawee	95	C-1	
		C-1	0.11
LuB2--Lucas silty clay loam, loamy substratum, 2 to 6 percent slopes, eroded			
Lucas	95	A-1	
		A-1	0.01
LwB--Lucas silty clay loam, 2 to 6 percent slopes			
Lucas	100	F-5	
		F-5	0.55
LwB2--Lucas silty clay loam, 2 to 6 percent slopes, eroded			
Lucas	95	A-1	
		A-1	0.01
LwC2--Lucas silty clay loam, 6 to 12 percent slopes, moderately eroded			
Lucas	100	F-5	
		F-5	0.55
LwD2--Lucas silty clay loam, 12 to 18 percent slopes, moderately eroded			
Lucas	100	F-5	
		F-5	0.55
Mb--Medway silt loam, occasionally flooded			
Medway	100	A-5	
		A-5	0.05
Md--Mermill loam			
Mermill	95	C-2	
		C-2	0.12
Me--Mermill silty clay loam			
Mermill	95	C-2	
		C-2	0.12
Mf--Millgrove loam			
Millgrove	95	C-1	
		C-1	0.11

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Mg—Millgrove silty clay loam			
Millgrove	95	C-1	
		C-1	0.11
Mh—Millgrove loam, till substratum			
Millgrove	85	C-1	
		C-1	0.11
MvB—Mortimer silt loam, 2 to 6 percent slopes			
Mortimer	95	A-6	
		A-6	0.06
NaA—Nappanee loam, 0 to 2 percent slopes			
Nappanee	90	C-2	
		C-2	0.12
NaB—Nappanee loam, 2 to 6 percent slopes			
Nappanee	90	C-2	
		C-2	0.12
NpA—Nappanee silt loam, 0 to 2 percent slopes			
Nappanee	90	C-2	
		C-2	0.12
NpB—Nappanee silt loam, 2 to 6 percent slopes			
Nappanee	90	C-2	
		C-2	0.12
NsA—Nappanee clay loam, 0 to 2 percent slopes			
Nappanee	95	C-2	
		C-2	0.12
NtA—Nappanee silty clay loam, 0 to 2 percent slopes			
Nappanee	90	C-2	
		C-2	0.12
OgB—Oshtemo fine sandy loam, 2 to 6 percent slopes			
Oshtemo	93	B-1	
		B-1	0.07
OhB—Oshtemo sandy loam, till substratum, 2 to 6 percent slopes			
Oshtemo, till substratum	92	A-1	
		A-1	0.01

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
OkB—Ottokee loamy fine sand, 1 to 6 percent slopes			
Ottokee	100	B-1	
		B-1	0.07
OtB—Ottokee-Tuscola complex, 2 to 6 percent slopes			
Ottokee	40	B-1	
		B-1	0.07
Tuscola	40	A-6	
		A-6	0.06
Pa—Paulding silty clay loam			
Paulding	90	F-7	
		F-7	0.57
Pd—Paulding clay, 0 to 1 percent slopes			
Paulding	93	F-7	
		F-7	0.57
PfA—Patton silty clay loam, 0 to 1 percent slopes			
Patton	85	C-1	
		C-1	0.11
Pm—Pewamo silty clay loam			
Pewamo	95	C-1	
		C-1	0.11
PnA—Pewamo silty clay loam, 0 to 1 percent slopes			
Pewamo	95	C-1	
		C-1	0.11
Qu—Quarries			
Quarries	100	Not rated	
RhA—Rensselaer loam, till substratum, 0 to 1 percent slopes			
Rensselaer	90	C-1	
		C-1	0.11
RkA—Rimer loamy sand, 0 to 2 percent slopes			
Rimer	96	C-2	
		C-2	0.12
RmA—Rawson loam, 0 to 2 percent slopes			
Rawson	100	A-1	
		A-1	0.01

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RmB—Rawson loam, 2 to 6 percent slopes			
Rawson	100	A-1	
		A-1	0.01
RmC2—Rawson loam, 6 to 12 percent slopes, moderately eroded			
Rawson	100	A-1	
		A-1	0.01
RnA—Rimer loamy fine sand, 0 to 2 percent slopes			
Rimer	100	C-2	
		C-2	0.12
RnB—Rimer loamy fine sand, 2 to 6 percent slopes			
Rimer	100	C-2	
		C-2	0.12
RoA—Roselms silt loam, 0 to 2 percent slopes			
Roselms	95	F-7	
		F-7	0.57
RoB—Roselms silt loam, 2 to 6 percent slopes			
Roselms	95	F-7	
		F-7	0.57
RsA—Roselms silty clay loam, 0 to 2 percent slopes			
Roselms	95	F-7	
		F-7	0.57
RsB—Roselms silty clay loam, 2 to 6 percent slopes			
Roselms	95	F-7	
		F-7	0.57
RtA—Roselms silty clay, 0 to 2 percent slopes			
Roselms	95	F-7	
		F-7	0.57
RtB2—Roselms silty clay, 2 to 6 percent slopes, eroded			
Roselms	95	F-7	
		F-7	0.57
Rw—Roszburg silt loam, occasionally flooded			
Roszburg	85	A-5	
		A-5	0.05

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SaB—St. Clair loam, 2 to 6 percent slopes			
St. clair	100	F-5	
		F-5	0.55
SbC2—St. Clair silty clay loam, 6 to 12 percent slopes, eroded			
St. clair	97	F-5	
		F-5	0.55
ScB—St. Clair silt loam, 2 to 6 percent slopes			
St. clair	100	F-5	
		F-5	0.55
ScC2—St. Clair silt loam, 6 to 12 percent slopes, moderately eroded			
St. clair	100	F-5	
		F-5	0.55
ScD2—St. Clair silt loam, 12 to 18 percent slopes, moderately eroded			
St. clair	100	F-5	
		F-5	0.55
SdA—Seward loamy fine sand, 0 to 2 percent slopes			
Seward	100	F-5	
		F-5	0.55
SdB—Seward loamy fine sand, 2 to 6 percent slopes			
Seward	100	F-5	
		F-5	0.55
SeB—Shawtown loam, 2 to 6 percent slopes			
Shawtown	93	A-1	
		A-1	0.01
SfB—Shinrock silt loam, 2 to 6 percent slopes			
Shinrock	100	A-6	
		A-6	0.06
SfC2—Shinrock silt loam, 6 to 12 percent slopes, moderately eroded			
Shinrock	100	A-6	
		A-6	0.06

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SgC2—Shinrock clay loam, 6 to 12 percent slopes, eroded			
Shinrock	95	A-6	
		A-6	0.06
Sh—Shoals silt loam			
Shoals	95	C-3	
		C-3	0.13
Sk—Shoals silt loam, moderately shallow variant			
Shoals variant	95	B-3	
		B-3	0.09
SmB—Shinrock, till substratum-Glynwood complex, 1 to 4 percent slopes			
Shinrock, till substratum	50	A-6	
		A-6	0.06
Glynwood	40	A-6	
		A-6	0.06
SnA—Shoals silt loam, 0 to 2 percent slopes, occasionally flooded			
Shoals	95	C-3	
		C-3	0.13
So—Sloan silty clay loam			
Sloan	95	C-3	
		C-3	0.13
SpA—Sloan loam, 0 to 1 percent slopes, occasionally flooded			
Sloan	90	C-3	
		C-3	0.13
SrA—Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded			
Sloan	90	C-3	
		C-3	0.13
SsA—Sloan silty clay loam, till substratum, 0 to 1 percent slopes, frequently flooded			
Sloan	90	C-3	
		C-3	0.13
TdA—Tedrow loamy fine sand, 0 to 3 percent slopes			
Tedrow	100	C-1	
		C-1	0.11

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ThA—Thackery loam, till substratum, 0 to 2 percent slopes			
Thackery, till substratum	80	A-6	
		A-6	0.06
TkA—Tiderishi loam, 0 to 2 percent slopes			
Tiderishi	90	C-1	
		C-1	0.11
To—Toledo silty clay loam			
Toledo	100	C-2	
		C-2	0.12
TpA—Toledo silty clay loam, 0 to 1 percent slopes			
Toledo	90	C-2	
		C-2	0.12
Tt—Toledo silty clay			
Toledo	95	C-2	
		C-2	0.12
TuB—Tuscola loam, 2 to 6 percent slopes			
Tuscola	100	A-6	
		A-6	0.06
TvB—Tuscola loamy fine sand, 2 to 6 percent slopes			
Tuscola	93	A-6	
		A-6	0.06
TwB—Tuscola-Shinrock complex, 2 to 6 percent slopes			
Shinrock	40	A-6	
		A-6	0.06
Tuscola	40	A-6	
		A-6	0.06
TxA—Tuscola fine sandy loam, 0 to 2 percent slopes			
Tuscola	93	A-6	
		A-6	0.06
UdD—Udorthents, loamy, 12 to 25 percent slopes			
Udorthents	90	Not rated	
Ur—Urban land			
Urban land	100	Not rated	

Selected Soil Interpretations--Putnam County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
VaB—Vaughnsville loam, 2 to 6 percent slopes			
Vaughnsville	100	A-6	
		A-6	0.06
VbA—Vanlue loam, 0 to 2 percent slopes			
Vanlue	90	C-1	
		C-1	0.11
W—Water			
Water	100	Not rated	
Wa—Wabasha silty clay			
Wabasha	100	C-3	
		C-3	0.13
Wb—Wabasha silty clay loam, moderately shallow variant			
Wabasha variant	100	B-3	
		B-3	0.09
Wc—Wabasha silty clay loam, frequently flooded			
Wabasha	90	C-3	
		C-3	0.13
Wf—Wauseon fine sandy loam			
Wauseon	95	C-2	
		C-2	0.12
Wm—Willette muck			
Willette	100	D-1	
		D-1	0.30

Data Source Information

Soil Survey Area: Putnam County, Ohio
 Survey Area Data: Version 13, Sep 19, 2014