

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AcD2—Alexandria silty clay loam, 12 to 18 percent slopes, eroded			
Alexandria	80	A-1	
		A-1	0.01
AdB—Alexandria silt loam, 2 to 6 percent slopes			
Alexandria	85	A-6	
		A-6	0.06
AdC—Alexandria silt loam, 6 to 12 percent slopes			
Alexandria	90	A-6	
		A-6	0.06
AdC2—Alexandria silt loam, 6 to 12 percent slopes, moderately eroded			
Alexandria	90	A-6	
		A-6	0.06
AdD—Alexandria silt loam, 12 to 18 percent slopes			
Alexandria	90	A-6	
		A-6	0.06
AdD2—Alexandria silt loam, 12 to 18 percent slopes, moderately eroded			
Alexandria	90	A-6	
		A-6	0.06

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AdE—Alexandria silt loam, 18 to 25 percent slopes			
Alexandria	85	A-2	
		A-2	0.02
AdE2—Alexandria silt loam, 18 to 25 percent slopes, moderately eroded			
Alexandria	95	A-2	
		A-2	0.02
AdF—Alexandria silt loam, 25 to 40 percent slopes			
Alexandria	85	A-3	
		A-3	0.03
AeD3—Alexandria silty clay loam, 12 to 18 percent slopes, severely eroded			
Alexandria	90	A-6	
		A-6	0.06
Ag—Algiers silt loam			
Algiers	90	C-3	
		C-3	0.13
BeB—Belmore loam, 2 to 6 percent slopes			
Belmore	100	A-1	
		A-1	0.01
BeC—Belmore loam, 6 to 12 percent slopes			
Belmore	100	A-1	
		A-1	0.01
BeD—Belmore loam, 12 to 18 percent slopes			
Belmore	95	A-1	
		A-1	0.01
BnA—Bennington silt loam, 0 to 2 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BnB—Bennington silt loam, 2 to 6 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BnB2—Bennington silt loam, 2 to 6 percent slopes, moderately eroded			
Bennington	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BpB—Bennington-Fitchville silt loams, 2 to 6 percent slopes			
Bennington	55	C-1	
		C-1	0.11
Fitchville	35	C-1	
		C-1	0.11
BrB—Berks channery silt loam, 2 to 6 percent slopes			
Berks	90	F-1	
		F-1	0.51
BrC—Berks channery silt loam, 6 to 12 percent slopes			
Berks	95	F-1	
		F-1	0.51
BrD—Berks channery silt loam, 12 to 18 percent slopes			
Berks	90	F-1	
		F-1	0.51
BsF—Berks-Rock outcrop complex, steep			
Berks	60	F-2	
		F-2	0.52
Rock outcrop	20	Not rated	
BtA—Bogart loam, 0 to 2 percent slopes			
Bogart	100	A-1	
		A-1	0.01
BtB—Bogart loam, 2 to 6 percent slopes			
Bogart	95	A-1	
		A-1	0.01
BvA—Bogart silt loam, 0 to 2 percent slopes			
Bogart	100	A-1	
		A-1	0.01
BvB—Bogart silt loam, 2 to 6 percent slopes			
Bogart	100	A-1	
		A-1	0.01
BwC—Brownsville channery silt loam, 6 to 12 percent slopes			
Brownsville	90	B-1	
		B-1	0.07

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BwD—Brownsville channery silt loam, 12 to 18 percent slopes			
Brownsville	85	B-1	
		B-1	0.07
BxE—Brownsville-Westmoreland complex, 18 to 25 percent slopes			
Brownsville	60	B-1	
		B-1	0.07
Westmoreland	30	A-2	
		A-2	0.02
CdB—Canfield silt loam, 2 to 6 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CdB2—Canfield silt loam, 2 to 6 percent slopes, eroded			
Canfield, eroded	90	F-3	
		F-3	0.53
CdC—Canfield silt loam, 6 to 12 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CdC2—Canfield silt loam, 6 to 12 percent slopes, eroded			
Canfield, eroded	90	F-3	
		F-3	0.53
CgB—Cardington silt loam, 2 to 6 percent slopes			
Cardington	100	A-6	
		A-6	0.06
CgB2—Cardington silt loam, 2 to 6 percent slopes, moderately eroded			
Cardington	100	A-6	
		A-6	0.06
CgC—Cardington silt loam, 6 to 12 percent slopes			
Cardington	85	A-6	
		A-6	0.06
CgC2—Cardington silt loam, 6 to 12 percent slopes, moderately eroded			
Cardington	95	A-6	
		A-6	0.06

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ChC3—Cardington silty clay loam, 6 to 12 percent slopes, severely eroded			
Cardington	95	A-6	
		A-6	0.06
Ck—Carlisle muck			
Carlisle	100	D-1	
		D-1	0.30
CmB—Chili silt loam, 2 to 6 percent slopes			
Chili	90	A-1	
		A-1	0.01
CnB—Chili loam, 2 to 6 percent slopes			
Chili	95	B-1	
		B-1	0.07
CnC—Chili loam, 6 to 12 percent slopes			
Chili	95	B-1	
		B-1	0.07
CoD—Chili and Conotton soils, 12 to 18 percent slopes			
Chili	49	B-1	
		B-1	0.07
Conotton	49	B-1	
		B-1	0.07
CoD3—Chili and Conotton soils, 12 to 18 percent slopes, severely eroded			
Chili	45	B-1	
		B-1	0.07
Conotton	45	B-1	
		B-1	0.07
CoE—Chili and Conotton soils, 18 to 25 percent slopes			
Chili	49	B-1	
		B-1	0.07
Conotton	49	B-1	
		B-1	0.07

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CoF—Chili and Conotton soils, 25 to 40 percent slopes			
Chili	47	B-2	
		B-2	0.08
Conotton	47	B-2	
		B-2	0.08
Cp—Condit silty clay loam			
Condit	90	C-1	
		C-1	0.11
Cr—Condit silt loam, 0 to 1 percent slopes			
Condit	90	C-1	
		C-1	0.11
Cs—Condit-Bennington silt loams			
Condit	50	C-1	
		C-1	0.11
Bennington	30	C-1	
		C-1	0.11
CtC—Conotton gravelly loam, 2 to 12 percent slopes			
Conotton	100	B-1	
		B-1	0.07
CvC—Coshocton loam, 6 to 15 percent slopes			
Coshocton	100	B-1	
		B-1	0.07
DmB—Digby loam, 1 to 4 percent slopes			
Digby	95	C-1	
		C-1	0.11
FbA—Fitchville silt loam, 1 to 4 percent slopes			
Fitchville	90	C-1	
		C-1	0.11
FcA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	90	C-1	
		C-1	0.11
FcB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	95	C-1	
		C-1	0.11

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FdA—Fitchville-Bennington silt loams, 0 to 2 percent slopes			
Fitchville	55	C-1	
		C-1	0.11
Bennington	35	C-1	
		C-1	0.11
FgA—Fitchville silt loam, gravelly subsoil variant, 0 to 2 percent slopes			
Fitchville variant	95	C-1	
		C-1	0.11
FgB—Fitchville silt loam, gravelly subsoil variant, 2 to 6 percent slopes			
Fitchville variant	95	C-1	
		C-1	0.11
Fr—Frenchtown silt loam			
Frenchtown	100	C-2	
		C-2	0.12
GdB—Gilpin silt loam, 3 to 8 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GdC—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
GfA—Glenford silt loam, 0 to 2 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GfB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	95	A-6	
		A-6	0.06
GfC—Glenford silt loam, 6 to 12 percent slopes			
Glenford	95	A-6	
		A-6	0.06
GrB—Gresham silt loam, 2 to 6 percent slopes			
Gresham	95	C-1	
		C-1	0.11
HaB—Haney loam, 2 to 6 percent slopes			
Haney	100	A-1	
		A-1	0.01

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HfB—Hanover silt loam, 2 to 6 percent slopes			
Hanover	95	F-3	
		F-3	0.53
HfC—Hanover silt loam, 6 to 12 percent slopes			
Hanover	95	F-3	
		F-3	0.53
HfC2—Hanover silt loam, 6 to 12 percent slopes, moderately eroded			
Hanover	100	F-3	
		F-3	0.53
HfC3—Hanover silt loam, 6 to 12 percent slopes, severely eroded			
Hanover	95	F-3	
		F-3	0.53
HfD—Hanover silt loam, 12 to 18 percent slopes			
Hanover	95	F-3	
		F-3	0.53
HfD2—Hanover silt loam, 12 to 18 percent slopes, moderately eroded			
Hanover	95	F-3	
		F-3	0.53
HfE—Hanover silt loam, 18 to 25 percent slopes			
Hanover	85	F-3	
		F-3	0.53
Ho—Holly silt loam			
Holly	95	C-3	
		C-3	0.13
HpB—Homewood silt loam, 2 to 6 percent slopes			
Homewood	85	F-3	
		F-3	0.53
HpC—Homewood silt loam, 6 to 12 percent slopes			
Homewood	90	F-3	
		F-3	0.53
HpD2—Homewood silt loam, 12 to 18 percent slopes, eroded			
Homewood	90	F-3	
		F-3	0.53

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HpE2—Homewood silt loam, 18 to 25 percent slopes, eroded			
Homewood	90	F-3	
		F-3	0.53
JtA—Jimtown loam, 0 to 2 percent slopes			
Jimtown	94	C-1	
		C-1	0.11
KbA—Kibbie loam, 0 to 2 percent slopes			
Kibbie	90	C-1	
		C-1	0.11
La—Landes fine sandy loam			
Landes	85	B-3	
		B-3	0.09
LfB—Latham silt loam, 3 to 8 percent slopes			
Latham	90	F-1	
		F-1	0.51
LfC—Latham silt loam, 8 to 15 percent slopes			
Latham	90	F-1	
		F-1	0.51
Lg—Lenawee silty clay loam			
Lenawee	100	C-1	
		C-1	0.11
Lk—Linwood muck			
Linwood	100	D-1	
		D-1	0.30
Lo—Lobdell silt loam			
Lobdell	95	A-5	
		A-5	0.05
LrB—Lordstown silt loam, 2 to 6 percent slopes			
Lordstown	95	F-1	
		F-1	0.51
LrC—Lordstown silt loam, 6 to 12 percent slopes			
Lordstown	90	F-1	
		F-1	0.51

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LrD—Lordstown silt loam, 12 to 18 percent slopes			
Lordstown	90	F-1	
		F-1	0.51
LrE—Lordstown silt loam, 18 to 25 percent slopes			
Lordstown	100	F-1	
		F-1	0.51
LrF—Lordstown silt loam, 25 to 40 percent slopes			
Lordstown	100	F-2	
		F-2	0.52
LtE—Lordstown and Loudonville silt loams, 18 to 25 percent slopes			
Lordstown	45	F-1	
		F-1	0.51
Loudonville	45	F-1	
		F-1	0.51
LtF—Lordstown and Loudonville silt loams, 25 to 40 percent slopes			
Lordstown	45	F-2	
		F-2	0.52
Loudonville	45	F-2	
		F-2	0.52
LvB—Loudonville silt loam, 2 to 6 percent slopes			
Loudonville	95	F-1	
		F-1	0.51
LvC—Loudonville silt loam, 6 to 12 percent slopes			
Loudonville	95	F-1	
		F-1	0.51
LvD—Loudonville silt loam, 12 to 18 percent slopes			
Loudonville	95	F-1	
		F-1	0.51
Ly—Luray silty clay loam			
Luray	100	C-1	
		C-1	0.11

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LzB—Lykens silt loam, 2 to 6 percent slopes			
Lykens	100	A-6	
		A-6	0.06
MeB—Mentor silt loam, 2 to 6 percent slopes			
Mentor	100	A-1	
		A-1	0.01
MeC—Mentor silt loam, 6 to 12 percent slopes			
Mentor	90	A-1	
		A-1	0.01
Op—Olmsted silty clay loam			
Olmsted	100	C-1	
		C-1	0.11
Or—Orrville loam, moderately shallow variant			
Orrville variant	100	B-3	
		B-3	0.09
Pa—Pewamo silt loam			
Pewamo	95	C-1	
		C-1	0.11
Pc—Pewamo silt loam, overwash			
Pewamo	100	C-1	
		C-1	0.11
Pg—Pits, gravel			
Pits, gravel	100	Not rated	
Pm—Pewamo silty clay loam			
Pewamo	95	C-1	
		C-1	0.11
ReA—Ravenna silt loam, 0 to 2 percent slopes			
Ravenna	95	C-1	
		C-1	0.11
ReB—Ravenna silt loam, 2 to 6 percent slopes			
Ravenna	95	C-1	
		C-1	0.11
RsB—Rittman silt loam, 2 to 6 percent slopes			
Rittman	95	F-3	
		F-3	0.53

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RsB2—Rittman silt loam, 2 to 6 percent slopes, moderately eroded			
Rittman	100	F-3	
		F-3	0.53
RsC—Rittman silt loam, 6 to 12 percent slopes			
Rittman	85	F-3	
		F-3	0.53
RsC2—Rittman silt loam, 6 to 12 percent slopes, moderately eroded			
Rittman	85	F-3	
		F-3	0.53
RsD—Rittman silt loam, 12 to 18 percent slopes			
Rittman	85	F-3	
		F-3	0.53
RsD2—Rittman silt loam, 12 to 18 percent slopes, moderately eroded			
Rittman	85	F-3	
		F-3	0.53
RtC3—Rittman silty clay loam, 6 to 12 percent slopes, severely eroded			
Rittman	85	F-3	
		F-3	0.53
RtD3—Rittman silty clay loam, 12 to 18 percent slopes, severely eroded			
Rittman	85	F-3	
		F-3	0.53
SaC—Schaffemaker loamy sand, 2 to 12 percent slopes			
Schaffemaker	100	F-1	
		F-1	0.51
SaD—Schaffemaker loamy sand, 12 to 18 percent slopes			
Schaffemaker	100	F-1	
		F-1	0.51
SaE—Schaffemaker loamy sand, 18 to 40 percent slopes			
Schaffemaker	95	F-2	
		F-2	0.52

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SbE—Schaffenaker loamy sand, 10 to 40 percent slopes			
Schaffenaker	100	F-1	
		F-1	0.51
Se—Sebring silt loam			
Sebring	95	C-1	
		C-1	0.11
Sh—Shoals silt loam, 0 to 2 percent slopes, occasionally flooded			
Shoals	85	C-3	
		C-3	0.13
Sk—Shoals loam, coarse subsoil variant			
Shoals variant	95	B-3	
		B-3	0.09
SmA—Sleeth silt loam, loamy substratum, 0 to 3 percent slopes			
Sleeth	85	C-1	
		C-1	0.11
So—Sloan silty clay loam			
Sloan	95	C-3	
		C-3	0.13
TmA—Tiro silt loam, 0 to 2 percent slopes			
Tiro	90	C-1	
		C-1	0.11
TmB—Tiro silt loam, 2 to 6 percent slopes			
Tiro	90	C-1	
		C-1	0.11
TvB—Titusville silt loam, 2 to 6 percent slopes			
Titusville	95	F-3	
		F-3	0.53
TvC—Titusville silt loam, 6 to 12 percent slopes			
Titusville	95	F-3	
		F-3	0.53
Uc—Udorthents			
Udorthents	100	Not rated	
Ud—Udorthents, loamy			
Udorthents	100	Not rated	

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ur—Urban land			
Urban land	100	Not rated	
W—Water			
Water	100	Not rated	
WaA—Wadsworth silt loam, 0 to 2 percent slopes			
Wadsworth	95	C-2	
		C-2	0.12
WaB—Wadsworth silt loam, 2 to 6 percent slopes			
Wadsworth	90	C-2	
		C-2	0.12
Wc—Walkkill silt loam			
Walkkill	100	C-3	
		C-3	0.13
WeD—Westmoreland silt loam, 15 to 25 percent slopes			
Westmoreland	80	A-2	
		A-2	0.02
WhA—Wheeling silt loam, 0 to 2 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WhB—Wheeling silt loam, 2 to 6 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WhC—Wheeling silt loam, 6 to 12 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WmD—Wheeling and Mentor silt loams, 12 to 18 percent slopes			
Mentor	48	A-1	
		A-1	0.01
Wheeling	48	A-1	
		A-1	0.01
WsB—Wooster silt loam, 2 to 6 percent slopes			
Wooster	95	F-3	
		F-3	0.53

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WsB2—Wooster silt loam, 2 to 6 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WsC—Wooster silt loam, 6 to 12 percent slopes			
Wooster	95	F-3	
		F-3	0.53
WsC2—Wooster silt loam, 6 to 12 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WsD—Wooster silt loam, 12 to 18 percent slopes			
Wooster	95	F-3	
		F-3	0.53
WsD2—Wooster silt loam, 12 to 18 percent slopes, moderately eroded			
Wooster	85	F-3	
		F-3	0.53
WsD3—Wooster silt loam, 12 to 18 percent slopes, severely eroded			
Wooster	85	F-3	
		F-3	0.53
WsE—Wooster silt loam, 18 to 25 percent slopes			
Wooster	85	F-3	
		F-3	0.53
WsE2—Wooster silt loam, 18 to 25 percent slopes, eroded			
Wooster	85	F-3	
		F-3	0.53
WsF—Wooster silt loam, 25 to 40 percent slopes			
Wooster	85	F-4	
		F-4	0.54
WtB—Wooster-Chili soils, 2 to 6 percent slopes			
Wooster	80	F-3	
		F-3	0.53
Chili	20	B-1	
		B-1	0.07

Selected Soil Interpretations--Richland County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WtC---Wooster-Chili soils, 6 to 12 percent slopes			
Wooster	65	F-3	
		F-3	0.53
Chili	35	B-1	
		B-1	0.07
WvE3---Wooster silt loam, 18 to 40 percent slopes, severely eroded			
Wooster	85	F-4	
		F-4	0.54

### Data Source Information

Soil Survey Area: Richland County, Ohio  
 Survey Area Data: Version 10, Sep 19, 2014