

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Sandusky County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AaA—Adrian muck, 0 to 1 percent slopes			
Adrian	93	D-1	
		D-1	0.30
An—Aquents, nearly level			
Aquents	100	Not rated	
BaB—Belmore loam, 2 to 6 percent slopes			
Belmore	95	A-1	
		A-1	0.01
BeA—Bennington silt loam, 0 to 2 percent slopes			
Bennington	90	C-1	
		C-1	0.11
BkB—Bixler loamy fine sand, 2 to 6 percent slopes			
Bixler	85	C-1	
		C-1	0.11
Blg1A1—Blount silt loam, ground moraine, 0 to 2 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11
Blg1B1—Blount silt loam, ground moraine, 2 to 4 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Sandusky County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Bt--Bono silty clay			
Bono	95	C-2	
		C-2	0.12
ChB--Castalia very stony loam, 1 to 6 percent slopes			
Castalia	90	F-1	
		F-1	0.51
CkB--Chili loam, loamy substratum, 2 to 6 percent slopes			
Chili	85	A-1	
		A-1	0.01
Co--Colwood fine sandy loam			
Colwood	90	C-1	
		C-1	0.11
DAM--Dam			
Dam	100	Not rated	
DeA--Del Rey silt loam, 0 to 2 percent slopes			
Del rey	90	C-1	
		C-1	0.11
DkA--Dixboro-Kibbie complex, 0 to 2 percent slopes			
Dixboro	65	C-1	
		C-1	0.11
Kibbie	25	C-1	
		C-1	0.11
Do--Dumps			
Dumps	100	Not rated	
DuB--Dunbridge sandy loam, 1 to 4 percent slopes			
Dunbridge	90	F-1	
		F-1	0.51
FuA--Fulton silty clay loam, 0 to 3 percent slopes			
Fulton	95	C-2	
		C-2	0.12
Ge--Gilford fine sandy loam			
Gilford	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Sandusky County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GtB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GwB—Glynwood silt loam, 2 to 6 percent slopes			
Glynwood	85	A-6	
		A-6	0.06
Gx—Granby loamy sand			
Granby	85	C-1	
		C-1	0.11
HaB—Haskins sandy loam, 1 to 4 percent slopes			
Haskins	90	C-1	
		C-1	0.11
HcA—Hoytville silty clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
HoA—Hoytville clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
KbA—Kibbie fine sandy loam, 0 to 2 percent slopes			
Kibbie	90	C-1	
		C-1	0.11
Le—Lenawee silty clay loam			
Lenawee	85	C-1	
		C-1	0.11
LuB—Lucas silty clay, 2 to 6 percent slopes			
Lucas	90	F-5	
		F-5	0.55
MeB—Mentor silt loam, 1 to 4 percent slopes			
Mentor	85	A-1	
		A-1	0.01
MeF—Mentor silt loam, 25 to 50 percent slopes			
Mentor	85	Not assigned	
MnA—Mermill loam, 0 to 1 percent slopes			
Mermill	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Sandusky County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Mo—Merrill loam			
Merrill	85	C-1	
		C-1	0.11
Mp—Merrill Variant sandy loam			
Merrill variant	90	C-1	
		C-1	0.11
Ms—Millsdale silty clay loam			
Millsdale	85	C-2	
		C-2	0.12
NpA—Nappanee silt loam, 0 to 3 percent slopes			
Nappanee	85	C-2	
		C-2	0.12
Pe—Pewamo silty clay loam			
Pewamo	90	C-1	
		C-1	0.11
Pq—Pits, quarry			
Pits	100	Not rated	
RoB—Rimer loamy fine sand, 1 to 4 percent slopes			
Rimer	85	C-1	
		C-1	0.11
Rs—Rossburg silt loam, occasionally flooded			
Rossburg	90	A-5	
		A-5	0.05
Sa—Sandusky gravelly coarse sandy loam			
Sandusky	85	C-1	
		C-1	0.11
SbC2—Saylesville silty clay loam, 6 to 12 percent slopes, eroded			
Saylesville	90	A-6	
		A-6	0.06
SeB—Seward loamy fine sand, 2 to 6 percent slopes			
Seward	85	F-5	
		F-5	0.55
Sh—Shoals silt loam, frequently flooded			
Shoals	90	C-3	
		C-3	0.13

Selected Soil Interpretations--Sandusky County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SoB—Spinks fine sand, 2 to 6 percent slopes			
Spinks	85	B-1	
		B-1	0.07
TeA—Tedrow loamy fine sand, 0 to 2 percent slopes			
Tedrow	90	C-1	
		C-1	0.11
TfA—Tedrow-Dixboro complex, 0 to 2 percent slopes			
Tedrow	65	C-1	
		C-1	0.11
Dixboro	25	C-1	
		C-1	0.11
To—Toledo silty clay			
Toledo	90	C-2	
		C-2	0.12
Tp—Toledo silty clay loam, ponded			
Toledo	100	C-2	
		C-2	0.12
Un—Udorthents, strongly sloping			
Udorthents	100	Not rated	
W—Water			
Water	100	Not rated	
Wa—Weyers coarse sandy loam			
Weyers	90	C-1	
		C-1	0.11

### Data Source Information

Soil Survey Area: Sandusky County, Ohio  
 Survey Area Data: Version 10, Sep 19, 2014