

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ad—Alluvial land			
Alluvial land	100	Not rated	
An—Alluvial land-Urban land complex			
Alluvial land	50	Not rated	
Urban land	50	Not rated	
ArB—Arkport fine sandy loam, 0 to 6 percent slopes			
Arkport	100	B-1	
		B-1	0.07
ArC—Arkport fine sandy loam, 6 to 12 percent slopes			
Arkport	100	B-1	
		B-1	0.07
ArD—Arkport fine sandy loam, 12 to 18 percent slopes			
Arkport	100	B-1	
		B-1	0.07
AwD2—Amanda-Wooster silt loams, 12 to 18 percent slopes, eroded			
Amanda	50	A-1	
		A-1	0.01
Wooster	40	F-3	
		F-3	0.53
BeB—Berks silt loam, 3 to 8 percent slopes			
Berks	85	F-1	
		F-1	0.51

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BeD—Berks silt loam, 12 to 18 percent slopes			
Berks	85	F-1	
		F-1	0.51
BeE—Berks silt loam, 18 to 25 percent slopes			
Berks	85	F-1	
		F-1	0.51
BfD—Bethesda channery clay loam, 8 to 25 percent slopes			
Bethesda	85	E-3	
		E-3	0.42
BfF—Bethesda channery clay loam, 25 to 70 percent slopes			
Bethesda	85	H-1	
		H-1	0.71
BgA—Bogart loam, 0 to 2 percent slopes			
Bogart	100	A-1	
		A-1	0.01
BgB—Bogart loam, 2 to 6 percent slopes			
Bogart	100	A-1	
		A-1	0.01
BhC—Bethesda channery clay loam, 8 to 15 percent slopes			
Bethesda	95	E-3	
		E-3	0.42
BkE—Berks channery silt loam, 25 to 35 percent slopes			
Berks	85	F-2	
		F-2	0.52
BIF—Berks channery silt loam, 35 to 70 percent slopes			
Berks	85	H-1	
		H-1	0.71
BoA—Bogart silt loam, 0 to 2 percent slopes			
Bogart	100	A-1	
		A-1	0.01
BoB—Bogart silt loam, 2 to 6 percent slopes			
Bogart	100	A-1	
		A-1	0.01

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BoC—Bogart silt loam, 6 to 12 percent slopes			
Bogart	100	A-1	
		A-1	0.01
BrA—Boyer loam, 0 to 4 percent slopes			
Boyer	95	B-1	
		B-1	0.07
Bu—Bogart-Urban land complex			
Bogart	50	Not assigned	
Urban land	40	Not rated	
BwC2—Brooke silty clay loam, 4 to 12 percent slopes, moderately eroded			
Brooke	100	F-1	
		F-1	0.51
BwE2—Brooke silty clay loam, 12 to 25 percent slopes, moderately eroded			
Brooke	100	F-1	
		F-1	0.51
Ca—Canadice silt loam			
Canadice	95	C-2	
		C-2	0.12
CbB—Culleoka silt loam, 3 to 8 percent slopes			
Culleoka	85	F-1	
		F-1	0.51
CcD—Conotton gravelly loam, 15 to 25 percent slopes			
Conotton	85	B-1	
		B-1	0.07
CdA—Canfield silt loam, 0 to 2 percent slopes			
Canfield	85	F-3	
		F-3	0.53
CdB—Canfield silt loam, 2 to 6 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CdC—Canfield silt loam, 6 to 12 percent slopes			
Canfield	90	F-3	
		F-3	0.53

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CdC2—Canfield silt loam, 6 to 12 percent slopes, eroded			
Canfield, eroded	90	F-3	
		F-3	0.53
CdD—Canfield silt loam, 12 to 18 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CdD2—Canfield silt loam, 12 to 18 percent slopes, eroded			
Canfield, eroded	95	F-3	
		F-3	0.53
CddD—Canfield silt loam, 12 to 20 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CddE—Canfield silt loam, 20 to 35 percent slopes			
Canfield	90	F-4	
		F-4	0.54
CeB—Canfield-Urban land complex, 2 to 6 percent slopes			
Canfield	45	Not assigned	
Urban land	35	Not rated	
CeC—Canfield-Urban land complex, 6 to 12 percent slopes			
Canfield	50	Not assigned	
Urban land	40	Not rated	
CfB—Canfield silt loam, moderately deep variant, 2 to 6 percent slopes			
Canfield, moderately deep	85	F-3	
		F-3	0.53
		F-1	0.51
CfC—Canfield silt loam, moderately deep variant, 6 to 12 percent slopes			
Canfield, moderately deep	85	F-3	
		F-3	0.53
		F-1	0.51
CgC—Canfield silt loam, 8 to 15 percent slopes			
Canfield	90	F-3	
		F-3	0.53

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ch—Carlisle muck			
Carlisle	100	D-1	
		D-1	0.30
Ci—Chagrin loam			
Chagrin	90	B-3	
		B-3	0.09
CjD—Conotton-Oshtemo complex, 12 to 18 percent slopes			
Conotton	60	B-1	
		B-1	0.07
Oshtemo	30	B-1	
		B-1	0.07
Ck—Chagrin loam, alkaline phase			
Chagrin	100	A-5	
		A-5	0.05
CIA—Chili silt loam, 0 to 3 percent slopes			
Chili	85	A-1	
		A-1	0.01
Cm—Chagrin silt loam, alkaline phase			
Chagrin	100	A-5	
		A-5	0.05
CnA—Chili loam, 0 to 2 percent slopes			
Chili	100	B-1	
		B-1	0.07
CnB—Chili loam, 2 to 6 percent slopes			
Chili	100	B-1	
		B-1	0.07
CoC—Chili gravelly loam, 6 to 12 percent slopes			
Chili	100	B-1	
		B-1	0.07
CoC2—Chili gravelly loam, 6 to 12 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
CoD2—Chili gravelly loam, 12 to 18 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CoE2—Chili gravelly loam, 18 to 25 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
CpA—Chili silt loam, 0 to 2 percent slopes			
Chili	100	B-1	
		B-1	0.07
CpB—Chili silt loam, 2 to 6 percent slopes			
Chili	100	B-1	
		B-1	0.07
CpC—Chili silt loam, 6 to 12 percent slopes			
Chili	100	B-1	
		B-1	0.07
CpC2—Chili silt loam, 6 to 12 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
CrD2—Chili gravelly loam, 12 to 25 percent slopes, eroded			
Chili	90	A-2	
		A-2	0.02
CsC—Coshocton-Guernsey silt loams, 8 to 15 percent slopes			
Coshocton	55	A-6	
		A-6	0.06
Guernsey	30	A-6	
		A-6	0.06
CsD—Coshocton-Guernsey silt loams, 15 to 25 percent slopes			
Coshocton	60	A-2	
		A-2	0.02
Guernsey	30	Not assigned	
CsE—Coshocton-Guernsey silt loams, 25 to 40 percent slopes			
Coshocton	60	A-3	
		A-3	0.03
Guernsey	30	F-6	
		F-6	0.56

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CtC—Coshocton silt loam, 6 to 12 percent slopes			
Coshocton	90	A-6	
		A-6	0.06
CtD2—Coshocton silt loam, 15 to 25 percent slopes, eroded			
Coshocton	85	A-2	
		A-2	0.02
CuB—Chili-Urban land complex, undulating			
Chili	50	Not assigned	
Urban land	50	Not rated	
CuC—Chili-Urban land complex, rolling			
Chili	50	Not assigned	
Urban land	50	Not rated	
CuF—Chili-Urban land complex, steep			
Chili	50	Not assigned	
Urban land	50	Not rated	
CvF2—Chili and Conotton gravelly loams, 25 to 50 percent slopes, moderately eroded			
Chili	50	B-2	
		B-2	0.08
Conotton	50	B-2	
		B-2	0.08
CwA—Conotton loam, 0 to 2 percent slopes			
Conotton	100	B-1	
		B-1	0.07
CxC—Coshocton-Guernsey very stony silt loams, 8 to 15 percent slopes			
Coshocton	55	A-1	
		A-1	0.01
Guernsey	30	A-6	
		A-6	0.06
CxD—Coshocton-Guernsey very stony silt loams, 15 to 25 percent slopes			
Coshocton	55	A-2	
		A-2	0.02
Guernsey	30	Not assigned	

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CyB—Conotton gravelly loam, 2 to 6 percent slopes			
Conotton	100	B-1	
		B-1	0.07
CyC—Conotton gravelly loam, 6 to 12 percent slopes			
Conotton	100	B-1	
		B-1	0.07
CyD2—Conotton gravelly loam, 12 to 18 percent slopes, moderately eroded			
Conotton	100	B-1	
		B-1	0.07
CyE2—Conotton gravelly loam, 18 to 25 percent slopes, moderately eroded			
Conotton	100	B-1	
		B-1	0.07
Da—Damascus loam			
Damascus	100	C-1	
		C-1	0.11
Dc—Damascus loam, till substratum			
Damascus	90	C-1	
		C-1	0.11
DeD—DeKalb channery loam, 12 to 18 percent slopes			
DeKalb	90	F-1	
		F-1	0.51
DeE—DeKalb channery loam, 18 to 25 percent slopes			
DeKalb	85	F-1	
		F-1	0.51
DkB—DeKalb sandy loam, 2 to 6 percent slopes			
DeKalb	100	F-1	
		F-1	0.51
DkC—DeKalb sandy loam, 6 to 12 percent slopes			
DeKalb	100	F-1	
		F-1	0.51

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
DkE2—DeKalb sandy loam, 12 to 25 percent slopes, moderately eroded			
DeKalb	100	F-1	
		F-1	0.51
DkF2—DeKalb sandy loam, 25 to 50 percent slopes, moderately eroded			
DeKalb	100	F-2	
		F-2	0.52
Ed—Edwards muck			
Edwards	100	D-1	
		D-1	0.30
EIB—Ellsworth silt loam, 2 to 6 percent slopes			
Ellsworth	85	A-1	
		A-1	0.01
EuB—Ellsworth-Urban land complex, 2 to 6 percent slopes			
Ellsworth	45	Not assigned	
Urban land	30	Not rated	
FaD—Fairpoint channery clay loam, 8 to 25 percent slopes			
Fairpoint	85	E-3	
		E-3	0.42
FaF—Fairpoint channery clay loam, 25 to 70 percent slopes			
Fairpoint	100	H-1	
		H-1	0.71
FcA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	95	C-1	
		C-1	0.11
FcB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	95	C-1	
		C-1	0.11
FcC—Fitchville silt loam, 6 to 12 percent slopes			
Fitchville	100	C-1	
		C-1	0.11
FoC2—Fredericktown gravelly loam, 6 to 15 percent slopes, eroded			
Fredericktown	90	B-1	
		B-1	0.07

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Fr—Frenchtown silt loam			
Frenchtown	100	C-1	
		C-1	0.11
Fu—Fitchville-Urban land complex			
Fitchville	50	Not assigned	
Urban land	50	Not rated	
GbB—Geeburg silt loam, 2 to 6 percent slopes			
Geeburg	95	F-5	
		F-5	0.55
GbB2—Geeburg silt loam, 2 to 6 percent slopes, moderately eroded			
Geeburg	95	F-5	
		F-5	0.55
GbC2—Geeburg silt loam, 6 to 12 percent slopes, moderately eroded			
Geeburg	100	F-5	
		F-5	0.55
GbE2—Geeburg silt loam, 12 to 25 percent, moderately eroded			
Geeburg	100	F-5	
		F-5	0.55
GcC2—Geeburg silty clay loam, 6 to 12 percent slopes, moderately eroded			
Geeburg	100	F-5	
		F-5	0.55
GdB—Gilpin silt loam, 3 to 8 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
GdC—Gilpin silt loam, 8 to 15 percent slopes			
Gilpin	80	F-1	
		F-1	0.51
GdD—Gilpin silt loam, 15 to 25 percent slopes			
Gilpin	85	F-1	
		F-1	0.51
Ge—Ginat silt loam			
Ginat	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GfA—Glenford silt loam, 0 to 2 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GfB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GfC—Glenford silt loam, 6 to 12 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GfC2—Glenford silt loam, 6 to 12 percent slopes, moderately eroded			
Glenford	100	A-6	
		A-6	0.06
GfD2—Glenford silt loam, 12 to 18 percent slopes, moderately eroded			
Glenford	100	A-6	
		A-6	0.06
GhB—Glenford silt loam, 3 to 8 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GIC—Glenford silt loam, 6 to 12 percent slopes			
Glenford	95	A-6	
		A-6	0.06
GmC—Guernsey silt loam, 8 to 15 percent slopes			
Guernsey	85	A-6	
		A-6	0.06
GnB—Guernsey silty clay loam, 3 to 8 percent slopes			
Guernsey	85	A-6	
		A-6	0.06
HeC—Hazleton channery loam, 6 to 15 percent slopes			
Hazleton	85	B-1	
		B-1	0.07
HeD—Hazleton channery loam, 15 to 25 percent slopes			
Hazleton	85	B-1	
		B-1	0.07

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HeE—Hazleton channery loam, 25 to 40 percent slopes			
Hazleton	90	B-2	
		B-2	0.08
HgC—Hazleton loam, 8 to 15 percent slopes			
Hazleton	90	B-1	
		B-1	0.07
HgD—Hazleton loam, 15 to 25 percent slopes			
Hazleton	95	B-1	
		B-1	0.07
HgE—Hazleton loam, 25 to 40 percent slopes			
Hazleton	95	B-2	
		B-2	0.08
HI—Holly silt loam			
Holly	95	C-3	
		C-3	0.13
Ho—Holly silt loam, ponded			
Holly	90	C-3	
		C-3	0.13
Hy—Holly silt loam, alkaline			
Holly	95	C-3	
		C-3	0.13
JtA—Jimtown loam, 0 to 2 percent slopes			
Jimtown	90	C-1	
		C-1	0.11
JtB—Jimtown loam, 2 to 6 percent slopes			
Jimtown	90	C-1	
		C-1	0.11
JuB—Jimtown loam, till substratum, 2 to 6 percent slopes			
Jimtown	85	C-1	
		C-1	0.11
JwA—Jimtown silt loam, 0 to 3 percent slopes			
Jimtown	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
KeB—Keene silt loam, 2 to 6 percent slopes			
Keene	100	F-1	
		F-1	0.51
KeC—Keene silt loam, 6 to 12 percent slopes			
Keene	100	F-1	
		F-1	0.51
KeC2—Keene silt loam, 6 to 12 percent slopes, moderately eroded			
Keene	100	F-1	
		F-1	0.51
KeD—Keene silt loam, 12 to 18 percent slopes			
Keene	80	F-1	
		F-1	0.51
KeD2—Keene silt loam, 12 to 18 percent slopes, moderately eroded			
Keene	100	F-1	
		F-1	0.51
KeE—Keene silt loam, 18 to 25 percent slopes			
Keene	100	F-1	
		F-1	0.51
KhC—Keene silt loam, 8 to 15 percent slopes			
Keene	85	A-6	
		A-6	0.06
Kk—Killbuck silt loam			
Killbuck	95	C-3	
		C-3	0.13
KnC—Kensington silt loam, 6 to 15 percent slopes			
Kensington	85	A-1	
		A-1	0.01
KnD—Kensington silt loam, 15 to 25 percent slopes			
Kensington	90	A-2	
		A-2	0.02
LaB—Latham silt loam, 3 to 8 percent slopes			
Latham	90	F-1	
		F-1	0.51

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LaC—Latham silt loam, 8 to 15 percent slopes			
Latham	90	F-1	
		F-1	0.51
LaC2—Latham silt loam, 6 to 12 percent slopes, moderately eroded			
Latham	100	F-1	
		F-1	0.51
LaD—Latham silt loam, 12 to 18 percent slopes			
Latham	100	F-1	
		F-1	0.51
LaD2—Latham silt loam, 12 to 18 percent slopes, moderately eroded			
Latham	100	F-1	
		F-1	0.51
LaF—Latham silt loam, 25 to 35 percent slopes			
Latham	90	F-2	
		F-2	0.52
LcA—Licking silt loam, 0 to 2 percent slopes			
Licking	95	A-6	
		A-6	0.06
LcB—Licking silt loam, 2 to 6 percent slopes			
Licking	95	A-6	
		A-6	0.06
LcC—Licking silt loam, 6 to 12 percent slopes			
Licking	100	A-6	
		A-6	0.06
LcC2—Licking silt loam, 6 to 12 percent slopes, moderately eroded			
Licking	100	A-6	
		A-6	0.06
LcE2—Licking silt loam, 12 to 25 percent slopes, moderately eroded			
Licking	100	A-2	
		A-2	0.02
Ld—Linwood muck			
Linwood	100	D-1	
		D-1	0.30

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Le—Lobdell silt loam, alkaline phase			
Lobdell	100	A-5	
		A-5	0.05
Lf—Lobdell silt loam, occasionally flooded			
Lobdell	85	A-5	
		A-5	0.05
LnA—Lorain silt loam, 0 to 2 percent slopes			
Lorain	80	C-2	
		C-2	0.12
LoB—Loudonville silt loam, 2 to 6 percent slopes			
Loudonville	100	F-1	
		F-1	0.51
LoC—Loudonville silt loam, 6 to 12 percent slopes			
Loudonville	100	F-1	
		F-1	0.51
LoC2—Loudonville silt loam, 6 to 12 percent slopes, moderately eroded			
Loudonville	100	F-1	
		F-1	0.51
LoD—Loudonville silt loam, 12 to 18 percent slopes			
Loudonville	100	F-1	
		F-1	0.51
LoD2—Loudonville silt loam, 12 to 18 percent slopes, moderately eroded			
Loudonville	100	F-1	
		F-1	0.51
LoE2—Loudonville silt loam, 18 to 25 percent slopes, moderately eroded			
Loudonville	100	F-1	
		F-1	0.51
LoF2—Loudonville silt loam, 25 to 35 percent slopes, moderately eroded			
Loudonville	100	F-2	
		F-2	0.52
Lr—Luray silty clay loam			
Luray	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LuB—Loudonville-Urban land complex, undulating			
Loudonville	50	Not assigned	
Urban land	50	Not rated	
LuC—Loudonville-Urban land complex, rolling			
Loudonville	50	Not assigned	
Urban land	50	Not rated	
Lw—Lorain silty clay loam, silty substratum			
Lorain	95	C-2	
		C-2	0.12
Ly—Luray silt loam			
Luray	100	C-1	
		C-1	0.11
Lz—Luray silt loam, gravelly subsoil variant			
Luray variant	95	C-1	
		C-1	0.11
Ma—Made land			
Made land	100	Not rated	
Mc—Melvin silt loam, frequently flooded			
Melvin	100	C-3	
		C-3	0.13
MdB—Mahoning silt loam, 2 to 6 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MeA—Mentor silt loam, 0 to 2 percent slopes			
Mentor	100	A-6	
		A-6	0.06
MeB—Mentor silt loam, 2 to 6 percent slopes			
Mentor	100	A-6	
		A-6	0.06
MeC—Mentor silt loam, 6 to 12 percent slopes			
Mentor	100	A-6	
		A-6	0.06
MeD—Mentor silt loam, 12 to 18 percent slopes			
Mentor	100	A-6	
		A-6	0.06

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Mg—Montgomery silty clay loam			
Montgomery	95	C-2	
		C-2	0.12
MhB—Mechanicsburg silt loam, 2 to 6 percent slopes			
Mechanicsburg	90	A-1	
		A-1	0.01
MsB—Muskingum silt loam, 2 to 6 percent slopes			
Muskingum	100	F-1	
		F-1	0.51
MsC—Muskingum silt loam, 6 to 12 percent slopes			
Muskingum	100	F-1	
		F-1	0.51
MsD—Muskingum silt loam, 12 to 18 percent slopes			
Muskingum	100	F-1	
		F-1	0.51
MvE—Muskingum and Gilpin silt loams, 18 to 25 percent slopes			
Gilpin	50	F-1	
		F-1	0.51
Muskingum	50	F-1	
		F-1	0.51
MvE3—Muskingum and Gilpin silt loams, 18 to 25 percent slopes, severely eroded			
Gilpin	50	F-1	
		F-1	0.51
Muskingum	50	F-1	
		F-1	0.51
MvF—Muskingum and Gilpin silt loams, 25 to 35 percent slopes			
Gilpin	50	F-2	
		F-2	0.52
Muskingum	50	F-2	
		F-2	0.52

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MvG—Muskingum and Gilpin silt loams, 35 to 50 percent slopes			
Gilpin	50	H-1	
		H-1	0.71
Muskingum	50	H-1	
		H-1	0.71
MwF—Muskingum and Gilpin-Urban land complex, steep			
Muskingum	40	Not assigned	
Gilpin	30	Not assigned	
Urban land	30	Not rated	
Od—Olmsted loam			
Olmsted	85	C-1	
		C-1	0.11
OmA—Oshtemo sandy loam, 0 to 2 percent slopes			
Oshtemo	95	B-1	
		B-1	0.07
OmB—Oshtemo sandy loam, 2 to 6 percent slopes			
Oshtemo	90	B-1	
		B-1	0.07
OmC—Oshtemo sandy loam, 6 to 12 percent slopes			
Oshtemo	85	B-1	
		B-1	0.07
OrA—Orrville silt loam, 0 to 2 percent slopes, occasionally flooded			
Orrville	85	C-3	
		C-3	0.13
OsB—Oshtemo sandy loam, 3 to 8 percent slopes			
Oshtemo	95	A-1	
		A-1	0.01
Ot—Orrville silt loam, occasionally flooded			
Orrville	85	C-3	
		C-3	0.13
Pg—Pits, gravel			
Pits, gravel	100	Not rated	

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
PIB—Plainfield loamy sand, 0 to 6 percent slopes			
Plainfield	100	B-1	
		B-1	0.07
PIC—Plainfield loamy sand, 6 to 12 percent slopes			
Plainfield	100	B-1	
		B-1	0.07
PnB—Plainfield loamy sand, 3 to 8 percent slopes			
Plainfield	100	B-1	
		B-1	0.07
Pq—Pits, quarry			
Pits, quarry	100	Not rated	
RaB—Rainsboro silt loam, 2 to 6 percent slopes			
Rainsboro	95	F-3	
		F-3	0.53
RaC—Rainsboro silt loam, 6 to 12 percent slopes			
Rainsboro	100	F-3	
		F-3	0.53
RcC—Ramsey channery sandy loam, 6 to 12 percent slopes			
Ramsey	100	E-1	
		E-1	0.40
RcD—Ramsey channery sandy loam, 12 to 18 percent slopes			
Ramsey	100	E-1	
		E-1	0.40
RcE2—Ramsey channery sandy loam, 18 to 25 percent slopes, moderately eroded			
Ramsey	100	E-1	
		E-1	0.40
RcF2—Ramsey channery sandy loam, 25 to 50 percent slopes, moderately eroded			
Ramsey	100	E-2	
		E-2	0.41
ReA—Ravenna silt loam, 0 to 2 percent slopes			
Ravenna	95	C-1	
		C-1	0.11

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ReB—Ravenna silt loam, 2 to 6 percent slopes			
Ravenna	100	C-1	
		C-1	0.11
Rn—Ravenna-Urban land complex			
Ravenna	50	Not assigned	
Urban land	50	Not rated	
RoA—Remsen silt loam, 0 to 2 percent slopes			
Remsen	95	C-2	
		C-2	0.12
RoB—Remsen silt loam, 2 to 6 percent slopes			
Remsen	100	C-2	
		C-2	0.12
Rr—Remsen-Urban land complex			
Remsen	50	Not assigned	
Urban land	50	Not rated	
RsB—Rittman silt loam, 2 to 6 percent slopes			
Rittman	95	F-3	
		F-3	0.53
RsC—Rittman silt loam, 6 to 12 percent slopes			
Rittman	100	F-3	
		F-3	0.53
RsC2—Rittman silt loam, 6 to 12 percent slopes, moderately eroded			
Rittman	100	F-3	
		F-3	0.53
RsD2—Rittman silt loam, 12 to 18 percent slopes, moderately eroded			
Rittman	100	F-3	
		F-3	0.53
RtD2—Rittman silt loam, 12 to 20 percent slopes, eroded			
Rittman	90	F-3	
		F-3	0.53
RuA—Rush silt loam, 0 to 3 percent slopes			
Rush	85	A-6	
		A-6	0.06

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Sb—Sebring silt loam			
Sebring	95	C-1	
		C-1	0.11
Se—Sebring silt loam, till substratum			
Sebring	90	C-1	
		C-1	0.11
Sg—Sebring-Urban land complex			
Sebring	50	Not assigned	
Urban land	50	Not rated	
Sh—Shoals silt loam			
Shoals	90	C-3	
		C-3	0.13
Sl—Sloan silt loam			
Sloan	100	C-3	
		C-3	0.13
SoC—Strip mine spoil, sandstone and shale materials, undulating			
Strip mine spoil	100	Not rated	
SoE—Strip mine spoil, sandstone and shale materials, rolling			
Strip mine spoil	100	Not rated	
SoF—Strip mine spoil, sandstone and shale materials, steep			
Strip mine spoil	100	Not rated	
SsC—Strip mine spoil, acid clay shale materials, undulating			
Strip mine spoil	100	Not rated	
SsE—Strip mine spoil, acid clay shale materials, rolling			
Strip mine spoil	100	Not rated	
SsF—Strip mine spoil, acid clay shale materials, steep			
Strip mine spoil	100	Not rated	
StC—Strip mine spoil, nonacid materials, undulating			
Strip mine spoil	100	Not rated	
StD—Strip mine spoil, nonacid materials, rolling			
Strip mine spoil	100	Not rated	

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
StF—Strip mine spoil, nonacid materials, steep			
Strip mine spoil	100	Not rated	
TeC—Teegarden silt loam, 6 to 15 percent slopes			
Teegarden	90	F-3	
		F-3	0.53
TeC2—Teegarden silt loam, 6 to 15 percent slopes, eroded			
Teegarden	90	F-3	
		F-3	0.53
TgA—Tioga loam, 0 to 2 percent slopes, occasionally flooded			
Tioga	90	A-5	
		A-5	0.05
TIC—Tilsit silt loam, 6 to 12 percent slopes			
Tilsit	95	F-3	
		F-3	0.53
TID—Tilsit silt loam, 12 to 18 percent slopes			
Tilsit	100	F-3	
		F-3	0.53
To—Tioga silt loam, occasionally flooded			
Tioga	90	A-5	
		A-5	0.05
Tr—Trumbull silt loam, 0 to 2 percent slopes			
Trumbull	90	C-2	
		C-2	0.12
Ua—Udorthents			
Udorthents	100	Not rated	
Ub—Udorthents, hilly			
Udorthents, hilly	95	Not rated	
Uf—Udorthents, sanitary landfill			
Udorthents, sanitary landfill	100	Not rated	
Up—Udorthents-Pits complex			
Pits	50	Not rated	
Udorthents	50	Not rated	
Ur—Urban land			
Urban land	100	Not rated	

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
UtB—Urban land-Canfield complex, 2 to 6 percent slopes			
Urban land	60	Not rated	
Canfield	30	Not assigned	
UvB—Urban land-Chili complex, 2 to 6 percent slopes			
Urban land	60	Not rated	
Chili	30	Not assigned	
UxF—Udorthents, loamy till materials, steep			
Udorthents, loamy till materials, steep	100	Not rated	
W—Water			
Water	100	Not rated	
WaA—Wadsworth silt loam, 0 to 2 percent slopes			
Wadsworth	95	C-1	
		C-1	0.11
WaB—Wadsworth silt loam, 2 to 6 percent slopes			
Wadsworth	95	C-1	
		C-1	0.11
WaC—Wadsworth silt loam, 6 to 12 percent slopes			
Wadsworth	100	C-1	
		C-1	0.11
WaC2—Wadsworth silt loam, 6 to 12 percent slopes, moderately eroded			
Wadsworth	100	C-1	
		C-1	0.11
WbB—Wadsworth silt loam, moderately shallow variant, 2 to 6 percent slopes			
Wadsworth variant	100	C-1	
		C-1	0.11
Wc—Walkkill silt loam, clayey subsoil variant			
Walkkill variant	100	C-3	
		C-3	0.13
Wd—Wayland silt loam			
Wayland	95	C-3	
		C-3	0.13

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WeC—Weikert channery silt loam, 6 to 12 percent slopes			
Weikert	100	E-1	
		E-1	0.40
WeD—Weikert channery silt loam, 12 to 18 percent slopes			
Weikert	100	E-1	
		E-1	0.40
WeE2—Weikert channery silt loam, 18 to 25 percent slopes, moderately eroded			
Weikert	100	E-1	
		E-1	0.40
WeF2—Weikert channery silt loam, 25 to 50 percent slopes, moderately eroded			
Weikert	80	E-2	
		E-2	0.41
Wg—Wallkill silt loam			
Wallkill	100	C-3	
		C-3	0.13
WhA—Weinbach silt loam, 0 to 2 percent slopes			
Weinbach	95	C-1	
		C-1	0.11
WhB—Weinbach silt loam, 2 to 6 percent slopes			
Weinbach	100	C-1	
		C-1	0.11
Wk—Weinbach-Urban land complex			
Urban land	50	Not rated	
Weinbach	50	Not assigned	
WIB—Wellston silt loam, 3 to 8 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WIC—Wellston silt loam, 8 to 15 percent slopes			
Wellston	85	A-6	
		A-6	0.06
WmA—Wheeling loam, 0 to 2 percent slopes			
Wheeling	100	A-1	
		A-1	0.01

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WmB—Wheeling loam, 2 to 6 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WmC2—Wheeling loam, 6 to 12 percent slopes, moderately eroded			
Wheeling	100	A-1	
		A-1	0.01
WnC—Westmoreland silt loam, 8 to 15 percent slopes			
Westmoreland	80	A-1	
		A-1	0.01
WnD—Westmoreland silt loam, 15 to 25 percent slopes			
Westmoreland	80	A-2	
		A-2	0.02
WnE—Westmoreland silt loam, 25 to 35 percent slopes			
Westmoreland	80	A-3	
		A-3	0.03
WoA—Wheeling loam, 0 to 3 percent slopes			
Wheeling	85	A-1	
		A-1	0.01
WpC—Westmoreland-Coshocton silt loams, 8 to 15 percent slopes			
Westmoreland	60	A-1	
		A-1	0.01
Coshocton	25	A-6	
		A-6	0.06
WpD—Westmoreland-Coshocton silt loams, 15 to 25 percent slopes			
Westmoreland	60	A-2	
		A-2	0.02
Coshocton	25	A-2	
		A-2	0.02
WrA—Wheeling silt loam, 0 to 2 percent slopes			
Wheeling	100	A-1	
		A-1	0.01

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WrB—Wheeling silt loam, 2 to 6 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WrC—Wheeling silt loam, 6 to 12 percent slopes			
Wheeling	100	A-1	
		A-1	0.01
WrC2—Wheeling silt loam, 6 to 12 percent slopes, moderately eroded			
Wheeling	100	A-1	
		A-1	0.01
WsD2—Wheeling soils, 12 to 18 percent slopes, moderately eroded			
Wheeling	100	A-1	
		A-1	0.01
Wt—Willette muck			
Willette	100	D-1	
		D-1	0.30
WuB—Wooster silt loam, 2 to 6 percent slopes			
Wooster	100	F-3	
		F-3	0.53
WuC—Wooster silt loam, 6 to 12 percent slopes			
Wooster	100	F-3	
		F-3	0.53
WuC2—Wooster silt loam, 6 to 12 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WuD2—Wooster silt loam, 12 to 18 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WuE2—Wooster silt loam, 18 to 25 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WuF2—Wooster silt loam, 25 to 50 percent slopes, moderately eroded			
Wooster	100	F-4	
		F-4	0.54

Selected Soil Interpretations--Stark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WvD—Wooster-Urban land complex, steep			
Urban land	50	Not rated	
Wooster	50	Not assigned	
WxB—Wooster-Riddles silt loams, 2 to 6 percent slopes			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53
WxC—Wooster-Riddles silt loams, 6 to 12 percent slopes			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53
WxC2—Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53
WxD2—Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53
WyE—Westmoreland-Berks complex, 25 to 40 percent slopes			
Westmoreland	55	A-3	
		A-3	0.03
Berks	35	F-2	
		F-2	0.52
ZeA—Zepernick silt loam, 0 to 2 percent slopes, occasionally flooded			
Zepernick	85	C-3	
		C-3	0.13

## Data Source Information

Soil Survey Area: Stark County, Ohio  
Survey Area Data: Version 11, Sep 19, 2014