

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BeF—Berks channery silt loam, 25 to 70 percent slopes			
Berks	90	H-1	
		H-1	0.71
BgA—Bogart loam, 0 to 2 percent slopes			
Bogart	85	A-1	
		A-1	0.01
BgB—Bogart loam, 2 to 6 percent slopes			
Bogart	85	A-1	
		A-1	0.01
BhB—Bogart-Haskins loams, 2 to 6 percent slopes			
Bogart	50	A-1	
		A-1	0.01
Haskins	40	C-2	
		C-2	0.12
Ca—Canadice silty clay loam			
Canadice	95	C-2	
		C-2	0.12
Cb—Chagrin loam, alkaline phase			
Chagrin	100	A-5	
		A-5	0.05
CcA—Caneadea silt loam, 0 to 2 percent slopes			
Caneadea	95	C-2	
		C-2	0.12

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CcB—Caneadea silt loam, 2 to 6 percent slopes			
Caneadea	85	C-2	
		C-2	0.12
CdA—Canfield silt loam, 0 to 2 percent slopes			
Canfield	85	F-3	
		F-3	0.53
CdB—Canfield silt loam, 2 to 6 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CdC—Canfield silt loam, 6 to 12 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CdC2—Canfield silt loam, 6 to 12 percent slopes, eroded			
Canfield, eroded	90	F-3	
		F-3	0.53
Ce—Canadice silt loam			
Canadice	100	C-2	
		C-2	0.12
CeB—Canfield silt loam, sandstone substratum, 2 to 6 percent slopes			
Canfield, sandstone substratum	90	F-3	
		F-3	0.53
CfB—Canfield-Urban land complex, 2 to 6 percent slopes			
Canfield	45	Not assigned	
Urban land	35	Not rated	
CfC—Canfield-Urban land complex, 6 to 12 percent slopes			
Canfield	50	Not assigned	
Urban land	40	Not rated	
Cg—Carlisle muck			
Carlisle	90	D-1	
		D-1	0.30
Ch—Chagrin silt loam			
Chagrin	95	A-5	
		A-5	0.05

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CK—Chagrin silt loam, alkaline			
Chagrin	95	A-5	
		A-5	0.05
Cm—Chagrin-Urban land complex			
Chagrin	70	Not assigned	
Urban land	30	Not rated	
CnA—Chili loam, 0 to 2 percent slopes			
Chili	95	B-1	
		B-1	0.07
CnB—Chili loam, 2 to 6 percent slopes			
Chili	85	B-1	
		B-1	0.07
CnC—Chili loam, 6 to 12 percent slopes			
Chili	95	B-1	
		B-1	0.07
CoC—Chili gravelly loam, 6 to 12 percent slopes			
Chili	100	B-1	
		B-1	0.07
CoC2—Chili gravelly loam, 6 to 12 percent slopes, moderately eroded			
Chili	90	B-1	
		B-1	0.07
CoD2—Chili gravelly loam, 12 to 18 percent slopes, moderately eroded			
Chili	85	B-1	
		B-1	0.07
CoE2—Chili gravelly loam, 12 to 25 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
CpA—Chili silt loam, 0 to 2 percent slopes			
Chili	95	B-1	
		B-1	0.07
CpB—Chili silt loam, 2 to 6 percent slopes			
Chili	95	B-1	
		B-1	0.07

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CpC—Chili silt loam, 6 to 12 percent slopes			
Chili	95	B-1	
		B-1	0.07
CpC2—Chili silt loam, 6 to 12 percent slopes, moderately eroded			
Chili	100	B-1	
		B-1	0.07
CsB—Conotton gravelly loam, 2 to 6 percent slopes			
Conotton	100	B-1	
		B-1	0.07
CsC—Conotton gravelly loam, 6 to 12 percent slopes			
Conotton	100	B-1	
		B-1	0.07
CsD2—Conotton gravelly loam, 12 to 18 percent slopes, moderately eroded			
Conotton	100	B-1	
		B-1	0.07
CtF2—Chili and Conotton gravelly loams, 25 to 50 percent slopes, moderately eroded			
Chili	50	B-2	
		B-2	0.08
Conotton	50	B-2	
		B-2	0.08
CuB—Chili-Urban land complex, undulating			
Chili	70	Not assigned	
Urban land	30	Not rated	
CuC—Chili-Urban land complex, rolling			
Chili	70	Not assigned	
Urban land	30	Not rated	
CvF—Chili-Oshtemo complex, 25 to 50 percent slopes			
Chili	55	B-2	
		B-2	0.08
Oshtemo	45	B-2	
		B-2	0.08

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CwC2—Chili-Wooster complex, 6 to 12 percent slopes, moderately eroded			
Chili	50	B-1	
		B-1	0.07
Wooster	30	F-3	
		F-3	0.53
CwD2—Chili-Wooster complex, 12 to 18 percent slopes, moderately eroded			
Chili	50	B-1	
		B-1	0.07
Wooster	30	F-3	
		F-3	0.53
CwE2—Chili-Wooster complex, 18 to 25 percent slopes, moderately eroded			
Chili	50	B-1	
		B-1	0.07
Wooster	30	F-3	
		F-3	0.53
CyD—Conotton-Oshtemo complex, 12 to 18 percent slopes			
Conotton	60	B-1	
		B-1	0.07
Oshtemo	30	B-1	
		B-1	0.07
CyE—Conotton-Oshtemo complex, 18 to 25 percent slopes			
Conotton	60	B-1	
		B-1	0.07
Oshtemo	30	B-1	
		B-1	0.07
CyF—Conotton-Oshtemo complex, 25 to 50 percent slopes			
Conotton	60	B-2	
		B-2	0.08
Oshtemo	30	B-2	
		B-2	0.08
Da—Damascus loam			
Damascus	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
DkC—Dekalb sandy loam, 6 to 12 percent slopes			
Dekalb	90	F-1	
		F-1	0.51
DkD—Dekalb sandy loam, 12 to 18 percent slopes			
Dekalb	85	F-1	
		F-1	0.51
DkE—Dekalb sandy loam, 18 to 25 percent slopes			
Dekalb	85	F-1	
		F-1	0.51
DkF—Dekalb sandy loam, 25 to 70 percent slopes			
Dekalb	90	H-1	
		H-1	0.71
EhD2—Ellsworth silt loam, 12 to 18 percent slopes, eroded			
Ellsworth, eroded	90	A-1	
		A-1	0.01
EIB—Ellsworth silt loam, 2 to 6 percent slopes			
Ellsworth	85	A-1	
		A-1	0.01
EIB2—Ellsworth silt loam, 2 to 6 percent slopes, eroded			
Ellsworth, eroded	85	A-1	
		A-1	0.01
EIC—Ellsworth silt loam, 6 to 12 percent slopes			
Ellsworth	90	A-1	
		A-1	0.01
EIC2—Ellsworth silt loam, 6 to 12 percent slopes, eroded			
Ellsworth, eroded	90	A-1	
		A-1	0.01
EIE2—Ellsworth silt loam, 12 to 25 percent slopes, eroded			
Ellsworth, eroded	90	A-2	
		A-2	0.02

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EIF—Ellsworth silt loam, 25 to 70 percent slopes			
Ellsworth	85	H-1	
		H-1	0.71
EIF2—Ellsworth silt loam, 25 to 50 percent slopes, eroded			
Ellsworth, eroded	85	A-3	
		A-3	0.03
EsB—Ellsworth silt loam, sandstone substratum, 2 to 6 percent slopes			
Ellsworth, sandstone substratum	85	B-1	
		B-1	0.07
EsC—Ellsworth silt loam, sandstone substratum, 6 to 12 percent slopes			
Ellsworth, sandstone substratum	85	B-1	
		B-1	0.07
EuB—Ellsworth-Urban land complex, 2 to 6 percent slopes			
Ellsworth	45	Not assigned	
Urban land	30	Not rated	
EuC—Ellsworth-Urban land complex, 6 to 18 percent slopes			
Ellsworth	55	Not assigned	
Urban land	30	Not rated	
FcA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	90	C-1	
		C-1	0.11
FcB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	90	C-1	
		C-1	0.11
FIA—Fitchville silt loam, low terrace, 0 to 2 percent slopes			
Fitchville	95	C-3	
		C-3	0.13
Fn—Fitchville-Urban land complex			
Fitchville	65	Not assigned	
Urban land	30	Not rated	
Fr—Frenchtown silt loam			
Frenchtown	100	C-1	
		C-1	0.11

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
GbB—Geeburg silt loam, 2 to 6 percent slopes			
Geeburg	85	F-5	
		F-5	0.55
GbC—Geeburg silt loam, 6 to 18 percent slopes			
Geeburg	100	F-5	
		F-5	0.55
GbC2—Geeburg silt loam, 6 to 12 percent slopes, moderately eroded			
Geeburg	85	F-5	
		F-5	0.55
GbD2—Geeburg silt loam, 12 to 18 percent slopes, moderately eroded			
Geeburg	90	F-5	
		F-5	0.55
GfA—Glenford silt loam, 0 to 2 percent slopes			
Glenford	100	A-6	
		A-6	0.06
GfB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	90	A-6	
		A-6	0.06
GfC2—Glenford silt loam, 6 to 12 percent slopes, moderately eroded			
Glenford	85	A-6	
		A-6	0.06
GfD2—Glenford silt loam, 12 to 18 percent slopes, moderately eroded			
Glenford	95	A-6	
		A-6	0.06
GoB—Glenford-Urban land complex, undulating			
Glenford	70	Not assigned	
Urban land	30	Not rated	
GoC—Glenford-Urban land complex, rolling			
Glenford	70	Not assigned	
Urban land	30	Not rated	

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HcB—Haskins-Caneadea complex, 2 to 6 percent slopes			
Haskins	50	C-2	
		C-2	0.12
Caneadea	40	C-2	
		C-2	0.12
Ho—Holly silt loam			
Holly	85	C-3	
		C-3	0.13
Hy—Holly silt loam, alkaline			
Holly	95	C-3	
		C-3	0.13
JtA—Jimtown loam, 0 to 2 percent slopes			
Jimtown	85	C-1	
		C-1	0.11
JtB—Jimtown loam, 2 to 6 percent slopes			
Jimtown	90	C-1	
		C-1	0.11
Ju—Jimtown-Urban land complex			
Jimtown	65	Not assigned	
Urban land	30	Not rated	
Kk—Killbuck silt loam			
Killbuck	95	C-3	
		C-3	0.13
Ld—Linwood muck			
Linwood	95	D-1	
		D-1	0.30
Le—Lobdell silt loam			
Lobdell	90	A-5	
		A-5	0.05
Ln—Lorain silty clay loam			
Lorain	85	C-2	
		C-2	0.12
LoB—Loudonville silt loam, 2 to 6 percent slopes			
Loudonville	90	F-1	
		F-1	0.51

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LoC—Loudonville silt loam, 6 to 12 percent slopes			
Loudonville	95	F-1	
		F-1	0.51
LoC2—Loudonville silt loam, 6 to 12 percent slopes, moderately eroded			
Loudonville	100	F-1	
		F-1	0.51
LoD—Loudonville silt loam, 12 to 18 percent slopes			
Loudonville	90	F-1	
		F-1	0.51
LoD2—Loudonville silt loam, 12 to 18 percent slopes, moderately eroded			
Loudonville	100	F-1	
		F-1	0.51
LoE—Loudonville silt loam, 18 to 25 percent slopes			
Loudonville	95	F-1	
		F-1	0.51
LoE2—Loudonville silt loam, 12 to 25 percent slopes, moderately eroded			
Loudonville	100	F-1	
		F-1	0.51
LuC—Loudonville-Urban land complex, rolling			
Loudonville	70	Not assigned	
Urban land	30	Not rated	
Ly—Luray silt loam			
Luray	90	C-1	
		C-1	0.11
MgA—Mahoning silt loam, 0 to 2 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MgB—Mahoning silt loam, 2 to 6 percent slopes			
Mahoning	85	C-2	
		C-2	0.12

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MIB—Mahoning silt loam, sandstone substratum, 2 to 6 percent slopes			
Mahoning, sandstone substratum	90	C-2	
		C-2	0.12
Mn—Mahoning-Urban land complex, 0 to 2 percent slopes			
Mahoning	45	Not assigned	
Urban land	35	Not rated	
MtB—Mitiwanga silt loam, 2 to 6 percent slopes			
Mitiwanga	100	C-1	
		C-1	0.11
Od—Olmsted loam			
Olmsted	85	C-1	
		C-1	0.11
Or—Orrville silt loam			
Orrville	95	C-3	
		C-3	0.13
OsA—Oshtemo sandy loam, 0 to 2 percent slopes			
Oshtemo	95	B-1	
		B-1	0.07
OsB—Oshtemo sandy loam, 2 to 6 percent slopes			
Oshtemo	90	B-1	
		B-1	0.07
OsC—Oshtemo sandy loam, 6 to 12 percent slopes			
Oshtemo	85	B-1	
		B-1	0.07
Pg—Pits, gravel			
Pits, gravel	100	Not rated	
Pq—Pits, quarry			
Pits, quarry	100	Not rated	
ReA—Ravenna silt loam, 0 to 2 percent slopes			
Ravenna	95	C-1	
		C-1	0.11
ReB—Ravenna silt loam, 2 to 6 percent slopes			
Ravenna	95	C-1	
		C-1	0.11

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Rn--Ravenna-Urban land complex			
Ravenna	65	Not assigned	
Urban land	30	Not rated	
RsB--Rittman silt loam, 2 to 6 percent slopes			
Rittman	85	F-3	
		F-3	0.53
RsC--Rittman silt loam, 6 to 12 percent slopes			
Rittman	95	F-3	
		F-3	0.53
RsC2--Rittman silt loam, 6 to 12 percent slopes, moderately eroded			
Rittman	95	F-3	
		F-3	0.53
RsD--Rittman silt loam, 12 to 18 percent slopes			
Rittman	100	F-3	
		F-3	0.53
RsD2--Rittman silt loam, 12 to 18 percent slopes, moderately eroded			
Rittman	100	F-3	
		F-3	0.53
RsE2--Rittman silt loam, 18 to 25 percent slopes, moderately eroded			
Rittman	95	F-3	
		F-3	0.53
RtB--Rittman silt loam, sandstone substratum, 2 to 6 percent slopes			
Rittman	95	F-3	
		F-3	0.53
RtC--Rittman silt loam, sandstone substratum 6 to 12 percent slopes			
Rittman	90	F-3	
		F-3	0.53
RuB--Rittman-Urban land complex, undulating			
Rittman	70	Not assigned	
Urban land	30	Not rated	
RuC--Rittman-Urban land complex, rolling			
Rittman	70	Not assigned	
Urban land	30	Not rated	

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Rv—Rough broken land, clay and silt			
Rough broken land	100	Not rated	
Rw—Rough broken land, silt and sand			
Rough broken land	100	Not rated	
Sb—Sebring silt loam			
Sebring	85	C-1	
		C-1	0.11
Sc—Shale rock land			
Shale rock land	100	Not rated	
Sh—Sebring silt loam, till substratum			
Sebring	100	C-1	
		C-1	0.11
So—Sloan silt loam			
Sloan	90	C-3	
		C-3	0.13
Tg—Tioga loam			
Tioga	100	A-5	
		A-5	0.05
Tr—Trumbull silt loam, 0 to 2 percent slopes			
Trumbull	90	C-2	
		C-2	0.12
Ua—Udorthents			
Udorthents	100	Not rated	
Uc—Udorthents, chemical waste			
Udorthents, chemical waste	100	Not rated	
Ud—Udorthents, loamy			
Udorthents	100	Not rated	
Uf—Udorthents, sanitary landfill			
Udorthents, sanitary landfill	100	Not rated	
Up—Udorthents-pits complex			
Pits	50	Not rated	
Udorthents	50	Not rated	
Ur—Urban land			
Urban land	100	Not rated	
W—Water			
Water	100	Not rated	

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WaA—Wadsworth silt loam, 0 to 2 percent slopes			
Wadsworth	90	C-1	
		C-1	0.11
WaB—Wadsworth silt loam, 2 to 6 percent slopes			
Wadsworth	90	C-1	
		C-1	0.11
Wb—Wadsworth-Urban land complex			
Wadsworth	65	Not assigned	
Urban land	30	Not rated	
Wc—Walkkill silt loam			
Walkkill	95	C-3	
		C-3	0.13
WhB—Weinbach silt loam, 2 to 6 percent slopes			
Weinbach	100	C-1	
		C-1	0.11
WmC2—Wheeling loam, 6 to 12 percent slopes, moderately eroded			
Wheeling	100	A-1	
		A-1	0.01
WrA—Wheeling silt loam, 0 to 2 percent slopes			
Wheeling	95	A-1	
		A-1	0.01
WrB—Wheeling silt loam, 2 to 6 percent slopes			
Wheeling	95	A-1	
		A-1	0.01
Wt—Willette muck			
Willette	95	D-1	
		D-1	0.30
WuB—Wooster silt loam, 2 to 6 percent slopes			
Wooster	85	F-3	
		F-3	0.53
WuC—Wooster silt loam, 6 to 12 percent slopes			
Wooster	95	F-3	
		F-3	0.53

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WuC2—Wooster silt loam, 6 to 12 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WuD—Wooster silt loam, 12 to 18 percent slopes			
Wooster	100	F-3	
		F-3	0.53
WuD2—Wooster silt loam, 12 to 18 percent, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WuE2—Wooster silt loam, 18 to 25 percent slopes, moderately eroded			
Wooster	90	F-3	
		F-3	0.53
WuF2—Wooster silt loam, 25 to 50 percent slopes, moderately eroded			
Wooster	95	F-4	
		F-4	0.54
WvC2—Wooster silt loam, sandstone substratum, 6 to 12 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WvD2—Wooster silt loam, sandstone substratum, 12 to 18 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53
WvD—Wooster-Urban land complex, hilly			
Wooster	70	Not assigned	
Urban land	30	Not rated	
WxE2—Wooster silt loam, 12 to 25 percent slopes, moderately eroded			
Wooster	100	F-3	
		F-3	0.53

Selected Soil Interpretations--Summit County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WyB--Wooster-Riddles silt loams, 2 to 6 percent slopes			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53
WyC--Wooster-Riddles silt loams, 6 to 12 percent slopes			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53
WyC2--Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53
WyD2--Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded			
Riddles	45	A-1	
		A-1	0.01
Wooster	45	F-3	
		F-3	0.53

### Data Source Information

Soil Survey Area: Summit County, Ohio  
 Survey Area Data: Version 11, Sep 19, 2014