

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations--Trumbull County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BcB2—Braceville gravelly loam, 3 to 8 percent slopes, moderately eroded			
Braceville	90	B-1	
		B-1	0.07
BgA—Bogart silt loam, 0 to 2 percent slopes			
Bogart	100	A-6	
		A-6	0.06
BrF—Brecksville silt loam, 25 to 50 percent slopes			
Brecksville	90	F-2	
		F-2	0.52
CaB—Cambridge silt loam, 2 to 6 percent slopes			
Cambridge	85	F-3	
		F-3	0.53
CaC—Cambridge silt loam, 6 to 12 percent slopes			
Cambridge	85	F-3	
		F-3	0.53
Cb—Canadice silty clay loam			
Canadice	85	C-2	
		C-2	0.12
CcA—Caneadea silt loam, 0 to 2 percent slopes			
Caneadea	85	C-2	
		C-2	0.12

Selected Soil Interpretations--Trumbull County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CcB—Caneadea silt loam, 2 to 6 percent slopes			
Caneadea	85	C-2	
		C-2	0.12
CdA—Caneadea-Canadice complex, 0 to 2 percent slopes			
Caneadea	45	C-2	
		C-2	0.12
Canadice	35	C-2	
		C-2	0.12
CeA—Caneadea-Urban land complex, 0 to 2 percent slopes			
Caneadea	55	Not assigned	
Urban land	30	Not rated	
CfB—Canfield silt loam, 2 to 6 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CfC—Canfield silt loam, 6 to 12 percent slopes			
Canfield	90	F-3	
		F-3	0.53
CgB—Canfield-Urban land complex, 2 to 6 percent slopes			
Canfield	45	Not assigned	
Urban land	35	Not rated	
Ch—Carlisle muck, ponded			
Carlisle	85	D-1	
		D-1	0.30
CkB—Chenango gravelly loam, 2 to 6 percent slopes			
Chenango	90	B-1	
		B-1	0.07
CkC—Chenango gravelly loam, 6 to 12 percent slopes			
Chenango	85	B-1	
		B-1	0.07
CnA—Chili loam, 0 to 2 percent slopes			
Chili	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Trumbull County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CnB—Chili loam, 2 to 6 percent slopes			
Chili	100	A-1	
		A-1	0.01
CnC—Chili loam, 6 to 12 percent slopes			
Chili	90	A-1	
		A-1	0.01
CoD—Chili gravelly loam, 12 to 18 percent slopes			
Chili	85	B-1	
		B-1	0.07
CpB—Chili silt loam, 2 to 6 percent slopes			
Chili	100	B-1	
		B-1	0.07
CrF—Chili-Oshtemo complex, 25 to 50 percent slopes			
Chili	60	B-2	
		B-2	0.08
Oshtemo	30	A-3	
		A-3	0.03
CsB—Chili-Urban land complex, 2 to 6 percent slopes			
Chili	55	Not assigned	
Urban land	30	Not rated	
CsC—Chili-Urban land complex, 6 to 12 percent slopes			
Chili	55	Not assigned	
Urban land	30	Not rated	
Ct—Condit silt loam			
Condit	85	C-2	
		C-2	0.12
Da—Damascus loam			
Damascus	85	C-1	
		C-1	0.11
DrA—Darren silt loam, 0 to 2 percent slopes			
Darren	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Trumbull County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
DrB—Darlen silt loam, 2 to 6 percent slopes			
Darlen	85	C-1	
		C-1	0.11
DrC—Darlen silt loam, 6 to 12 percent slopes			
Darlen	75	C-1	
		C-1	0.11
Platea	20	C-2	
		C-2	0.12
Du—Dumps			
Dumps	100	Not rated	
EhB—Ellsworth silt loam, 2 to 6 percent slopes			
Ellsworth	85	A-1	
		A-1	0.01
EhB2—Ellsworth silt loam, 2 to 6 percent slopes, eroded			
Ellsworth, eroded	85	A-1	
		A-1	0.01
EhC—Ellsworth silt loam, 6 to 12 percent slopes			
Ellsworth	90	A-1	
		A-1	0.01
EhC2—Ellsworth silt loam, 6 to 12 percent slopes, eroded			
Ellsworth, eroded	90	A-1	
		A-1	0.01
EhD2—Ellsworth silt loam, 12 to 18 percent slopes, eroded			
Ellsworth, eroded	90	A-1	
		A-1	0.01
EhF—Ellsworth silt loam, 25 to 70 percent slopes			
Ellsworth	85	H-1	
		H-1	0.71
ExB—Ellsworth-Urban land complex, 2 to 6 percent slopes			
Ellsworth	45	Not assigned	
Urban land	30	Not rated	
EyB—Elnora loamy fine sand, 2 to 6 percent slopes			
Elnora	85	B-1	
		B-1	0.07

Selected Soil Interpretations--Trumbull County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FcA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FcB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	85	C-1	
		C-1	0.11
FdA—Fitchville-Urban land complex, 0 to 3 percent slopes			
Fitchville	55	Not assigned	
Urban land	30	Not rated	
FeA—Frenchtown silt loam, 0 to 3 percent slopes			
Frenchtown	92	C-1	
		C-1	0.11
GbB—Geeburg silt loam, 2 to 6 percent slopes			
Geeburg	85	F-5	
		F-5	0.55
GbB2—Geeburg silt loam, 2 to 6 percent slopes, eroded			
Geeburg	85	F-5	
		F-5	0.55
GbC—Geeburg silt loam, 6 to 12 percent slopes			
Geeburg	85	F-5	
		F-5	0.55
GbC2—Geeburg silt loam, 6 to 12 percent slopes, eroded			
Geeburg	85	F-5	
		F-5	0.55
GfB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GfC—Glenford silt loam, 6 to 12 percent slopes			
Glenford	85	A-6	
		A-6	0.06
GnB—Glenford-Urban land complex, 2 to 6 percent slopes			
Glenford	55	Not assigned	
Urban land	35	Not rated	

Selected Soil Interpretations--Trumbull County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HaA—Haskins loam, 0 to 2 percent slopes			
Haskins	85	C-2	
		C-2	0.12
HaB—Haskins loam, 2 to 6 percent slopes			
Haskins	85	C-2	
		C-2	0.12
HbB—Haskins-Urban land complex, 2 to 6 percent slopes			
Haskins	50	Not assigned	
Urban land	35	Not rated	
Ho—Holly silt loam, frequently flooded			
Holly	85	C-3	
		C-3	0.13
JtA—Jimtown loam, 0 to 2 percent slopes			
Jimtown	85	C-1	
		C-1	0.11
JtB—Jimtown loam, 2 to 6 percent slopes			
Jimtown	85	C-1	
		C-1	0.11
JuA—Jimtown-Urban land complex, 0 to 3 percent slopes			
Jimtown	55	Not assigned	
Urban land	35	Not rated	
LaB—Lakin loamy fine sand, 2 to 8 percent slopes			
Lakin	85	B-1	
		B-1	0.07
Lo—Lorain silty clay loam			
Lorain	85	C-2	
		C-2	0.12
Lp—Lorain silty clay loam, loamy substratum			
Lorain	85	C-2	
		C-2	0.12
LrB—Lordstown loam, 2 to 6 percent slopes			
Lordstown	85	F-1	
		F-1	0.51

Selected Soil Interpretations--Trumbull County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LrC—Lordstown loam, 6 to 12 percent slopes			
Lordstown	85	F-1	
		F-1	0.51
LxF—Lordstown-Rock outcrop complex, 18 to 50 percent slopes			
Lordstown	50	F-2	
		F-2	0.52
Rock outcrop	30	Not rated	
LyB—Loudonville silt loam, 2 to 6 percent slopes			
Loudonville	85	F-1	
		F-1	0.51
LyC—Loudonville silt loam, 6 to 12 percent slopes			
Loudonville	85	F-1	
		F-1	0.51
LyC2—Loudonville silt loam, 6 to 12 percent slopes, eroded			
Loudonville	85	F-1	
		F-1	0.51
LyD—Loudonville silt loam, 12 to 18 percent slopes			
Loudonville	85	F-1	
		F-1	0.51
LzB—Loudonville-Urban land complex, 2 to 6 percent slopes			
Loudonville	55	Not assigned	
Urban land	30	Not rated	
LzC—Loudonville-Urban land complex, 6 to 18 percent slopes			
Loudonville	55	Not assigned	
Urban land	30	Not rated	
MgA—Mahoning silt loam, 0 to 2 percent slopes			
Mahoning	85	C-2	
		C-2	0.12
MgB—Mahoning silt loam, 2 to 6 percent slopes			
Mahoning	85	C-2	
		C-2	0.12

Selected Soil Interpretations--Trumbull County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MhA—Mahoning silt loam, shale substratum, 0 to 2 percent slopes			
Mahoning, shale substratum	85	C-2	
		C-2	0.12
MhB—Mahoning silt loam, shale substratum, 2 to 6 percent slopes			
Mahoning, shale substratum	85	C-2	
		C-2	0.12
MhC—Mahoning silt loam, shale substratum, 6 to 12 percent slopes			
Mahoning, shale substratum	80	C-2	
		C-2	0.12
MkB—Mahoning-Urban land complex, 2 to 6 percent slopes			
Mahoning	45	Not assigned	
Urban land	30	Not rated	
Mo—Mill silt loam, 0 to 2 percent slopes			
Mill	86	C-1	
		C-1	0.11
MtA—Mitiwanga silt loam, 0 to 2 percent slopes			
Mitiwanga	85	C-1	
		C-1	0.11
MtB—Mitiwanga silt loam, 2 to 6 percent slopes			
Mitiwanga	85	C-1	
		C-1	0.11
Or—Orrville silt loam, frequently flooded			
Orrville	85	C-3	
		C-3	0.13
OsB—Oshtemo sandy loam, 2 to 6 percent slopes			
Oshtemo	90	A-1	
		A-1	0.01
OsC—Oshtemo sandy loam, 6 to 12 percent slopes			
Oshtemo	90	A-1	
		A-1	0.01

Selected Soil Interpretations--Trumbull County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ot—Otego silt loam, 0 to 2 percent slopes, frequently flooded			
Otego	95	A-5	
		A-5	0.05
PeC2—Pierpont silt loam, 6 to 12 percent slopes, eroded			
Pierpont	75	F-3	
		F-3	0.53
Pg—Pits, gravel			
Pits	100	Not rated	
Pr—Pits, quarry			
Pits	100	Not rated	
PsA—Platea silt loam, 0 to 2 percent slopes			
Platea	85	C-2	
		C-2	0.12
PsB—Platea silt loam, 2 to 6 percent slopes			
Platea	85	C-2	
		C-2	0.12
PsC—Platea silt loam, 6 to 12 percent slopes			
Platea	85	C-2	
		C-2	0.12
RaA—Ravenna silt loam, 0 to 2 percent slopes			
Ravenna	90	C-1	
		C-1	0.11
RaB—Ravenna silt loam, 2 to 6 percent slopes			
Ravenna	90	C-1	
		C-1	0.11
RdB—Rawson silt loam, 2 to 6 percent slopes			
Rawson	85	F-5	
		F-5	0.55
RhA—Red Hook silt loam, 0 to 2 percent slopes			
Red hook	85	C-1	
		C-1	0.11
RmA—Remsen silt loam, 0 to 2 percent slopes			
Remsen	85	C-2	
		C-2	0.12

Selected Soil Interpretations--Trumbull County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RmB—Remsen silt loam, 2 to 6 percent slopes			
Remsen	85	C-2	
		C-2	0.12
RoB—Remsen-Urban land complex, 2 to 6 percent slopes			
Remsen	55	Not assigned	
Urban land	35	Not rated	
RsB—Rittman silt loam, 2 to 6 percent slopes			
Rittman	85	F-3	
		F-3	0.53
RsC—Rittman silt loam, 6 to 12 percent slopes			
Rittman	90	F-3	
		F-3	0.53
RtB—Rittman-Urban land complex, 4 to 10 percent slopes			
Rittman	55	Not assigned	
Urban land	35	Not rated	
Sb—Sebring silt loam			
Sebring	85	C-1	
		C-1	0.11
Sc—Sebring silt loam, till substratum			
Sebring	85	C-1	
		C-1	0.11
SeB—Seward loamy fine sand, 2 to 6 percent slopes			
Seward	85	F-5	
		F-5	0.55
Sv—Sebring silt loam, dark surface variant			
Sebring variant	100	C-1	
		C-1	0.11
Tg—Tioga loam, occasionally flooded			
Tioga	85	A-5	
		A-5	0.05
Th—Tioga loam, frequently flooded			
Tioga	85	A-5	
		A-5	0.05

Selected Soil Interpretations--Trumbull County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
TmA—Trumbull silt loam, 0 to 2 percent slopes			
Trumbull	90	C-2	
		C-2	0.12
Tr—Trumbull silty clay loam, 0 to 2 percent slopes			
Trumbull	90	C-2	
		C-2	0.12
Ud—Udorthents, loamy			
Udorthents	100	Not rated	
Ur—Urban land			
Urban land	100	Not rated	
VeA—Venango silt loam, 0 to 2 percent slopes			
Venango	85	C-1	
		C-1	0.11
VeB—Venango silt loam, 2 to 6 percent slopes			
Venango	85	C-1	
		C-1	0.11
W—Water			
Water	100	Not rated	
WbA—Wadsworth silt loam, 0 to 2 percent slopes			
Wadsworth	85	C-1	
		C-1	0.11
WbB—Wadsworth silt loam, 2 to 6 percent slopes			
Wadsworth	85	C-1	
		C-1	0.11
WeA—Wadsworth-Urban land complex, 0 to 2 percent slopes			
Wadsworth	55	Not assigned	
Urban land	35	Not rated	
WeB—Wadsworth-Urban land complex, 2 to 6 percent slopes			
Wadsworth	55	Not assigned	
Urban land	35	Not rated	
WuF—Wooster silt loam, 25 to 50 percent slopes			
Wooster	85	F-4	
		F-4	0.54

Data Source Information

Soil Survey Area: Trumbull County, Ohio
Survey Area Data: Version 12, Sep 19, 2014