

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations—Union County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ag—Algiers silt loam			
Algiers	95	C-3	
		C-3	0.13
Ble1A1—Blount silt loam, end moraine, 0 to 2 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11
Ble1B1—Blount silt loam, end moraine, 2 to 4 percent slopes			
Blount, end moraine	85	C-1	
		C-1	0.11
Blg1A1—Blount silt loam, ground moraine, 0 to 2 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11
Blg1B1—Blount silt loam, ground moraine, 2 to 4 percent slopes			
Blount, ground moraine	85	C-1	
		C-1	0.11
BoB2—Blount silt loam, 2 to 6 percent slopes, eroded			
Blount	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Union County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Bs—Brookston silty clay loam, fine texture, 0 to 2 percent slopes			
Brookston	90	C-1	
		C-1	0.11
CeA—Celina silt loam, 0 to 2 percent slopes			
Celina	95	A-6	
		A-6	0.06
CeB—Celina silt loam, 2 to 6 percent slopes			
Celina	85	A-1	
		A-1	0.01
CrA—Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes			
Crosby	90	C-2	
		C-2	0.12
CrB—Crosby silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes			
Crosby	90	C-2	
		C-2	0.12
CsA—Crosby-Lewisburg silt loams, 0 to 2 percent slopes			
Crosby	55	C-1	
		C-1	0.11
Lewisburg	35	A-1	
		A-1	0.01
CsB—Crosby-Lewisburg silt loams, 2 to 6 percent slopes			
Crosby	55	C-1	
		C-1	0.11
Lewisburg	35	A-1	
		A-1	0.01
Cu—Cut and fill land			
Cut and fill land	100	Not rated	
Ee—Eel silt loam			
Eel	95	A-5	
		A-5	0.05
EmB—Eldean silt loam, 2 to 6 percent slopes			
Eldean	90	B-1	
		B-1	0.07

Selected Soil Interpretations--Union County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FoA—Fox silt loam, 0 to 2 percent slopes			
Fox	99	A-1	
		A-1	0.01
FoB—Fox silt loam, 2 to 6 percent slopes			
Fox	100	A-1	
		A-1	0.01
FoB2—Fox silt loam, 2 to 6 percent slopes, moderately eroded			
Fox	100	A-1	
		A-1	0.01
FoC2—Fox silt loam, 6 to 12 percent slopes, moderately eroded			
Fox	100	A-1	
		A-1	0.01
FpC2—Fox-Miami silt loams, 6 to 12 percent slopes, moderately eroded			
Fox	60	A-1	
		A-1	0.01
Miami	40	A-1	
		A-1	0.01
Gn—Genesee silt loam			
Genesee	95	A-5	
		A-5	0.05
Gp—Gravel pits			
Gravel pits	100	Not rated	
Gwd1C1—Glynwood silt loam, 6 to 12 percent slopes			
Glynwood	85	A-6	
		A-6	0.06
Gwd5C2—Glynwood clay loam, 6 to 12 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06
Gwe1B1—Glynwood silt loam, end moraine, 2 to 6 percent slopes			
Glynwood, end moraine	85	F-5	
		F-5	0.55

Selected Soil Interpretations--Union County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Gwe1B2—Glynwood silt loam, end moraine, 2 to 6 percent slopes, eroded			
Glynwood, end moraine	85	F-5	
		F-5	0.55
Gwe5B2—Glynwood clay loam, end moraine, 2 to 6 percent slopes, eroded			
Glynwood, end moraine	85	F-5	
		F-5	0.55
Gwg1B1—Glynwood silt loam, ground moraine, 2 to 6 percent slopes			
Glynwood, ground moraine	85	F-5	
		F-5	0.55
Gwg1B2—Glynwood silt loam, ground moraine, 2 to 6 percent slopes, eroded			
Glynwood, ground moraine	85	F-5	
		F-5	0.55
Gwg1C1—Glynwood silt loam, ground moraine, 6 to 12 percent slopes			
Glynwood	85	A-6	
		A-6	0.06
Gwg5C2—Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded			
Glynwood	85	A-6	
		A-6	0.06
HeA—Henshaw silt loam, 0 to 2 percent slopes			
Henshaw	85	C-1	
		C-1	0.11
Ho—Homer silt loam			
Homer	95	C-1	
		C-1	0.11
Ka—Kane silt loam			
Kane	90	C-1	
		C-1	0.11
KeA—Kendallville silt loam, 0 to 2 percent slopes			
Kendallville	100	A-1	
		A-1	0.01
KeB—Kendallville silt loam, 2 to 6 percent slopes			
Kendallville	100	A-1	
		A-1	0.01

Selected Soil Interpretations--Union County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ko—Kokomo silty clay loam, 0 to 2 percent slopes			
Kokomo	90	C-1	
		C-1	0.11
LbB—Lewisburg-Celina silt loams, 2 to 6 percent slopes			
Lewisburg	50	A-1	
		A-1	0.01
Celina	30	A-6	
		A-6	0.06
Lc—Lippincott silty clay loam			
Lippincott	95	C-1	
		C-1	0.11
LeB—Lewisburg-Crosby complex, 2 to 6 percent slopes			
Lewisburg	45	A-1	
		A-1	0.01
Crosby	40	C-1	
		C-1	0.11
LsA—Lobdell, channery substratum-Sloan, till substratum complex, 0 to 2 percent slopes, occasionally flooded			
Lobdell	60	A-5	
		A-5	0.05
Sloan	35	C-3	
		C-3	0.13
LyD2—Lybrand silt loam, 12 to 18 percent slopes, eroded			
Lybrand	90	A-6	
		A-6	0.06
MIB—Miamian silt loam, 2 to 6 percent slopes			
Miamian	95	A-1	
		A-1	0.01
MIC2—Miamian silt loam, 6 to 12 percent slopes, moderately eroded			
Miamian	100	A-1	
		A-1	0.01

Selected Soil Interpretations--Union County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MID2—Miamiian silt loam, 12 to 18 percent slopes, moderately eroded			
Miamian	95	A-1	
		A-1	0.01
MIF2—Miamiian silt loam, 18 to 35 percent slopes, moderately eroded			
Miamian	100	A-3	
		A-3	0.03
Mm—Millgrove silty clay loam, 0 to 2 percent slopes, rarely flooded			
Millgrove	95	C-1	
		C-1	0.11
Mni3A—Minster silty clay loam, till substratum, 0 to 1 percent slopes			
Minster, till substratum	85	C-2	
		C-2	0.12
Mns3A—Minster silty clay loam, 0 to 1 percent slopes			
Minster	90	C-2	
		C-2	0.12
MrD2—Morley silt loam, 12 to 18 percent slopes, moderately eroded			
Morley	100	F-5	
		F-5	0.55
MrE2—Morley silt loam, 18 to 25 percent slopes, moderately eroded			
Morley	95	F-5	
		F-5	0.55
MrF2—Morley silt loam, 25 to 50 percent slopes, moderately eroded			
Morley	95	F-6	
		F-6	0.56
Mu—Muskego muck			
Muskego	100	D-1	
		D-1	0.30
No—Nolin silt loam, 0 to 2 percent slopes, occasionally flooded			
Nolin	85	A-5	
		A-5	0.05

Selected Soil Interpretations--Union County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
NpA—Nappanee silt loam, 0 to 2 percent slopes			
Nappanee	95	C-2	
		C-2	0.12
NpB—Nappanee silt loam, 2 to 6 percent slopes			
Nappanee	95	C-2	
		C-2	0.12
OdA—Odell silt loam, 0 to 2 percent slopes			
Odell	95	C-1	
		C-1	0.11
OeA—Odell-Lewisburg complex, 0 to 2 percent slopes			
Odell	60	C-1	
		C-1	0.11
Lewisburg	30	A-1	
		A-1	0.01
Pa—Paulding silty clay			
Paulding	95	F-7	
		F-7	0.57
Pk—Pewamo silty clay loam, 0 to 1 percent slopes			
Pewamo	85	C-1	
		C-1	0.11
Pm—Pewamo silty clay loam			
Pewamo	90	C-1	
		C-1	0.11
Qu—Quarries			
Quarries	100	Not rated	
Ro—Ross silt loam			
Ross	85	A-5	
		A-5	0.05
RpA—Rossburg silt loam, 0 to 2 percent slopes, occasionally flooded			
Rossburg	85	A-5	
		A-5	0.05

Selected Soil Interpretations--Union County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RrA--Rossburg-Sloan complex, 0 to 2 percent slopes, occasionally flooded			
Rossburg	50	A-5	
		A-5	0.05
Sloan	40	C-3	
		C-3	0.13
Sac3AF--Saranac silty clay loam, 0 to 1 percent slopes, frequently flooded			
Saranac, brief duration	90	C-3	
		C-3	0.13
ScB--St. Clair silt loam, 2 to 6 percent slopes			
St. clair	95	F-5	
		F-5	0.55
ScB2--St. Clair silt loam, 2 to 6 percent slopes, moderately eroded			
St. clair	95	F-5	
		F-5	0.55
ScC--St. Clair silt loam, 6 to 12 percent slopes			
St. clair	95	F-5	
		F-5	0.55
ScC2--St. Clair silt loam, 6 to 12 percent slopes, moderately eroded			
St. clair	90	F-5	
		F-5	0.55
SdA--Scioto silt loam, 0 to 2 percent slopes			
Scioto	90	B-1	
		B-1	0.07
SdB--Scioto silt loam, 2 to 6 percent slopes			
Scioto	90	B-1	
		B-1	0.07
Sh--Shoals silt loam, 0 to 2 percent slopes, occasionally flooded			
Shoals	85	C-3	
		C-3	0.13
SIA--Sleeth silt loam, 0 to 2 percent slopes			
Sleeth	95	C-1	
		C-1	0.11

Selected Soil Interpretations--Union County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Sn—Sloan silt loam			
Sloan	100	C-3	
		C-3	0.13
So—Sloan silty clay loam			
Sloan	95	C-3	
		C-3	0.13
SpA—Sloan silty clay loam, till substratum, 0 to 2 percent slopes, occasionally flooded			
Sloan	85	C-3	
		C-3	0.13
UdB—Udorthents, clayey-Urban land complex, undulating			
Udorthents	45	Not rated	
Urban land	40	Not rated	
Ut—Udorthents-Urban land complex, gently rolling			
Udorthents	50	Not rated	
Urban land	40	Not rated	
W—Water			
Water	100	Not rated	
WaB—Warsaw silt loam, 1 to 4 percent slopes			
Warsaw	100	A-1	
		A-1	0.01
Wc—Westland silty clay loam			
Westland	95	C-1	
		C-1	0.11
We—Wetzel silty clay loam			
Wetzel	95	C-2	
		C-2	0.12

### Data Source Information

Soil Survey Area: Union County, Ohio  
 Survey Area Data: Version 13, Sep 19, 2014