

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

| Selected Soil Interpretations—Vinton County, Ohio | | | |
|---|------------------|------------------------------------|-------|
| Map symbol and soil name | Pct. of map unit | Grl - pasture and hayland sg (oh) | |
| | | Rating class and limiting features | Value |
| AbC—Aaron silt loam, 6 to 15 percent slopes | | | |
| Aaron | 85 | A-6 | |
| | | A-6 | 0.06 |
| BgC—Berks-Tarhollow complex, 6 to 15 percent slopes | | | |
| Berks | 55 | F-1 | |
| | | F-1 | 0.51 |
| Tarhollow | 30 | A-6 | |
| | | A-6 | 0.06 |
| BhB—Bethesda silty clay loam, 0 to 8 percent slopes | | | |
| Bethesda | 90 | B-4 | |
| | | B-4 | 0.10 |
| BhC—Bethesda silty clay loam, 8 to 20 percent slopes | | | |
| Bethesda | 90 | B-4 | |
| | | B-4 | 0.10 |
| BhE—Bethesda silty clay loam, 20 to 40 percent slopes | | | |
| Bethesda | 90 | E-2 | |
| | | E-2 | 0.41 |
| BmC—Bethesda channery clay loam, 8 to 20 percent slopes | | | |
| Bethesda | 85 | E-3 | |
| | | E-3 | 0.42 |

| Selected Soil Interpretations--Vinton County, Ohio | | | |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name | Pct. of map unit | Grl - pasture and hayland sg (oh) | |
| | | Rating class and limiting features | Value |
| BmE—Bethesda channery clay loam, 20 to 40 percent slopes | | | |
| Bethesda | 85 | E-2 | |
| | | E-2 | 0.41 |
| BmF—Bethesda channery clay loam, 40 to 70 percent slopes | | | |
| Bethesda | 85 | H-1 | |
| | | H-1 | 0.71 |
| Bne1AF—Bonnie silt loam, 0 to 2 percent slopes, frequently flooded | | | |
| Bonnie | 85 | C-3 | |
| | | C-3 | 0.13 |
| Bne1AP—Bonnie silt loam, ponded, 0 to 2 percent slopes | | | |
| Bonnie | 85 | C-3 | |
| | | C-3 | 0.13 |
| Cg—Chagrin silt loam, 0 to 3 percent slopes, frequently flooded | | | |
| Chagrin | 85 | A-5 | |
| | | A-5 | 0.05 |
| ChA—Chavies silt loam, 0 to 2 percent slopes, rarely flooded | | | |
| Chavies | 85 | A-1 | |
| | | A-1 | 0.01 |
| ChB—Chavies silt loam, 2 to 6 percent slopes, rarely flooded | | | |
| Chavies | 85 | A-1 | |
| | | A-1 | 0.01 |
| CmC—Chavies silt loam, 6 to 15 percent slopes | | | |
| Chavies | 85 | A-1 | |
| | | A-1 | 0.01 |
| Cp—Clifty silt loam, occasionally flooded | | | |
| Clifty | 85 | A-5 | |
| | | A-5 | 0.05 |
| CrC—Clymer silt loam, 8 to 15 percent slopes | | | |
| Clymer | 85 | A-1 | |
| | | A-1 | 0.01 |

| Selected Soil Interpretations--Vinton County, Ohio | | | |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name | Pct. of map unit | Grl - pasture and hayland sg (oh) | |
| | | Rating class and limiting features | Value |
| Cub1AO—Cuba silt loam, 0 to 3 percent slopes, occasionally flooded | | | |
| Cuba | 90 | A-5 | |
| | | A-5 | 0.05 |
| CwD—Cruze silt loam, 12 to 20 percent slopes | | | |
| Cruze | 90 | A-6 | |
| | | A-6 | 0.06 |
| CwE—Cruze silt loam, 20 to 35 percent slopes | | | |
| Cruze | 90 | F-6 | |
| | | F-6 | 0.56 |
| DkF—DeKalb-Shelocta-Rock outcrop complex, 40 to 70 percent slopes | | | |
| DeKalb | 50 | H-1 | |
| | | H-1 | 0.71 |
| Shelocta | 20 | H-1 | |
| | | H-1 | 0.71 |
| Rock outcrop | 15 | Not rated | |
| Dol1A1—Doles silt loam, 0 to 2 percent slopes | | | |
| Doles | 85 | C-1 | |
| | | C-1 | 0.11 |
| DtD—DeKalb-Westmoreland complex, 15 to 25 percent slopes | | | |
| DeKalb | 55 | F-1 | |
| | | F-1 | 0.51 |
| Westmoreland | 35 | B-1 | |
| | | B-1 | 0.07 |
| DtF—DeKalb-Westmoreland complex, 40 to 70 percent slopes | | | |
| DeKalb | 55 | H-1 | |
| | | H-1 | 0.71 |
| Westmoreland | 35 | H-1 | |
| | | H-1 | 0.71 |
| Dy—Dumps, mine | | | |
| Dumps, mine | 90 | Not rated | |
| ErC—Ernest silt loam, 6 to 15 percent slopes | | | |
| Ernest | 85 | F-3 | |
| | | F-3 | 0.53 |

| Selected Soil Interpretations--Vinton County, Ohio | | | |
|---|------------------|------------------------------------|-------|
| Map symbol and soil name | Pct. of map unit | Grl - pasture and hayland sg (oh) | |
| | | Rating class and limiting features | Value |
| ErD—Ernest silt loam, 15 to 25 percent slopes | | | |
| Ernest | 85 | F-3 | |
| | | F-3 | 0.53 |
| EsC—Ernest silt loam, 8 to 15 percent slopes | | | |
| Ernest | 80 | F-3 | |
| | | F-3 | 0.53 |
| FaB—Fairpoint clay loam, 0 to 8 percent slopes | | | |
| Fairpoint | 85 | B-4 | |
| | | B-4 | 0.10 |
| FaC—Fairpoint clay loam, 8 to 20 percent slopes | | | |
| Fairpoint | 85 | B-4 | |
| | | B-4 | 0.10 |
| FcA—Fitchville silt loam, 0 to 3 percent slopes | | | |
| Fitchville | 85 | C-1 | |
| | | C-1 | 0.11 |
| GaC—Germano-Gilpin complex, 6 to 15 percent slopes | | | |
| Germano | 50 | F-1 | |
| | | F-1 | 0.51 |
| Gilpin | 40 | F-1 | |
| | | F-1 | 0.51 |
| GaD—Germano-Gilpin complex, 15 to 25 percent slopes | | | |
| Germano | 40 | F-1 | |
| | | F-1 | 0.51 |
| Gilpin | 35 | F-1 | |
| | | F-1 | 0.51 |
| GaE—Germano-Gilpin complex, 25 to 40 percent slopes | | | |
| Germano | 65 | F-2 | |
| | | F-2 | 0.52 |
| Gilpin | 15 | F-2 | |
| | | F-2 | 0.52 |

| Selected Soil Interpretations--Vinton County, Ohio | | | |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name | Pct. of map unit | Grl - pasture and hayland sg (oh) | |
| | | Rating class and limiting features | Value |
| GcC—Gilpin-Aaron complex, 6 to 15 percent slopes | | | |
| Gilpin | 50 | F-1 | |
| | | F-1 | 0.51 |
| Aaron | 25 | A-6 | |
| | | A-6 | 0.06 |
| GdC2—Gilpin silt loam, 8 to 15 percent slopes | | | |
| Gilpin | 80 | F-1 | |
| | | F-1 | 0.51 |
| GgD—Gilpin-Guernsey complex, 15 to 25 percent slopes | | | |
| Gilpin | 50 | F-1 | |
| | | F-1 | 0.51 |
| Guernsey | 30 | A-2 | |
| | | A-2 | 0.02 |
| GgE—Gilpin-Guernsey complex, 25 to 40 percent slopes | | | |
| Gilpin | 50 | F-2 | |
| | | F-2 | 0.52 |
| Guernsey | 35 | A-3 | |
| | | A-3 | 0.03 |
| GgF—Gilpin-Guernsey complex, 40 to 70 percent slopes | | | |
| Gilpin | 50 | H-1 | |
| | | H-1 | 0.71 |
| Guernsey | 35 | H-1 | |
| | | H-1 | 0.71 |
| GIR1C1—Gilpin-Rarden silt loams, 6 to 15 percent slopes | | | |
| Gilpin | 50 | F-1 | |
| | | F-1 | 0.51 |
| Rarden | 35 | F-1 | |
| | | F-1 | 0.51 |
| GIR1D1—Gilpin-Rarden silt loams, 15 to 25 percent slopes | | | |
| Gilpin | 50 | F-1 | |
| | | F-1 | 0.51 |
| Rarden | 30 | F-1 | |
| | | F-1 | 0.51 |

| Selected Soil Interpretations--Vinton County, Ohio | | | |
|---|------------------|------------------------------------|-------|
| Map symbol and soil name | Pct. of map unit | Grl - pasture and hayland sg (oh) | |
| | | Rating class and limiting features | Value |
| GIR1E1—Gilpin-Rarden silt loams, 25 to 40 percent slopes | | | |
| Gilpin | 50 | F-2 | |
| | | F-2 | 0.52 |
| Rarden | 30 | F-2 | |
| | | F-2 | 0.52 |
| GmC—Gilpin-Tarhollow complex, 6 to 15 percent slopes | | | |
| Gilpin | 45 | F-1 | |
| | | F-1 | 0.51 |
| Tarhollow | 30 | A-6 | |
| | | A-6 | 0.06 |
| GnA—Glenford silt loam, 0 to 3 percent slopes | | | |
| Glenford | 85 | A-6 | |
| | | A-6 | 0.06 |
| GnB—Glenford silt loam, 3 to 8 percent slopes | | | |
| Glenford | 85 | A-6 | |
| | | A-6 | 0.06 |
| LhW1D2—Latham-Wharton silt loams, 15 to 25 percent slopes, eroded | | | |
| Latham | 45 | F-1 | |
| | | F-1 | 0.51 |
| Wharton | 35 | A-2 | |
| | | A-2 | 0.02 |
| Lic1B1—Licking silt loam, 2 to 6 percent slopes | | | |
| Licking | 85 | A-1 | |
| | | A-1 | 0.01 |
| Lic1C2—Licking silt loam, 6 to 12 percent slopes, eroded | | | |
| Licking | 85 | A-1 | |
| | | A-1 | 0.01 |
| Lic1D2—Licking silt loam, 12 to 18 percent slopes, eroded | | | |
| Licking | 85 | A-1 | |
| | | A-1 | 0.01 |
| McA—McGary silty clay loam, 0 to 2 percent slopes | | | |
| Mcgary | 85 | C-2 | |
| | | C-2 | 0.12 |

| Selected Soil Interpretations--Vinton County, Ohio | | | |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name | Pct. of map unit | Grl - pasture and hayland sg (oh) | |
| | | Rating class and limiting features | Value |
| New1AF—Newark silt loam, 0 to 3 percent slopes, frequently flooded | | | |
| Newark | 90 | C-3 | |
| | | C-3 | 0.13 |
| Omu1A1—Omulga silt loam, 0 to 2 percent slopes | | | |
| Omulga | 85 | F-3 | |
| | | F-3 | 0.53 |
| Omu1B1—Omulga silt loam, 2 to 6 percent slopes | | | |
| Omulga | 85 | F-3 | |
| | | F-3 | 0.53 |
| Omu1C1—Omulga silt loam, 6 to 12 percent slopes | | | |
| Omulga | 85 | F-3 | |
| | | F-3 | 0.53 |
| OnC2—Omulga silt loam, 6 to 12 percent slopes, eroded | | | |
| Omulga | 90 | F-3 | |
| | | F-3 | 0.53 |
| Or—Orrville silt loam, frequently flooded | | | |
| Orrville | 85 | C-3 | |
| | | C-3 | 0.13 |
| Ph—Philo silt loam, frequently flooded | | | |
| Philo | 85 | A-5 | |
| | | A-5 | 0.05 |
| Phi1AF—Philo silt loam, 0 to 3 percent slopes, frequently flooded | | | |
| Philo | 85 | A-5 | |
| | | A-5 | 0.05 |
| Pio1AF—Piopolis silt loam, 0 to 2 percent slopes, frequently flooded | | | |
| Piopolis | 85 | C-3 | |
| | | C-3 | 0.13 |
| Pm—Piopolis silt loam, frequently flooded | | | |
| Piopolis | 85 | C-3 | |
| | | C-3 | 0.13 |

| Selected Soil Interpretations--Vinton County, Ohio | | | |
|---|------------------|------------------------------------|-------|
| Map symbol and soil name | Pct. of map unit | Grl - pasture and hayland sg (oh) | |
| | | Rating class and limiting features | Value |
| Pn--Pope loam, occasionally flooded | | | |
| Pope | 85 | A-5 | |
| | | A-5 | 0.05 |
| Po--Pope loam, frequently flooded | | | |
| Pope | 85 | A-5 | |
| | | A-5 | 0.05 |
| Pop1AF--Pope silt loam, 0 to 3 percent slopes, frequently flooded | | | |
| Pope | 85 | A-5 | |
| | | A-5 | 0.05 |
| Pop6AF--Pope fine sandy loam, 0 to 3 percent slopes, frequently flooded | | | |
| Pope | 85 | A-5 | |
| | | A-5 | 0.05 |
| PpS1AF--Pope-Stokly silt loams, 0 to 3 percent, frequently flooded | | | |
| Pope | 45 | A-5 | |
| | | A-5 | 0.05 |
| Stokly | 40 | C-3 | |
| | | C-3 | 0.13 |
| Rar1C2--Rarden silt loam, 8 to 15 percent slopes, eroded | | | |
| Rarden | 85 | F-1 | |
| | | F-1 | 0.51 |
| RcD--Richland loam, 15 to 25 percent slopes | | | |
| Richland | 85 | A-2 | |
| | | A-2 | 0.02 |
| RcE--Richland loam, 25 to 40 percent slopes | | | |
| Richland | 85 | A-3 | |
| | | A-3 | 0.03 |
| RrW1C2--Rarden-Wharton silt loams, 8 to 15 percent slopes, eroded | | | |
| Rarden | 45 | F-1 | |
| | | F-1 | 0.51 |
| Wharton | 40 | A-1 | |
| | | A-1 | 0.01 |

| Selected Soil Interpretations--Vinton County, Ohio | | | |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name | Pct. of map unit | Grl - pasture and hayland sg (oh) | |
| | | Rating class and limiting features | Value |
| RrW1D2--Rarden-Wharton silt loams, 15 to 25 percent slopes, eroded | | | |
| Rarden | 45 | F-1 | |
| | | F-1 | 0.51 |
| Wharton | 45 | A-2 | |
| | | A-2 | 0.02 |
| SaC--Shelocta silt loam, 8 to 15 percent slopes | | | |
| Shelocta | 80 | A-1 | |
| | | A-1 | 0.01 |
| SaD--Shelocta silt loam, 15 to 25 percent slopes | | | |
| Shelocta | 85 | A-2 | |
| | | A-2 | 0.02 |
| SbE--Sewell channery fine sandy loam, 20 to 40 percent slopes | | | |
| Sewell | 85 | B-2 | |
| | | B-2 | 0.08 |
| ScD--Shelocta-Cruze silt loams, 15 to 25 percent slopes | | | |
| Shelocta | 45 | A-2 | |
| | | A-2 | 0.02 |
| Cruze | 35 | A-2 | |
| | | A-2 | 0.02 |
| ScE--Shelocta-Cruze silt loams, 25 to 40 percent slopes | | | |
| Shelocta | 55 | A-3 | |
| | | A-3 | 0.03 |
| Cruze | 30 | A-3 | |
| | | A-3 | 0.03 |
| SdF--Shelocta-Brownsville association, very steep | | | |
| Shelocta | 50 | H-1 | |
| | | H-1 | 0.71 |
| Brownsville | 30 | H-1 | |
| | | H-1 | 0.71 |

| Selected Soil Interpretations--Vinton County, Ohio | | | |
|---|------------------|------------------------------------|-------|
| Map symbol and soil name | Pct. of map unit | Grl - pasture and hayland sg (oh) | |
| | | Rating class and limiting features | Value |
| SfE—Shelocta-Berks complex, 25 to 40 percent slopes | | | |
| Shelocta | 60 | A-3 | |
| | | A-3 | 0.03 |
| Berks | 20 | F-2 | |
| | | F-2 | 0.52 |
| ShLZE1—Shelocta-Latham association, steep | | | |
| Shelocta | 50 | A-3 | |
| | | A-3 | 0.03 |
| Latham | 25 | F-2 | |
| | | F-2 | 0.52 |
| ShRZE1—Shelocta-Rarden association, steep | | | |
| Shelocta | 50 | A-3 | |
| | | A-3 | 0.03 |
| Rarden | 25 | F-2 | |
| | | F-2 | 0.52 |
| Sk—Skidmore gravelly loam, frequently flooded | | | |
| Skidmore | 85 | B-3 | |
| | | B-3 | 0.09 |
| SkP1AF—Stokly-Philo silt loams, 0 to 3 percent slopes, frequently flooded | | | |
| Stokly | 55 | C-3 | |
| | | C-3 | 0.13 |
| Philo | 30 | A-5 | |
| | | A-5 | 0.05 |
| SsE—Steinsburg sandy loam, 25 to 40 percent slopes | | | |
| Steinsburg | 85 | F-2 | |
| | | F-2 | 0.52 |
| StE—Steinsburg-Gilpin association, steep | | | |
| Steinsburg | 55 | F-2 | |
| | | F-2 | 0.52 |
| Gilpin | 15 | F-2 | |
| | | F-2 | 0.52 |

| Selected Soil Interpretations--Vinton County, Ohio | | | |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name | Pct. of map unit | Grl - pasture and hayland sg (oh) | |
| | | Rating class and limiting features | Value |
| StF—Steinsburg-Gilpin association, very steep | | | |
| Steinsburg | 55 | H-1 | |
| | | H-1 | 0.71 |
| Gilpin | 20 | H-1 | |
| | | H-1 | 0.71 |
| SvE—Steinsburg-Clymer association, steep | | | |
| Steinsburg | 60 | F-2 | |
| | | F-2 | 0.52 |
| Clymer | 20 | B-2 | |
| | | B-2 | 0.08 |
| TaB—Tarhollow silt loam, 2 to 6 percent slopes | | | |
| Tarhollow | 85 | A-6 | |
| | | A-6 | 0.06 |
| TeB—Tilsit silt loam, 3 to 8 percent slopes | | | |
| Tilsit | 85 | F-3 | |
| | | F-3 | 0.53 |
| Tg—Tioga fine sandy loam, frequently flooded | | | |
| Tioga | 85 | A-5 | |
| | | A-5 | 0.05 |
| Ud—Udorthents | | | |
| Udorthents | 100 | Not rated | |
| W—Water | | | |
| Water | 100 | Not rated | |
| WbC—Wellston silt loam, 8 to 15 percent slopes | | | |
| Wellston | 85 | A-6 | |
| | | A-6 | 0.06 |
| WdC—Wellston silt loam, 8 to 15 percent slopes | | | |
| Wellston | 85 | A-6 | |
| | | A-6 | 0.06 |
| WeB—Westmore silt loam, 3 to 8 percent slopes | | | |
| Westmore | 100 | A-6 | |
| | | A-6 | 0.06 |

| Selected Soil Interpretations--Vinton County, Ohio | | | |
|---|------------------|------------------------------------|-------|
| Map symbol and soil name | Pct. of map unit | Grl - pasture and hayland sg (oh) | |
| | | Rating class and limiting features | Value |
| WhL1C1—Wharton-Latham silt loams, 6 to 15 percent slopes | | | |
| Wharton | 30 | A-6 | |
| | | A-6 | 0.06 |
| Latham | 25 | F-1 | |
| | | F-1 | 0.51 |
| WhL1D1—Wharton-Latham silt loams, 15 to 25 percent slopes | | | |
| Wharton | 55 | A-2 | |
| | | A-2 | 0.02 |
| Latham | 25 | F-1 | |
| | | F-1 | 0.51 |
| WhL1E1—Wharton-Latham silt loams, 25 to 40 percent slopes | | | |
| Wharton | 65 | A-3 | |
| | | A-3 | 0.03 |
| Latham | 25 | F-2 | |
| | | F-2 | 0.52 |
| Wya1B1—Wyatt silt loam, 2 to 6 percent slopes | | | |
| Wyatt | 85 | A-1 | |
| | | A-1 | 0.01 |
| Wya3C2—Wyatt silty clay loam, 6 to 12 percent slopes, eroded | | | |
| Wyatt | 85 | A-1 | |
| | | A-1 | 0.01 |
| Wya3D2—Wyatt silty clay loam, 12 to 18 percent slopes, eroded | | | |
| Wyatt | 85 | B-1 | |
| | | B-1 | 0.07 |
| ZnB—Zanesville silt loam, 2 to 6 percent slopes | | | |
| Zanesville | 85 | F-3 | |
| | | F-3 | 0.53 |
| ZoB—Zanesville silt loam, 3 to 8 percent slopes | | | |
| Zanesville | 100 | F-3 | |
| | | F-3 | 0.53 |

Data Source Information

Soil Survey Area: Vinton County, Ohio
Survey Area Data: Version 13, Sep 19, 2014