

Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

Surface runoff refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

Water table refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

Ponding is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

Flooding is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

Duration and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

Water Features—Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AbC—Aaron silt loam, 6 to 15 percent slopes										
Aaron	D	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-4.0	—	—	None	—	None
			December	1.5-3.0	2.0-4.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BgC--Berks-Tarhollow complex, 6 to 15 percent slopes										
Berks	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Tarhollow	C	High	January	2.0-3.5	>6.0	—	—	None	—	None
			February	2.0-3.5	>6.0	—	—	None	—	None
			March	2.0-3.5	>6.0	—	—	None	—	None
			April	2.0-3.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.5	>6.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BhB--Bethesda silty clay loam, 0 to 8 percent slopes										
Bethesda	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BhC--Bethesda silty clay loam, 8 to 20 percent slopes										
Bethesda	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BhE--Bethesda silty clay loam, 20 to 40 percent slopes										
Bethesda	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BmC—Bethesda channery clay loam, 8 to 20 percent slopes										
Bethesda	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BmE--Bethesda channery clay loam, 20 to 40 percent slopes										
Bethesda	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BmF--Bethesda channery clay loam, 40 to 70 percent slopes										
Bethesda	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Bne1AF--Bonnie silt loam, 0 to 2 percent slopes, frequently flooded										
Bonnie	C/D	Medium	January	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			February	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			March	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			April	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			May	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			June	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			November	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent
			December	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Frequent	Long (7 to 30 days)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Bne1AP--Bonnie silt loam, ponded, 0 to 2 percent slopes										
Bonnie	C/D	Medium	January	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			February	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			March	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			April	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			May	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			June	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			November	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			December	0.0-1.0	>6.0	0.0-2.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Cg—Chagrin silt loam, 0 to 3 percent slopes, frequently flooded										
Chagrin	B	—	January	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			February	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			March	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			April	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			May	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			June	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			July	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			August	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			September	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			October	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			November	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			December	—	—	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ChA—Chavies silt loam, 0 to 2 percent slopes, rarely flooded										
Chavies	B	Low	January	—	—	—	—	None	Long (7 to 30 days)	Rare
			February	—	—	—	—	None	Long (7 to 30 days)	Rare
			March	—	—	—	—	None	Long (7 to 30 days)	Rare
			November	—	—	—	—	None	Long (7 to 30 days)	Rare
			December	—	—	—	—	None	Long (7 to 30 days)	Rare

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ChB—Chavies silt loam, 2 to 6 percent slopes, rarely flooded										
Chavies	B	Low	January	—	—	—	—	None	Long (7 to 30 days)	Rare
			February	—	—	—	—	None	Long (7 to 30 days)	Rare
			March	—	—	—	—	None	Long (7 to 30 days)	Rare
			April	—	—	—	—	None	Long (7 to 30 days)	Rare
			May	—	—	—	—	None	Long (7 to 30 days)	Rare
			June	—	—	—	—	None	Long (7 to 30 days)	Rare
			July	—	—	—	—	None	Long (7 to 30 days)	Rare
			August	—	—	—	—	None	Long (7 to 30 days)	Rare
			September	—	—	—	—	None	Long (7 to 30 days)	Rare
			October	—	—	—	—	None	Long (7 to 30 days)	Rare
			November	—	—	—	—	None	Long (7 to 30 days)	Rare
			December	—	—	—	—	None	Long (7 to 30 days)	Rare

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CmC—Chavies silt loam, 6 to 15 percent slopes										
Chavies	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Cp—Clifty silt loam, occasionally flooded										
Clifty	A	Very low	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CrC--Clymer silt loam, 8 to 15 percent slopes										
Clymer	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Cub1AO--Cuba silt loam, 0 to 3 percent slopes, occasionally flooded										
Cuba	B	Low	January	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	3.5-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CwD—Cruze silt loam, 12 to 20 percent slopes										
Cruze	C	High	January	1.5-3.0	3.0-6.0	—	—	None	—	None
			February	1.5-3.0	3.0-6.0	—	—	None	—	None
			March	1.5-3.0	3.0-6.0	—	—	None	—	None
			April	1.5-3.0	3.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CwE—Cruze silt loam, 20 to 35 percent slopes										
Cruze	C	Very high	January	1.5-3.0	3.0-6.0	—	—	None	—	None
			February	1.5-3.0	3.0-6.0	—	—	None	—	None
			March	1.5-3.0	3.0-6.0	—	—	None	—	None
			April	1.5-3.0	3.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DkF--Dekalb-Shelockta-Rock outcrop complex, 40 to 70 percent slopes										
Dekalb	A	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Shelocta	B	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Rock outcrop	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Dol1A1—Doles silt loam, 0 to 2 percent slopes										
Doles	C/D	Low	January	0.5-1.0	1.0-2.0	—	—	None	—	None
			February	0.5-1.0	1.0-2.0	—	—	None	—	None
			March	0.5-1.0	1.0-2.0	—	—	None	—	None
			April	0.5-1.0	1.0-2.0	—	—	None	—	None
			May	0.5-1.0	1.0-2.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-1.0	1.0-2.0	—	—	None	—	None
			December	0.5-1.0	1.0-2.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DtD--Dekalb-Westmoreland complex, 15 to 25 percent slopes										
Dekalb	A	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Westmoreland	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DtF--Dekalb-Westmoreland complex, 40 to 70 percent slopes										
Dekalb	A	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Westmoreland	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Dy—Dumps, mine										
Dumps, mine	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ErC—Ernest silt loam, 6 to 15 percent slopes										
Ernest	C	Medium	January	1.5-3.0	2.5-5.0	—	—	None	—	None
			February	1.5-3.0	2.5-5.0	—	—	None	—	None
			March	1.5-3.0	2.5-5.0	—	—	None	—	None
			April	1.5-3.0	2.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.5-5.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ErD—Ernest silt loam, 15 to 25 percent slopes										
Ernest	C	High	January	1.5-3.0	2.5-5.0	—	—	None	—	None
			February	1.5-3.0	2.5-5.0	—	—	None	—	None
			March	1.5-3.0	2.5-5.0	—	—	None	—	None
			April	1.5-3.0	2.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.5-5.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EsC—Ernest silt loam, 8 to 15 percent slopes										
Ernest	C	High	January	1.5-3.0	2.5-5.0	—	—	None	—	None
			February	1.5-3.0	2.5-5.0	—	—	None	—	None
			March	1.5-3.0	2.5-5.0	—	—	None	—	None
			April	1.5-3.0	2.5-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.5-5.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FaB--Fairpoint clay loam, 0 to 8 percent slopes										
Fairpoint	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FaC—Fairpoint clay loam, 8 to 20 percent slopes										
Fairpoint	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FcA—Fitchville silt loam, 0 to 3 percent slopes										
Fitchville	C/D	—	January	0.6-1.0	>6.0	—	—	None	—	None
			February	0.6-1.0	>6.0	—	—	None	—	None
			March	0.6-1.0	>6.0	—	—	None	—	None
			April	0.6-1.0	>6.0	—	—	None	—	None
			May	0.6-1.0	>6.0	—	—	None	—	None
			June	2.3-3.8	>6.0	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.6-1.0	>6.0	—	—	None	—	None
			December	0.6-1.0	>6.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GaC—Germano-Gilpin complex, 6 to 15 percent slopes										
Germano	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GaD—Germano-Gilpin complex, 15 to 25 percent slopes										
Germano	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GaE—Germano-Gilpin complex, 25 to 40 percent slopes										
Germano	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GcC—Gilpin-Aaron complex, 6 to 15 percent slopes										
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Aaron	D	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-4.0	—	—	None	—	None
			December	1.5-3.0	2.0-4.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GdC2--Gilpin silt loam, 8 to 15 percent slopes										
Gilpin	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GgD—Gilpin-Guernsey complex, 15 to 25 percent slopes										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Guernsey	C	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GgE—Gilpin-Guernsey complex, 25 to 40 percent slopes										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Guernsey	C	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GgF—Gilpin-Guernsey complex, 40 to 70 percent slopes										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Guernsey	C	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GIR1C1—Gilpin-Rarden silt loams, 6 to 15 percent slopes										
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rarden	D	Very high	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GIR1D1—Gilpin-Rarden silt loams, 15 to 25 percent slopes										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rarden	D	Very high	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GIR1E1—Gilpin-Rarden silt loams, 25 to 40 percent slopes										
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rarden	D	Very high	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GmC—Gilpin-Tarhollow complex, 6 to 15 percent slopes										
Gilpin	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Tarhollow	C	High	January	2.0-3.5	>6.0	—	—	None	—	None
			February	2.0-3.5	>6.0	—	—	None	—	None
			March	2.0-3.5	>6.0	—	—	None	—	None
			April	2.0-3.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.5	>6.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GnA—Glenford silt loam, 0 to 3 percent slopes										
Glenford	C/D	—	January	1.2-2.0	>6.0	—	—	None	—	None
			February	1.2-2.0	>6.0	—	—	None	—	None
			March	1.2-2.0	>6.0	—	—	None	—	None
			April	1.2-2.0	>6.0	—	—	None	—	None
			May	2.8-4.2	>6.0	—	—	None	—	None
			June	3.3-5.9	>6.0	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	3.3-5.9	>6.0	—	—	None	—	None
			December	2.8-4.2	>6.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GnB—Glenford silt loam, 3 to 8 percent slopes										
Glenford	C/D	—	January	1.2-2.0	>6.0	—	—	None	—	None
			February	1.2-2.0	>6.0	—	—	None	—	None
			March	1.2-2.0	>6.0	—	—	None	—	None
			April	1.2-2.0	>6.0	—	—	None	—	None
			May	2.8-4.2	>6.0	—	—	None	—	None
			June	3.3-5.9	>6.0	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	3.3-5.9	>6.0	—	—	None	—	None
			December	2.8-4.2	>6.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LhW1D2—Latham-Wharton silt loams, 15 to 25 percent slopes, eroded										
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Wharton	C	Very high	January	1.5-3.0	2.0-5.0	—	—	None	—	None
			February	1.5-3.0	2.0-5.0	—	—	None	—	None
			March	1.5-3.0	2.0-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-5.0	—	—	None	—	None
			December	1.5-3.0	2.0-5.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Lic1B1—Licking silt loam, 2 to 6 percent slopes										
Licking	C/D	Low	January	1.0-2.5	>6.0	—	—	None	—	None
			February	1.0-2.5	>6.0	—	—	None	—	None
			March	1.0-2.5	>6.0	—	—	None	—	None
			April	1.0-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	>6.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Lic1C2—Licking silt loam, 6 to 12 percent slopes, eroded										
Licking	C/D	Medium	January	1.0-2.5	>6.0	—	—	None	—	None
			February	1.0-2.5	>6.0	—	—	None	—	None
			March	1.0-2.5	>6.0	—	—	None	—	None
			April	1.0-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	>6.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Lic1D2—Licking silt loam, 12 to 18 percent slopes, eroded										
Licking	C/D	Very high	January	1.0-2.5	>6.0	—	—	None	—	None
			February	1.0-2.5	>6.0	—	—	None	—	None
			March	1.0-2.5	>6.0	—	—	None	—	None
			April	1.0-2.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	>6.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
McA—McGary silty clay loam, 0 to 2 percent slopes										
Mcgary	C	Medium	January	1.5-3.0	>6.0	—	—	None	—	None
			February	1.5-3.0	>6.0	—	—	None	—	None
			March	1.5-3.0	>6.0	—	—	None	—	None
			April	1.5-3.0	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
New1AF--Newark silt loam, 0 to 3 percent slopes, frequently flooded										
Newark	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			November	0.5-1.0	>6.0	—	—	None	—	—
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Omu1A1—Omulga silt loam, 0 to 2 percent slopes										
Omulga	C	High	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.5-3.5	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Omu1B1—Omulga silt loam, 2 to 6 percent slopes										
Omulga	C	Low	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.5-3.5	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Omu1C1—Omulga silt loam, 6 to 12 percent slopes										
Omulga	C	Medium	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.5-3.5	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OnC2—Omulga silt loam, 6 to 12 percent slopes, eroded										
Omulga	C	Medium	January	2.0-3.5	2.5-3.5	—	—	None	—	None
			February	2.0-3.5	2.5-3.5	—	—	None	—	None
			March	2.0-3.5	2.5-3.5	—	—	None	—	None
			April	2.0-3.5	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Or--Orrville silt loam, frequently flooded										
Orrville	B/D	Low	January	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	1.0-2.5	>6.0	—	—	None	—	—
			November	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ph—Philo silt loam, frequently flooded										
Philo	C	Low	January	1.5-3.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			February	1.5-3.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			March	1.5-3.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			April	1.5-3.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			May	—	—	—	—	None	Very brief (4 to 48 hours)	Frequent
			December	1.5-3.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Phi1AF—Philo silt loam, 0 to 3 percent slopes, frequently flooded										
Philo	B/D	Low	January	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			February	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			March	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			April	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			May	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			December	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pio1AF--Piopolis silt loam, 0 to 2 percent slopes, frequently flooded										
Piopolis	C/D	Very low	January	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			February	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			March	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			April	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			May	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			June	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			November	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent
			December	0.0-1.0	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	Long (7 to 30 days)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pm—Piopolis silt loam, frequently flooded										
Piopolis	C/D	High	January	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			February	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			March	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			April	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			May	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	Long (7 to 30 days)	Frequent
			June	—	—	—	—	—	Long (7 to 30 days)	Frequent
			December	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	—
Pn—Pope loam, occasionally flooded										
Pope	B	Low	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			March	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			April	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Po—Pope loam, frequently flooded										
Pope	B	Low	January	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			February	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			March	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			April	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			November	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			December	—	—	—	—	None	Brief (2 to 7 days)	Frequent
Pop1AF—Pope silt loam, 0 to 3 percent slopes, frequently flooded										
Pope	B	Very low	January	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Pop6AF--Pope fine sandy loam, 0 to 3 percent slopes, frequently flooded										
Pope	A	Very low	January	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
PpS1AF--Pope-Stokly silt loams, 0 to 3 percent, frequently flooded										
Pope	B	Low	January	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	4.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
Stokly	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	1.0-2.5	>6.0	—	—	None	—	—
			November	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Rar1C2—Rarden silt loam, 8 to 15 percent slopes, eroded										
Rarden	D	High	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RcD—Richland loam, 15 to 25 percent slopes										
Richland	B	High	January	3.0-6.0	>6.0	—	—	None	—	None
			February	3.0-6.0	>6.0	—	—	None	—	None
			March	3.0-6.0	>6.0	—	—	None	—	None
			April	3.0-6.0	>6.0	—	—	None	—	None
			May	3.0-6.0	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	3.0-6.0	>6.0	—	—	None	—	None
			December	3.0-6.0	>6.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RcE—Richland loam, 25 to 40 percent slopes										
Richland	B	High	January	3.0-6.0	>6.0	—	—	None	—	None
			February	3.0-6.0	>6.0	—	—	None	—	None
			March	3.0-6.0	>6.0	—	—	None	—	None
			April	3.0-6.0	>6.0	—	—	None	—	None
			May	3.0-6.0	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	3.0-6.0	>6.0	—	—	None	—	None
			December	3.0-6.0	>6.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrW1C2--Rarden-Wharton silt loams, 8 to 15 percent slopes, eroded										
Rarden	D	High	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Wharton	C	High	January	1.5-3.0	2.0-5.0	—	—	None	—	None
			February	1.5-3.0	2.0-5.0	—	—	None	—	None
			March	1.5-3.0	2.0-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-5.0	—	—	None	—	None
			December	1.5-3.0	2.0-5.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrW1D2--Rarden-Wharton silt loams, 15 to 25 percent slopes, eroded										
Rarden	D	Very high	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Wharton	C	Very high	January	1.5-3.0	2.0-5.0	—	—	None	—	None
			February	1.5-3.0	2.0-5.0	—	—	None	—	None
			March	1.5-3.0	2.0-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-5.0	—	—	None	—	None
			December	1.5-3.0	2.0-5.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SaC—Shelocta silt loam, 8 to 15 percent slopes										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SaD—Shelocta silt loam, 15 to 25 percent slopes										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SbE--Sewell channery fine sandy loam, 20 to 40 percent slopes										
Sewell	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ScD—Shelocta-Cruze silt loams, 15 to 25 percent slopes										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Cruze	C	High	January	1.5-3.0	3.0-6.0	—	—	None	—	None
			February	1.5-3.0	3.0-6.0	—	—	None	—	None
			March	1.5-3.0	3.0-6.0	—	—	None	—	None
			April	1.5-3.0	3.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ScE--Shelocta-Cruze silt loams, 25 to 40 percent slopes										
Shelocta	B	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Cruze	C	Very high	January	1.5-3.0	3.0-6.0	—	—	None	—	None
			February	1.5-3.0	3.0-6.0	—	—	None	—	None
			March	1.5-3.0	3.0-6.0	—	—	None	—	None
			April	1.5-3.0	3.0-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SdF—Shelocta-Brownsville association, very steep										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Brownsville	A	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SfE--Shelocta-Berks complex, 25 to 40 percent slopes										
Shelocta	B	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Berks	B	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ShLZE1—Shelocta-Latham association, steep										
Shelocta	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ShRZE1--Shelocta-Rarden association, steep										
Shelocta	B	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Rarden	D	Very high	January	1.5-3.0	2.0-3.5	—	—	None	—	None
			February	1.5-3.0	2.0-3.5	—	—	None	—	None
			March	1.5-3.0	2.0-3.5	—	—	None	—	None
			April	1.5-3.0	2.0-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Sk—Skidmore gravelly loam, frequently flooded										
Skidmore	A	Very low	January	3.0-4.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			February	3.0-4.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			March	3.0-4.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			April	—	—	—	—	None	Very brief (4 to 48 hours)	Frequent
			May	—	—	—	—	None	Very brief (4 to 48 hours)	Frequent
			December	3.0-4.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SkP1AF--Stokly-Philo silt loams, 0 to 3 percent slopes, frequently flooded										
Stokly	B/D	Low	January	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	1.0-2.5	>6.0	—	—	None	—	—
			November	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.5-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
Philo	B/D	Low	January	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			February	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			March	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			April	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			May	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			November	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			December	1.0-2.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SsE--Steinsburg sandy loam, 25 to 40 percent slopes										
Steinsburg	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
StE--Steinsburg-Gilpin association, steep										
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
StF--Steinsburg-Gilpin association, very steep										
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Gilpin	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SvE--Steinsburg-Clymer association, steep										
Steinsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Clymer	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TaB--Tarhollow silt loam, 2 to 6 percent slopes										
Tarhollow	C	Medium	January	2.0-3.5	>6.0	—	—	None	—	None
			February	2.0-3.5	>6.0	—	—	None	—	None
			March	2.0-3.5	>6.0	—	—	None	—	None
			April	2.0-3.5	>6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.5	>6.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TeB--Tilsit silt loam, 3 to 8 percent slopes										
Tilsit	C	Medium	January	1.5-2.5	2.0-5.0	—	—	None	—	None
			February	1.5-2.5	2.0-5.0	—	—	None	—	None
			March	1.5-2.5	2.0-5.0	—	—	None	—	None
			April	1.5-2.5	2.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Tg—Tioga fine sandy loam, frequently flooded										
Tioga	A	Very low	January	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			February	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			November	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			December	—	—	—	—	None	Brief (2 to 7 days)	Frequent
Ud—Udorthents										
Udorthents	—	—	Jan-Dec	—	—	—	—	—	—	—
W—Water										
Water	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WbC—Wellston silt loam, 8 to 15 percent slopes										
Wellston	C	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WdC--Wellston silt loam, 8 to 15 percent slopes										
Wellston	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WeB--Westmore silt loam, 3 to 8 percent slopes										
Westmore	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WhL1C1—Wharton-Latham silt loams, 6 to 15 percent slopes										
Wharton	C	High	January	1.5-3.0	2.0-5.0	—	—	None	—	None
			February	1.5-3.0	2.0-5.0	—	—	None	—	None
			March	1.5-3.0	2.0-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-5.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	1.5-3.0	2.0-5.0	—	—	None	—	None
Latham	D	High	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WhL1D1--Wharton-Latham silt loams, 15 to 25 percent slopes										
Wharton	C	Very high	January	1.5-3.0	2.0-5.0	—	—	None	—	None
			February	1.5-3.0	2.0-5.0	—	—	None	—	None
			March	1.5-3.0	2.0-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-5.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	1.5-3.0	2.0-5.0	—	—	None	—	None
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WhL1E1--Wharton-Latham silt loams, 25 to 40 percent slopes										
Wharton	C	Very high	January	1.5-3.0	2.0-5.0	—	—	None	—	None
			February	1.5-3.0	2.0-5.0	—	—	None	—	None
			March	1.5-3.0	2.0-5.0	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.0-5.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	1.5-3.0	2.0-5.0	—	—	None	—	None
Latham	D	Very high	January	1.5-3.0	2.5-3.5	—	—	None	—	None
			February	1.5-3.0	2.5-3.5	—	—	None	—	None
			March	1.5-3.0	2.5-3.5	—	—	None	—	None
			April	1.5-3.0	2.5-3.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Wya1B1--Wyatt silt loam, 2 to 6 percent slopes										
Wyatt	C/D	Medium	January	1.0-2.5	3.3-5.5	—	—	None	—	None
			February	1.0-2.5	3.3-5.5	—	—	None	—	None
			March	1.0-2.5	3.3-5.5	—	—	None	—	None
			April	1.0-2.5	3.3-5.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	3.3-5.5	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Wya3C2--Wyatt silty clay loam, 6 to 12 percent slopes, eroded										
Wyatt	C/D	High	January	1.0-2.5	3.0-5.0	—	—	None	—	None
			February	1.0-2.5	3.0-5.0	—	—	None	—	None
			March	1.0-2.5	3.0-5.0	—	—	None	—	None
			April	1.0-2.5	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	3.0-5.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Wya3D2--Wyatt silty clay loam, 12 to 18 percent slopes, eroded										
Wyatt	C/D	Very high	January	1.0-2.5	3.0-4.6	—	—	None	—	None
			February	1.0-2.5	3.0-4.6	—	—	None	—	None
			March	1.0-2.5	3.0-4.6	—	—	None	—	None
			April	1.0-2.5	3.0-4.6	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	3.0-4.6	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ZnB--Zanesville silt loam, 2 to 6 percent slopes										
Zanesville	C	Low	January	2.0-3.0	3.0-5.0	—	—	None	—	None
			February	2.0-3.0	3.0-5.0	—	—	None	—	None
			March	2.0-3.0	3.0-5.0	—	—	None	—	None
			April	2.0-3.0	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.0	3.0-5.0	—	—	None	—	None

Water Features--Vinton County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ZoB--Zanesville silt loam, 3 to 8 percent slopes										
Zanesville	C	Medium	January	2.0-3.0	3.0-5.0	—	—	None	—	None
			February	2.0-3.0	3.0-5.0	—	—	None	—	None
			March	2.0-3.0	3.0-5.0	—	—	None	—	None
			April	2.0-3.0	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	2.0-3.0	3.0-5.0	—	—	None	—	None

Data Source Information

Soil Survey Area: Vinton County, Ohio
 Survey Area Data: Version 13, Sep 19, 2014