

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

| Selected Soil Interpretations—Wayne County, Ohio     |                  |                                    |       |
|------------------------------------------------------|------------------|------------------------------------|-------|
| Map symbol and soil name                             | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|                                                      |                  | Rating class and limiting features | Value |
| AdD—Alexandria silt loam, 12 to 18 percent slopes    |                  |                                    |       |
| Alexandria                                           | 85               | A-1                                |       |
|                                                      |                  | A-1                                | 0.01  |
| AdF—Alexandria silt loam, 18 to 50 percent slopes    |                  |                                    |       |
| Alexandria                                           | 85               | A-3                                |       |
|                                                      |                  | A-3                                | 0.03  |
| AeE—Alexandria silt loam, 18 to 25 percent slopes    |                  |                                    |       |
| Alexandria                                           | 100              | A-2                                |       |
|                                                      |                  | A-2                                | 0.02  |
| AeF—Alexandria silt loam, 25 to 50 percent slopes    |                  |                                    |       |
| Alexandria                                           | 100              | A-3                                |       |
|                                                      |                  | A-3                                | 0.03  |
| AmE—Amanda loam, 18 to 25 percent slopes             |                  |                                    |       |
| Amanda                                               | 90               | A-2                                |       |
|                                                      |                  | A-2                                | 0.02  |
| AwB—Amanda-Wooster silt loams, 2 to 6 percent slopes |                  |                                    |       |
| Amanda                                               | 50               | A-1                                |       |
|                                                      |                  | A-1                                | 0.01  |
| Wooster                                              | 40               | F-3                                |       |
|                                                      |                  | F-3                                | 0.53  |

| Selected Soil Interpretations--Wayne County, Ohio               |                  |                                    |       |
|-----------------------------------------------------------------|------------------|------------------------------------|-------|
| Map symbol and soil name                                        | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|                                                                 |                  | Rating class and limiting features | Value |
| AwC2—Amanda-Wooster silt loams, 6 to 12 percent slopes, eroded  |                  |                                    |       |
| Amanda                                                          | 50               | A-1                                |       |
|                                                                 |                  | A-1                                | 0.01  |
| Wooster                                                         | 40               | F-3                                |       |
|                                                                 |                  | F-3                                | 0.53  |
| AwD2—Amanda-Wooster silt loams, 12 to 18 percent slopes, eroded |                  |                                    |       |
| Amanda                                                          | 50               | A-1                                |       |
|                                                                 |                  | A-1                                | 0.01  |
| Wooster                                                         | 40               | F-3                                |       |
|                                                                 |                  | F-3                                | 0.53  |
| BnA—Bennington silt loam, 0 to 2 percent slopes                 |                  |                                    |       |
| Bennington                                                      | 85               | C-1                                |       |
|                                                                 |                  | C-1                                | 0.11  |
| BnB—Bennington silt loam, 2 to 6 percent slopes                 |                  |                                    |       |
| Bennington                                                      | 85               | C-1                                |       |
|                                                                 |                  | C-1                                | 0.11  |
| BrD—Berks silt loam, 12 to 18 percent slopes                    |                  |                                    |       |
| Berks                                                           | 85               | F-1                                |       |
|                                                                 |                  | F-1                                | 0.51  |
| BrE—Berks silt loam, 18 to 25 percent slopes                    |                  |                                    |       |
| Berks                                                           | 85               | F-1                                |       |
|                                                                 |                  | F-1                                | 0.51  |
| BrF—Berks silt loam, 25 to 70 percent slopes                    |                  |                                    |       |
| Berks                                                           | 85               | H-1                                |       |
|                                                                 |                  | H-1                                | 0.71  |
| BsB—Bethesda silty clay loam, 2 to 12 percent slopes            |                  |                                    |       |
| Bethesda                                                        | 85               | B-4                                |       |
|                                                                 |                  | B-4                                | 0.10  |
| BsF—Bethesda silty clay loam, 18 to 70 percent slopes           |                  |                                    |       |
| Bethesda                                                        | 85               | H-1                                |       |
|                                                                 |                  | H-1                                | 0.71  |
| BtA—Bogart loam, 0 to 2 percent slopes                          |                  |                                    |       |
| Bogart                                                          | 90               | A-6                                |       |
|                                                                 |                  | A-6                                | 0.06  |

| Selected Soil Interpretations--Wayne County, Ohio           |                  |                                    |       |
|-------------------------------------------------------------|------------------|------------------------------------|-------|
| Map symbol and soil name                                    | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|                                                             |                  | Rating class and limiting features | Value |
| BtB—Bogart loam, 2 to 6 percent slopes                      |                  |                                    |       |
| Bogart                                                      | 85               | A-6                                |       |
|                                                             |                  | A-6                                | 0.06  |
| BuB—Bogart silt loam, 2 to 6 percent slopes                 |                  |                                    |       |
| Bogart                                                      | 90               | A-6                                |       |
|                                                             |                  | A-6                                | 0.06  |
| BvG—Berks-Rock outcrop complex, 30 to 60 percent slopes     |                  |                                    |       |
| Berks                                                       | 70               | H-1                                |       |
|                                                             |                  | H-1                                | 0.71  |
| Rock outcrop                                                | 10               | Not rated                          |       |
| BwD—Brownsville channery silt loam, 15 to 25 percent slopes |                  |                                    |       |
| Brownsville                                                 | 85               | B-1                                |       |
|                                                             |                  | B-1                                | 0.07  |
| CcB—Caneadea silt loam, 2 to 6 percent slopes               |                  |                                    |       |
| Caneadea                                                    | 95               | C-2                                |       |
|                                                             |                  | C-2                                | 0.12  |
| CdA—Canfield silt loam, 0 to 2 percent slopes               |                  |                                    |       |
| Canfield                                                    | 85               | F-3                                |       |
|                                                             |                  | F-3                                | 0.53  |
| CdB—Canfield silt loam, 2 to 6 percent slopes               |                  |                                    |       |
| Canfield                                                    | 90               | F-3                                |       |
|                                                             |                  | F-3                                | 0.53  |
| CdB2—Canfield silt loam, 2 to 6 percent slopes, eroded      |                  |                                    |       |
| Canfield, eroded                                            | 90               | F-3                                |       |
|                                                             |                  | F-3                                | 0.53  |
| CdC—Canfield silt loam, 6 to 12 percent slopes              |                  |                                    |       |
| Canfield                                                    | 90               | F-3                                |       |
|                                                             |                  | F-3                                | 0.53  |
| CdC2—Canfield silt loam, 6 to 12 percent slopes, eroded     |                  |                                    |       |
| Canfield, eroded                                            | 90               | F-3                                |       |
|                                                             |                  | F-3                                | 0.53  |
| CdD2—Canfield silt loam, 12 to 18 percent slopes, eroded    |                  |                                    |       |
| Canfield, eroded                                            | 95               | F-3                                |       |
|                                                             |                  | F-3                                | 0.53  |

| Selected Soil Interpretations--Wayne County, Ohio                     |                  |                                    |       |
|-----------------------------------------------------------------------|------------------|------------------------------------|-------|
| Map symbol and soil name                                              | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|                                                                       |                  | Rating class and limiting features | Value |
| CeB—Canfield silt loam, sandstone substratum, 2 to 6 percent slopes   |                  |                                    |       |
| Canfield, sandstone substratum                                        | 90               | F-3                                |       |
|                                                                       |                  | F-3                                | 0.53  |
| CfB—Canfield-Urban land complex, 2 to 6 percent slopes                |                  |                                    |       |
| Canfield                                                              | 45               | Not assigned                       |       |
| Urban land                                                            | 35               | Not rated                          |       |
| CgB—Cardington silt loam, 2 to 6 percent slopes                       |                  |                                    |       |
| Cardington                                                            | 85               | A-6                                |       |
|                                                                       |                  | A-6                                | 0.06  |
| CgB2—Cardington silt loam, 2 to 6 percent slopes, eroded              |                  |                                    |       |
| Cardington                                                            | 85               | A-6                                |       |
|                                                                       |                  | A-6                                | 0.06  |
| CgC—Cardington silt loam, 6 to 12 percent slopes                      |                  |                                    |       |
| Cardington                                                            | 85               | A-6                                |       |
|                                                                       |                  | A-6                                | 0.06  |
| CgC2—Cardington silt loam, 6 to 12 percent slopes, eroded             |                  |                                    |       |
| Cardington                                                            | 90               | A-6                                |       |
|                                                                       |                  | A-6                                | 0.06  |
| CgE2—Cardington silt loam, 12 to 25 percent slopes, moderately eroded |                  |                                    |       |
| Cardington                                                            | 100              | A-6                                |       |
|                                                                       |                  | A-6                                | 0.06  |
| Ch—Carlisle muck                                                      |                  |                                    |       |
| Carlisle                                                              | 90               | D-1                                |       |
|                                                                       |                  | D-1                                | 0.30  |
| Ck—Carlisle muck, ponded                                              |                  |                                    |       |
| Carlisle                                                              | 90               | D-1                                |       |
|                                                                       |                  | D-1                                | 0.30  |
| Cl—Chagrin silt loam                                                  |                  |                                    |       |
| Chagrin                                                               | 100              | A-1                                |       |
|                                                                       |                  | A-1                                | 0.01  |
| CmB—Chili silt loam, 2 to 6 percent slopes                            |                  |                                    |       |
| Chili                                                                 | 100              | B-1                                |       |
|                                                                       |                  | B-1                                | 0.07  |

| Selected Soil Interpretations--Wayne County, Ohio                   |                  |                                    |       |
|---------------------------------------------------------------------|------------------|------------------------------------|-------|
| Map symbol and soil name                                            | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|                                                                     |                  | Rating class and limiting features | Value |
| CmC—Chili silt loam, 6 to 12 percent slopes                         |                  |                                    |       |
| Chili                                                               | 100              | B-1                                |       |
|                                                                     |                  | B-1                                | 0.07  |
| CmC2—Chili silt loam, 6 to 12 percent slopes, moderately eroded     |                  |                                    |       |
| Chili                                                               | 100              | B-1                                |       |
|                                                                     |                  | B-1                                | 0.07  |
| CnA—Chili loam, 0 to 2 percent slopes                               |                  |                                    |       |
| Chili                                                               | 90               | A-1                                |       |
|                                                                     |                  | A-1                                | 0.01  |
| CnB—Chili loam, 2 to 6 percent slopes                               |                  |                                    |       |
| Chili                                                               | 90               | A-1                                |       |
|                                                                     |                  | A-1                                | 0.01  |
| CnC—Chili loam, 6 to 12 percent slopes                              |                  |                                    |       |
| Chili                                                               | 100              | A-1                                |       |
|                                                                     |                  | A-1                                | 0.01  |
| CnC2—Chili loam, 6 to 12 percent slopes, eroded                     |                  |                                    |       |
| Chili                                                               | 90               | A-1                                |       |
|                                                                     |                  | A-1                                | 0.01  |
| CnD2—Chili loam, 12 to 18 percent slopes, eroded                    |                  |                                    |       |
| Chili                                                               | 90               | A-1                                |       |
|                                                                     |                  | A-1                                | 0.01  |
| CoC2—Chili gravelly loam, 6 to 12 percent slopes, moderately eroded |                  |                                    |       |
| Chili                                                               | 100              | B-1                                |       |
|                                                                     |                  | B-1                                | 0.07  |
| CoD2—Chili gravelly loam, 12 to 25 percent slopes, eroded           |                  |                                    |       |
| Chili                                                               | 90               | A-2                                |       |
|                                                                     |                  | A-2                                | 0.02  |
| CoF—Chili gravelly loam, 25 to 70 percent slopes                    |                  |                                    |       |
| Chili                                                               | 90               | H-1                                |       |
|                                                                     |                  | H-1                                | 0.71  |

| Selected Soil Interpretations--Wayne County, Ohio                    |                  |                                    |       |
|----------------------------------------------------------------------|------------------|------------------------------------|-------|
| Map symbol and soil name                                             | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|                                                                      |                  | Rating class and limiting features | Value |
| CpD2—Chili gravelly loam, 12 to 18 percent slopes, moderately eroded |                  |                                    |       |
| Chili                                                                | 100              | B-1                                |       |
|                                                                      |                  | B-1                                | 0.07  |
| CrB—Chili-Urban land complex, 2 to 6 percent slopes                  |                  |                                    |       |
| Chili                                                                | 55               | Not assigned                       |       |
| Urban land                                                           | 35               | Not rated                          |       |
| Cs—Condit silt loam, 0 to 1 percent slopes                           |                  |                                    |       |
| Condit                                                               | 90               | C-1                                |       |
|                                                                      |                  | C-1                                | 0.11  |
| CtC—Coshocton silt loam, 6 to 12 percent slopes                      |                  |                                    |       |
| Coshocton                                                            | 90               | A-6                                |       |
|                                                                      |                  | A-6                                | 0.06  |
| CuB—Centerburg silt loam, 2 to 6 percent slopes                      |                  |                                    |       |
| Centerburg                                                           | 85               | A-6                                |       |
|                                                                      |                  | A-6                                | 0.06  |
| CuC2—Centerburg silt loam, 6 to 12 percent slopes, eroded            |                  |                                    |       |
| Centerburg                                                           | 85               | A-6                                |       |
|                                                                      |                  | A-6                                | 0.06  |
| CvC—Conotton gravelly loam, 6 to 12 percent slopes                   |                  |                                    |       |
| Conotton                                                             | 100              | B-1                                |       |
|                                                                      |                  | B-1                                | 0.07  |
| DkD—DeKalb channery loam, 12 to 18 percent slopes                    |                  |                                    |       |
| DeKalb                                                               | 90               | F-1                                |       |
|                                                                      |                  | F-1                                | 0.51  |
| DkE—DeKalb channery loam, 18 to 25 percent slopes                    |                  |                                    |       |
| DeKalb                                                               | 85               | F-1                                |       |
|                                                                      |                  | F-1                                | 0.51  |
| DmC—DeKalb sandy loam, 6 to 12 percent slopes                        |                  |                                    |       |
| DeKalb                                                               | 100              | F-1                                |       |
|                                                                      |                  | F-1                                | 0.51  |

| Selected Soil Interpretations--Wayne County, Ohio                  |                  |                                    |       |
|--------------------------------------------------------------------|------------------|------------------------------------|-------|
| Map symbol and soil name                                           | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|                                                                    |                  | Rating class and limiting features | Value |
| DmE2—Dekalb sandy loam, 12 to 25 percent slopes, moderately eroded |                  |                                    |       |
| Dekalb                                                             | 100              | F-1                                |       |
|                                                                    |                  | F-1                                | 0.51  |
| EuA—Euclid silt loam, occasionally flooded                         |                  |                                    |       |
| Euclid                                                             | 85               | C-3                                |       |
|                                                                    |                  | C-3                                | 0.13  |
| FaB—Fairpoint silty clay loam, 2 to 12 percent slopes              |                  |                                    |       |
| Fairpoint                                                          | 85               | B-4                                |       |
|                                                                    |                  | B-4                                | 0.10  |
| FcA—Fitchville silt loam, 0 to 2 percent slopes                    |                  |                                    |       |
| Fitchville                                                         | 85               | C-1                                |       |
|                                                                    |                  | C-1                                | 0.11  |
| FcB—Fitchville silt loam, 2 to 6 percent slopes                    |                  |                                    |       |
| Fitchville                                                         | 85               | C-1                                |       |
|                                                                    |                  | C-1                                | 0.11  |
| FfA—Fitchville-Urban land complex, 0 to 2 percent slopes           |                  |                                    |       |
| Fitchville                                                         | 55               | Not assigned                       |       |
| Urban land                                                         | 35               | Not rated                          |       |
| GfA—Glenford silt loam, 0 to 2 percent slopes                      |                  |                                    |       |
| Glenford                                                           | 90               | A-6                                |       |
|                                                                    |                  | A-6                                | 0.06  |
| GfB—Glenford silt loam, 2 to 6 percent slopes                      |                  |                                    |       |
| Glenford                                                           | 90               | A-6                                |       |
|                                                                    |                  | A-6                                | 0.06  |
| GfC—Glenford silt loam, 6 to 12 percent slopes                     |                  |                                    |       |
| Glenford                                                           | 90               | A-6                                |       |
|                                                                    |                  | A-6                                | 0.06  |
| GfC2—Glenford silt loam, 6 to 12 percent slopes, eroded            |                  |                                    |       |
| Glenford                                                           | 90               | A-6                                |       |
|                                                                    |                  | A-6                                | 0.06  |
| GfD—Glenford silt loam, 12 to 18 percent slopes                    |                  |                                    |       |
| Glenford                                                           | 90               | A-6                                |       |
|                                                                    |                  | A-6                                | 0.06  |

| Selected Soil Interpretations--Wayne County, Ohio |                  |                                    |       |
|---------------------------------------------------|------------------|------------------------------------|-------|
| Map symbol and soil name                          | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|                                                   |                  | Rating class and limiting features | Value |
| HdA—Haskins silt loam, 0 to 3 percent slopes      |                  |                                    |       |
| Haskins                                           | 90               | C-2                                |       |
|                                                   |                  | C-2                                | 0.12  |
| Ho—Holly silt loam                                |                  |                                    |       |
| Holly                                             | 95               | C-3                                |       |
|                                                   |                  | C-3                                | 0.13  |
| Hs—Holly silt loam, alkaline                      |                  |                                    |       |
| Holly                                             | 95               | C-3                                |       |
|                                                   |                  | C-3                                | 0.13  |
| JtA—Jimtown loam, 0 to 2 percent slopes           |                  |                                    |       |
| Jimtown                                           | 90               | C-1                                |       |
|                                                   |                  | C-1                                | 0.11  |
| JtB—Jimtown loam, 2 to 6 percent slopes           |                  |                                    |       |
| Jimtown                                           | 90               | C-1                                |       |
|                                                   |                  | C-1                                | 0.11  |
| Kb—Killbuck silt loam, frequently flooded         |                  |                                    |       |
| Killbuck                                          | 80               | C-3                                |       |
|                                                   |                  | C-3                                | 0.13  |
| Ld—Linwood muck                                   |                  |                                    |       |
| Linwood                                           | 85               | D-1                                |       |
|                                                   |                  | D-1                                | 0.30  |
| Le—Lobdell silt loam, occasionally flooded        |                  |                                    |       |
| Lobdell                                           | 85               | A-5                                |       |
|                                                   |                  | A-5                                | 0.05  |
| Lm—Lorain silty clay loam                         |                  |                                    |       |
| Lorain                                            | 100              | C-2                                |       |
|                                                   |                  | C-2                                | 0.12  |
| LnB—Loudonville silt loam, 2 to 6 percent slopes  |                  |                                    |       |
| Loudonville                                       | 85               | F-1                                |       |
|                                                   |                  | F-1                                | 0.51  |
| LnC—Loudonville silt loam, 6 to 12 percent slopes |                  |                                    |       |
| Loudonville                                       | 90               | F-1                                |       |
|                                                   |                  | F-1                                | 0.51  |

| Selected Soil Interpretations--Wayne County, Ohio            |                  |                                    |       |
|--------------------------------------------------------------|------------------|------------------------------------|-------|
| Map symbol and soil name                                     | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|                                                              |                  | Rating class and limiting features | Value |
| LnC2—Loudonville silt loam, 6 to 12 percent slopes, eroded   |                  |                                    |       |
| Loudonville                                                  | 90               | F-1                                |       |
|                                                              |                  | F-1                                | 0.51  |
| LnD—Loudonville silt loam, 12 to 18 percent slopes           |                  |                                    |       |
| Loudonville                                                  | 90               | F-1                                |       |
|                                                              |                  | F-1                                | 0.51  |
| Lu—Luray silt loam                                           |                  |                                    |       |
| Luray                                                        | 100              | C-1                                |       |
|                                                              |                  | C-1                                | 0.11  |
| Ly—Luray silty clay loam                                     |                  |                                    |       |
| Luray                                                        | 90               | C-1                                |       |
|                                                              |                  | C-1                                | 0.11  |
| McB—Mechanicsburg silt loam, 2 to 6 percent slopes           |                  |                                    |       |
| Mechanicsburg                                                | 85               | A-1                                |       |
|                                                              |                  | A-1                                | 0.01  |
| McC2—Mechanicsburg silt loam, 6 to 12 percent slopes, eroded |                  |                                    |       |
| Mechanicsburg                                                | 85               | A-1                                |       |
|                                                              |                  | A-1                                | 0.01  |
| McD—Mechanicsburg silt loam, 12 to 18 percent slopes         |                  |                                    |       |
| Mechanicsburg                                                | 85               | A-1                                |       |
|                                                              |                  | A-1                                | 0.01  |
| Md—Melvin silt loam, frequently flooded                      |                  |                                    |       |
| Melvin                                                       | 90               | C-3                                |       |
|                                                              |                  | C-3                                | 0.13  |
| Mg—Melvin silt loam, ponded                                  |                  |                                    |       |
| Melvin                                                       | 85               | C-3                                |       |
|                                                              |                  | C-3                                | 0.13  |
| MtB—Mitiwanga silt loam, 1 to 4 percent slopes               |                  |                                    |       |
| Mitiwanga                                                    | 90               | C-1                                |       |
|                                                              |                  | C-1                                | 0.11  |
| Om—Olmsted loam                                              |                  |                                    |       |
| Olmsted                                                      | 100              | C-1                                |       |
|                                                              |                  | C-1                                | 0.11  |

| Selected Soil Interpretations--Wayne County, Ohio |                  |                                    |       |
|---------------------------------------------------|------------------|------------------------------------|-------|
| Map symbol and soil name                          | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|                                                   |                  | Rating class and limiting features | Value |
| Or—Orrville silt loam, occasionally flooded       |                  |                                    |       |
| Orrville                                          | 85               | C-3                                |       |
|                                                   |                  | C-3                                | 0.13  |
| OtA—Oshtemo sandy loam, 0 to 2 percent slopes     |                  |                                    |       |
| Oshtemo                                           | 95               | B-1                                |       |
|                                                   |                  | B-1                                | 0.07  |
| OtB—Oshtemo sandy loam, 2 to 6 percent slopes     |                  |                                    |       |
| Oshtemo                                           | 85               | A-1                                |       |
|                                                   |                  | A-1                                | 0.01  |
| Pg—Pits, gravel                                   |                  |                                    |       |
| Pits                                              | 100              | Not rated                          |       |
| Pr—Pits, quarry                                   |                  |                                    |       |
| Pits                                              | 100              | Not rated                          |       |
| ReA—Ravenna silt loam, 0 to 2 percent slopes      |                  |                                    |       |
| Ravenna                                           | 85               | C-1                                |       |
|                                                   |                  | C-1                                | 0.11  |
| ReB—Ravenna silt loam, 2 to 6 percent slopes      |                  |                                    |       |
| Ravenna                                           | 85               | C-1                                |       |
|                                                   |                  | C-1                                | 0.11  |
| RgB—Rawson silt loam, 2 to 6 percent slopes       |                  |                                    |       |
| Rawson                                            | 90               | F-5                                |       |
|                                                   |                  | F-5                                | 0.55  |
| RhB—Riddles silt loam, 2 to 6 percent slopes      |                  |                                    |       |
| Riddles                                           | 85               | A-1                                |       |
|                                                   |                  | A-1                                | 0.01  |
| RhC—Riddles silt loam, 6 to 12 percent slopes     |                  |                                    |       |
| Riddles                                           | 85               | A-1                                |       |
|                                                   |                  | A-1                                | 0.01  |
| RhD2—Riddles silt loam, 12 to 18 percent, eroded  |                  |                                    |       |
| Riddles                                           | 90               | A-1                                |       |
|                                                   |                  | A-1                                | 0.01  |
| RhE—Riddles silt loam, 18 to 25 percent slopes    |                  |                                    |       |
| Riddles                                           | 85               | A-2                                |       |
|                                                   |                  | A-2                                | 0.02  |

| Selected Soil Interpretations--Wayne County, Ohio                  |                  |                                    |       |
|--------------------------------------------------------------------|------------------|------------------------------------|-------|
| Map symbol and soil name                                           | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|                                                                    |                  | Rating class and limiting features | Value |
| RrE2—Rittman silt loam, 12 to 25 percent slopes, moderately eroded |                  |                                    |       |
| Rittman                                                            | 100              | F-3                                |       |
|                                                                    |                  | F-3                                | 0.53  |
| RrF—Rittman silt loam, 25 to 70 percent slopes                     |                  |                                    |       |
| Rittman                                                            | 100              | F-3                                |       |
|                                                                    |                  | F-3                                | 0.53  |
| RsB—Rittman silt loam, 2 to 6 percent slopes                       |                  |                                    |       |
| Rittman                                                            | 90               | F-3                                |       |
|                                                                    |                  | F-3                                | 0.53  |
| RsB2—Rittman silt loam, 2 to 6 percent slopes, eroded              |                  |                                    |       |
| Rittman                                                            | 90               | F-3                                |       |
|                                                                    |                  | F-3                                | 0.53  |
| RsC—Rittman silt loam, 6 to 12 percent slopes                      |                  |                                    |       |
| Rittman                                                            | 90               | F-3                                |       |
|                                                                    |                  | F-3                                | 0.53  |
| RsC2—Rittman silt loam, 6 to 12 percent slopes, eroded             |                  |                                    |       |
| Rittman                                                            | 90               | F-3                                |       |
|                                                                    |                  | F-3                                | 0.53  |
| RsD2—Rittman silt loam, 12 to 18 percent slopes, eroded            |                  |                                    |       |
| Rittman                                                            | 90               | F-3                                |       |
|                                                                    |                  | F-3                                | 0.53  |
| RtB—Rittman-Urban land complex, 2 to 6 percent slopes              |                  |                                    |       |
| Rittman                                                            | 65               | Not assigned                       |       |
| Urban land                                                         | 25               | Not rated                          |       |
| Sb—Sebring silt loam                                               |                  |                                    |       |
| Sebring                                                            | 90               | C-1                                |       |
|                                                                    |                  | C-1                                | 0.11  |
| Se—Sebring silt loam, till substratum                              |                  |                                    |       |
| Sebring                                                            | 90               | C-1                                |       |
|                                                                    |                  | C-1                                | 0.11  |
| SI—Sloan silt loam                                                 |                  |                                    |       |
| Sloan                                                              | 100              | C-3                                |       |
|                                                                    |                  | C-3                                | 0.13  |

| Selected Soil Interpretations--Wayne County, Ohio |                  |                                    |       |
|---------------------------------------------------|------------------|------------------------------------|-------|
| Map symbol and soil name                          | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|                                                   |                  | Rating class and limiting features | Value |
| Sn—Sloan silty clay loam                          |                  |                                    |       |
| Sloan                                             | 95               | C-3                                |       |
|                                                   |                  | C-3                                | 0.13  |
| Tg—Tioga silt loam, occasionally flooded          |                  |                                    |       |
| Tioga                                             | 100              | A-5                                |       |
|                                                   |                  | A-5                                | 0.05  |
| To—Tioga loam, occasionally flooded               |                  |                                    |       |
| Tioga                                             | 90               | A-5                                |       |
|                                                   |                  | A-5                                | 0.05  |
| TrA—Tiro silt loam, 0 to 2 percent slopes         |                  |                                    |       |
| Tiro                                              | 85               | C-1                                |       |
|                                                   |                  | C-1                                | 0.11  |
| Ud—Udorthents, loamy                              |                  |                                    |       |
| Udorthents                                        | 100              | Not rated                          |       |
| Up—Udorthents-Pits complex                        |                  |                                    |       |
| Udorthents                                        | 70               | A-2                                |       |
|                                                   |                  | A-2                                | 0.02  |
| Pits                                              | 20               | Not rated                          |       |
| W—Water                                           |                  |                                    |       |
| Water                                             | 100              | Not rated                          |       |
| WaA—Wadsworth silt loam, 0 to 2 percent slopes    |                  |                                    |       |
| Wadsworth                                         | 90               | C-1                                |       |
|                                                   |                  | C-1                                | 0.11  |
| WaB—Wadsworth silt loam, 2 to 6 percent slopes    |                  |                                    |       |
| Wadsworth                                         | 90               | C-1                                |       |
|                                                   |                  | C-1                                | 0.11  |
| Wc—Walkkill silt loam                             |                  |                                    |       |
| Walkkill                                          | 85               | C-3                                |       |
|                                                   |                  | C-3                                | 0.13  |
| Wd—Wayland silt loam                              |                  |                                    |       |
| Wayland                                           | 95               | C-3                                |       |
|                                                   |                  | C-3                                | 0.13  |
| Wh—Willette muck                                  |                  |                                    |       |
| Willette                                          | 100              | D-1                                |       |
|                                                   |                  | D-1                                | 0.30  |

| Selected Soil Interpretations--Wayne County, Ohio                |                  |                                    |       |
|------------------------------------------------------------------|------------------|------------------------------------|-------|
| Map symbol and soil name                                         | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|                                                                  |                  | Rating class and limiting features | Value |
| WsC2—Wooster silt loam, 6 to 12 percent slopes, eroded           |                  |                                    |       |
| Wooster                                                          | 90               | F-3                                |       |
|                                                                  |                  | F-3                                | 0.53  |
| WsE—Wooster silt loam, 18 to 35 percent slopes                   |                  |                                    |       |
| Wooster                                                          | 100              | F-3                                |       |
|                                                                  |                  | F-3                                | 0.53  |
| WsF—Wooster silt loam, 25 to 70 percent slopes                   |                  |                                    |       |
| Wooster                                                          | 100              | F-3                                |       |
|                                                                  |                  | F-3                                | 0.53  |
| WuB—Wooster-Riddles silt loams, 2 to 6 percent slopes            |                  |                                    |       |
| Riddles                                                          | 45               | A-1                                |       |
|                                                                  |                  | A-1                                | 0.01  |
| Wooster                                                          | 45               | F-3                                |       |
|                                                                  |                  | F-3                                | 0.53  |
| WuC—Wooster-Riddles silt loams, 6 to 12 percent slopes           |                  |                                    |       |
| Riddles                                                          | 45               | A-1                                |       |
|                                                                  |                  | A-1                                | 0.01  |
| Wooster                                                          | 45               | F-3                                |       |
|                                                                  |                  | F-3                                | 0.53  |
| WuC2—Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded  |                  |                                    |       |
| Riddles                                                          | 45               | A-1                                |       |
|                                                                  |                  | A-1                                | 0.01  |
| Wooster                                                          | 45               | F-3                                |       |
|                                                                  |                  | F-3                                | 0.53  |
| WuD2—Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded |                  |                                    |       |
| Riddles                                                          | 45               | A-1                                |       |
|                                                                  |                  | A-1                                | 0.01  |
| Wooster                                                          | 45               | F-3                                |       |
|                                                                  |                  | F-3                                | 0.53  |
| WyC—Wooster-Urban land complex, 6 to 12 percent slopes           |                  |                                    |       |
| Wooster                                                          | 55               | Not assigned                       |       |
| Urban land                                                       | 35               | Not rated                          |       |

## Data Source Information

Soil Survey Area: Wayne County, Ohio  
Survey Area Data: Version 12, Sep 19, 2014