

Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

Surface runoff refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

Water table refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

Ponding is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

Flooding is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

Duration and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

Water Features—Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AdD—Alexandria silt loam, 12 to 18 percent slopes										
Alexandria	C	High	January	4.0-6.0	4.5-6.7	—	—	None	—	None
			February	4.0-6.0	4.5-6.7	—	—	None	—	None
			March	4.0-6.0	4.5-6.7	—	—	None	—	None
			April	4.0-6.0	4.5-6.7	—	—	None	—	None
			May	4.0-6.0	4.5-6.7	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	4.0-6.0	4.5-6.7	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AdF—Alexandria silt loam, 18 to 50 percent slopes										
Alexandria	C	Very high	January	4.0-6.0	4.5-6.7	—	—	None	—	None
			February	4.0-6.0	4.5-6.7	—	—	None	—	None
			March	4.0-6.0	4.5-6.7	—	—	None	—	None
			April	4.0-6.0	4.5-6.7	—	—	None	—	None
			May	4.0-6.0	4.5-6.7	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	4.0-6.0	4.5-6.7	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AeE—Alexandria silt loam, 18 to 25 percent slopes										
Alexandria	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AeF—Alexandria silt loam, 25 to 50 percent slopes										
Alexandria	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AmE—Amanda loam, 18 to 25 percent slopes										
Amanda	C	High	January	4.0	4.5-6.0	—	—	None	—	None
			February	4.0	4.5-6.0	—	—	None	—	None
			March	4.0	4.5-6.0	—	—	None	—	None
			April	4.0	4.5-6.0	—	—	None	—	None
			May	4.0	4.5-6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	4.0	4.5-6.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AwB—Amanda-Wooster silt loams, 2 to 6 percent slopes										
Amanda	C	Low	January	4.0	4.5-6.0	—	—	None	—	None
			February	4.0	4.5-6.0	—	—	None	—	None
			March	4.0	4.5-6.0	—	—	None	—	None
			April	4.0	4.5-6.0	—	—	None	—	None
			May	4.0	4.5-6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	4.0	4.5-6.0	—	—	None	—	None
Wooster	C	Low	January	—	—	—	—	None	—	None
			February	2.5-4.0	3.5-4.5	—	—	None	—	None
			March	2.5-4.0	3.5-4.5	—	—	None	—	None
			April	2.5-4.0	3.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AwC2—Amanda-Wooster silt loams, 6 to 12 percent slopes, eroded										
Amanda	C	Medium	January	4.0	4.5-6.0	—	—	None	—	None
			February	4.0	4.5-6.0	—	—	None	—	None
			March	4.0	4.5-6.0	—	—	None	—	None
			April	4.0	4.5-6.0	—	—	None	—	None
			May	4.0	4.5-6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	4.0	4.5-6.0	—	—	None	—	None
Wooster	C	Medium	January	—	—	—	—	None	—	None
			February	2.5-4.0	3.5-4.5	—	—	None	—	None
			March	2.5-4.0	3.5-4.5	—	—	None	—	None
			April	2.5-4.0	3.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
AwD2—Amanda-Wooster silt loams, 12 to 18 percent slopes, eroded										
Amanda	C	Medium	January	4.0	4.5-6.0	—	—	None	—	None
			February	4.0	4.5-6.0	—	—	None	—	None
			March	4.0	4.5-6.0	—	—	None	—	None
			April	4.0	4.5-6.0	—	—	None	—	None
			May	4.0	4.5-6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	4.0	4.5-6.0	—	—	None	—	None
Wooster	C	Medium	January	—	—	—	—	None	—	None
			February	2.5-4.0	3.5-4.5	—	—	None	—	None
			March	2.5-4.0	3.5-4.5	—	—	None	—	None
			April	2.5-4.0	3.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BnA—Bennington silt loam, 0 to 2 percent slopes										
Bennington	C/D	Medium	January	1.0-2.5	2.3-3.5	—	—	None	—	None
			February	1.0-2.5	2.3-3.5	—	—	None	—	None
			March	1.0-2.5	2.3-3.5	—	—	None	—	None
			April	1.0-2.5	2.3-3.5	—	—	None	—	None
			May	1.0-2.5	2.3-3.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.5	2.3-3.5	—	—	None	—	None
			December	1.0-2.5	2.3-3.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BnB—Bennington silt loam, 2 to 6 percent slopes										
Bennington	C/D	Medium	January	1.0-2.5	2.3-3.5	—	—	None	—	None
			February	1.0-2.5	2.3-3.5	—	—	None	—	None
			March	1.0-2.5	2.3-3.5	—	—	None	—	None
			April	1.0-2.5	2.3-3.5	—	—	None	—	None
			May	1.0-2.5	2.3-3.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.5	2.3-3.5	—	—	None	—	None
			December	1.0-2.5	2.3-3.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BrD—Berks silt loam, 12 to 18 percent slopes										
Berks	B/D	Low	January	1.0-2.5	2.3-3.5	—	—	None	—	None
			February	1.0-2.5	2.3-3.5	—	—	None	—	None
			March	1.0-2.5	2.3-3.5	—	—	None	—	None
			April	1.0-2.5	2.3-3.5	—	—	None	—	None
			May	1.0-2.5	2.3-3.5	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.5	2.3-3.5	—	—	None	—	None
			December	1.0-2.5	2.3-3.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BrE—Berks silt loam, 18 to 25 percent slopes										
Berks	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BrF—Berks silt loam, 25 to 70 percent slopes										
Berks	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BsB—Bethesda silty clay loam, 2 to 12 percent slopes										
Bethesda	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BsF—Bethesda silty clay loam, 18 to 70 percent slopes										
Bethesda	C	Very high	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BtA—Bogart loam, 0 to 2 percent slopes										
Bogart	C	Low	January	2.0-3.5	>6.0	—	—	None	—	None
			February	2.0-3.5	>6.0	—	—	None	—	None
			March	2.0-3.5	>6.0	—	—	None	—	None
			April	2.0-3.5	>6.0	—	—	None	—	None
			May	2.0-3.5	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	>6.0	—	—	None	—	None
			December	2.0-3.5	>6.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BtB—Bogart loam, 2 to 6 percent slopes										
Bogart	C	Low	January	2.0-3.5	>6.0	—	—	None	—	None
			February	2.0-3.5	>6.0	—	—	None	—	None
			March	2.0-3.5	>6.0	—	—	None	—	None
			April	2.0-3.5	>6.0	—	—	None	—	None
			May	2.0-3.5	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	>6.0	—	—	None	—	None
			December	2.0-3.5	>6.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BuB—Bogart silt loam, 2 to 6 percent slopes										
Bogart	C	Low	January	2.0-3.5	>6.0	—	—	None	—	None
			February	2.0-3.5	>6.0	—	—	None	—	None
			March	2.0-3.5	>6.0	—	—	None	—	None
			April	2.0-3.5	>6.0	—	—	None	—	None
			May	2.0-3.5	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	>6.0	—	—	None	—	None
			December	2.0-3.5	>6.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BvG—Berks-Rock outcrop complex, 30 to 60 percent slopes										
Berks	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Rock outcrop	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
BwD—Brownsville channery silt loam, 15 to 25 percent slopes										
Brownsville	A	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CcB—Caneadea silt loam, 2 to 6 percent slopes										
Caneadea	D	Very high	January	0.5-1.5	3.3-5.0	—	—	None	—	None
			February	0.5-1.5	3.3-5.0	—	—	None	—	None
			March	0.5-1.5	3.3-5.0	—	—	None	—	None
			April	0.5-1.5	3.3-5.0	—	—	None	—	None
			May	0.5-1.5	3.3-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	0.5-1.5	3.3-5.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CdA—Canfield silt loam, 0 to 2 percent slopes										
Canfield	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CdB—Canfield silt loam, 2 to 6 percent slopes										
Canfield	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CdB2—Canfield silt loam, 2 to 6 percent slopes, eroded										
Canfield, eroded	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CdC—Canfield silt loam, 6 to 12 percent slopes										
Canfield	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CdC2—Canfield silt loam, 6 to 12 percent slopes, eroded										
Canfield, eroded	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CdD2—Canfield silt loam, 12 to 18 percent slopes, eroded										
Canfield, eroded	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CeB—Canfield silt loam, sandstone substratum, 2 to 6 percent slopes										
Canfield, sandstone substratum	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None
			December	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CfB—Canfield-Urban land complex, 2 to 6 percent slopes										
Canfield	C/D	—	January	0.8-1.7	1.2-2.5	—	—	None	—	None
			February	0.8-1.7	1.2-2.5	—	—	None	—	None
			March	0.8-1.7	1.2-2.5	—	—	None	—	None
			April	0.8-1.7	1.2-2.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.8-1.7	1.2-2.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	0.8-1.7	1.2-2.5	—	—	None	—	None
Urban land	—	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CgB—Cardington silt loam, 2 to 6 percent slopes										
Cardington	C	Medium	January	2.0-3.5	2.3-3.7	—	—	None	—	None
			February	2.0-3.5	2.3-3.7	—	—	None	—	None
			March	2.0-3.5	2.3-3.7	—	—	None	—	None
			April	2.0-3.5	2.3-3.7	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	2.3-3.7	—	—	None	—	None
			December	2.0-3.5	2.3-3.7	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CgB2—Cardington silt loam, 2 to 6 percent slopes, eroded										
Cardington	C	Medium	January	2.0-3.5	2.3-3.7	—	—	None	—	None
			February	2.0-3.5	2.3-3.7	—	—	None	—	None
			March	2.0-3.5	2.3-3.7	—	—	None	—	None
			April	2.0-3.5	2.3-3.7	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	2.3-3.7	—	—	None	—	None
			December	2.0-3.5	2.3-3.7	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CgC—Cardington silt loam, 6 to 12 percent slopes										
Cardington	C	High	January	2.0-3.5	2.3-3.7	—	—	None	—	None
			February	2.0-3.5	2.3-3.7	—	—	None	—	None
			March	2.0-3.5	2.3-3.7	—	—	None	—	None
			April	2.0-3.5	2.3-3.7	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	2.3-3.7	—	—	None	—	None
			December	2.0-3.5	2.3-3.7	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CgC2—Cardington silt loam, 6 to 12 percent slopes, eroded										
Cardington	C	High	January	2.0-3.5	2.3-3.7	—	—	None	—	None
			February	2.0-3.5	2.3-3.7	—	—	None	—	None
			March	2.0-3.5	2.3-3.7	—	—	None	—	None
			April	2.0-3.5	2.3-3.7	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	2.3-3.7	—	—	None	—	None
			December	2.0-3.5	2.3-3.7	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CgE2—Cardington silt loam, 12 to 25 percent slopes, moderately eroded										
Cardington	C	Very high	January	1.5-3.0	2.3-3.3	—	—	None	—	None
			February	1.5-3.0	2.3-3.3	—	—	None	—	None
			March	1.5-3.0	2.3-3.3	—	—	None	—	None
			April	1.5-3.0	2.3-3.3	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	2.3-3.3	—	—	None	—	None
			December	1.5-3.0	2.3-3.3	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ch—Carlisle muck										
Carlisle	A/D	Negligible	January	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			October	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			November	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			December	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ck—Carlisle muck, ponded										
Carlisle	A/D	Negligible	January	0.0-1.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	None
			June	0.0-1.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	None
			July	0.0-1.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	None
			August	0.0-1.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	None
			September	0.0-1.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	None
			October	0.0-1.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	None
			November	0.0-1.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	None
			December	0.0-1.0	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Cl—Chagrin silt loam										
Chagrin			February	3.0-5.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Rare
			March	3.0-5.0	>6.0	—	—	None	Very brief (4 to 48 hours)	Rare
			April	—	—	—	—	None	Very brief (4 to 48 hours)	Rare
CmB—Chili silt loam, 2 to 6 percent slopes										
Chili	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CmC—Chili silt loam, 6 to 12 percent slopes										
Chili	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CmC2—Chili silt loam, 6 to 12 percent slopes, moderately eroded										
Chili	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CnA—Chili loam, 0 to 2 percent slopes										
Chili	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CnB—Chili loam, 2 to 6 percent slopes										
Chili	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CnC—Chili loam, 6 to 12 percent slopes										
Chili	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CnC2—Chili loam, 6 to 12 percent slopes, eroded										
Chili	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CnD2—Chili loam, 12 to 18 percent slopes, eroded										
Chili	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoC2—Chili gravelly loam, 6 to 12 percent slopes, moderately eroded										
Chili	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoD2—Chili gravelly loam, 12 to 25 percent slopes, eroded										
Chili	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CoF—Chili gravelly loam, 25 to 70 percent slopes										
Chili	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CpD2—Chili gravelly loam, 12 to 18 percent slopes, moderately eroded										
Chili	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CrB—Chili-Urban land complex, 2 to 6 percent slopes										
Chili	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Cs—Condit silt loam, 0 to 1 percent slopes										
Condit	C/D	Negligible	January	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—
			February	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—
			March	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—
			April	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—
			May	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—
			November	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—
			December	0.0-1.0	3.1-6.2	0.0-1.0	Long (7 to 30 days)	Occasional	—	—

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CtC—Coshocton silt loam, 6 to 12 percent slopes										
Coshocton	C	Medium	January	1.5-3.5	3.3-6.0	—	—	None	—	None
			February	1.5-3.5	3.3-6.0	—	—	None	—	None
			March	1.5-3.5	3.3-6.0	—	—	None	—	None
			April	1.5-3.5	3.3-6.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CuB—Centerburg silt loam, 2 to 6 percent slopes										
Centerburg	C	Medium	January	1.5-3.0	3.0-5.0	—	—	None	—	None
			February	1.5-3.0	3.0-5.0	—	—	None	—	None
			March	1.5-3.0	3.0-5.0	—	—	None	—	None
			April	1.5-3.0	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	3.0-5.0	—	—	None	—	None
			December	1.5-3.0	3.0-5.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CuC2—Centerburg silt loam, 6 to 12 percent slopes, eroded										
Centerburg	C	High	January	1.5-3.0	3.0-5.0	—	—	None	—	None
			February	1.5-3.0	3.0-5.0	—	—	None	—	None
			March	1.5-3.0	3.0-5.0	—	—	None	—	None
			April	1.5-3.0	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	3.0-5.0	—	—	None	—	None
			December	1.5-3.0	3.0-5.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
CvC—Conotton gravelly loam, 6 to 12 percent slopes										
Conotton	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DkD—DeKalb channery loam, 12 to 18 percent slopes										
Dekalb	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DkE--Dekalb channery loam, 18 to 25 percent slopes										
Dekalb	A	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DmC—DeKalb sandy loam, 6 to 12 percent slopes										
Dekalb	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
DmE2—Dekalb sandy loam, 12 to 25 percent slopes, moderately eroded										
Dekalb	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
EuA—Euclid silt loam, occasionally flooded										
Euclid	C/D	Medium	January	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			February	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			March	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			April	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			May	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			June	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional
			November	1.0-2.5	>6.0	—	—	None	—	—
			December	1.0-2.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Occasional

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FaB—Fairpoint silty clay loam, 2 to 12 percent slopes										
Fairpoint	C	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FcA—Fitchville silt loam, 0 to 2 percent slopes										
Fitchville	C/D	Medium	January	1.0-2.5	2.5-5.0	—	—	None	—	None
			February	1.0-2.5	2.5-5.0	—	—	None	—	None
			March	1.0-2.5	2.5-5.0	—	—	None	—	None
			April	1.0-2.5	2.5-5.0	—	—	None	—	None
			May	1.0-2.5	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.5	2.5-5.0	—	—	None	—	None
			December	1.0-2.5	2.5-5.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FcB—Fitchville silt loam, 2 to 6 percent slopes										
Fitchville	C/D	Medium	January	1.0-2.5	2.5-5.0	—	—	None	—	None
			February	1.0-2.5	2.5-5.0	—	—	None	—	None
			March	1.0-2.5	2.5-5.0	—	—	None	—	None
			April	1.0-2.5	2.5-5.0	—	—	None	—	None
			May	1.0-2.5	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.5	2.5-5.0	—	—	None	—	None
			December	1.0-2.5	2.5-5.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
FfA—Fitchville-Urban land complex, 0 to 2 percent slopes										
Fitchville	C/D	Medium	January	1.0-2.5	2.5-5.0	—	—	None	—	None
			February	1.0-2.5	2.5-5.0	—	—	None	—	None
			March	1.0-2.5	2.5-5.0	—	—	None	—	None
			April	1.0-2.5	2.5-5.0	—	—	None	—	None
			May	1.0-2.5	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.5	2.5-5.0	—	—	None	—	None
			December	1.0-2.5	2.5-5.0	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GfA—Glenford silt loam, 0 to 2 percent slopes										
Glenford	C	Low	January	2.0-3.5	2.5-5.0	—	—	None	—	None
			February	2.0-3.5	2.5-5.0	—	—	None	—	None
			March	2.0-3.5	2.5-5.0	—	—	None	—	None
			April	2.0-3.5	2.5-5.0	—	—	None	—	None
			May	2.0-3.5	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	2.5-5.0	—	—	None	—	None
			December	2.0-3.5	2.5-5.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GfB—Glenford silt loam, 2 to 6 percent slopes										
Glenford	C	Low	January	2.0-3.5	2.5-5.0	—	—	None	—	None
			February	2.0-3.5	2.5-5.0	—	—	None	—	None
			March	2.0-3.5	2.5-5.0	—	—	None	—	None
			April	2.0-3.5	2.5-5.0	—	—	None	—	None
			May	2.0-3.5	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	2.5-5.0	—	—	None	—	None
			December	2.0-3.5	2.5-5.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GfC—Glenford silt loam, 6 to 12 percent slopes										
Glenford	C	Medium	January	2.0-3.5	2.5-5.0	—	—	None	—	None
			February	2.0-3.5	2.5-5.0	—	—	None	—	None
			March	2.0-3.5	2.5-5.0	—	—	None	—	None
			April	2.0-3.5	2.5-5.0	—	—	None	—	None
			May	2.0-3.5	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	2.5-5.0	—	—	None	—	None
			December	2.0-3.5	2.5-5.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GfC2—Glenford silt loam, 6 to 12 percent slopes, eroded										
Glenford	C	Medium	January	2.0-3.5	2.5-5.0	—	—	None	—	None
			February	2.0-3.5	2.5-5.0	—	—	None	—	None
			March	2.0-3.5	2.5-5.0	—	—	None	—	None
			April	2.0-3.5	2.5-5.0	—	—	None	—	None
			May	2.0-3.5	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	2.5-5.0	—	—	None	—	None
			December	2.0-3.5	2.5-5.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
GfD—Glenford silt loam, 12 to 18 percent slopes										
Glenford	C	Medium	January	2.0-3.5	2.5-5.0	—	—	None	—	None
			February	2.0-3.5	2.5-5.0	—	—	None	—	None
			March	2.0-3.5	2.5-5.0	—	—	None	—	None
			April	2.0-3.5	2.5-5.0	—	—	None	—	None
			May	2.0-3.5	2.5-5.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	2.0-3.5	2.5-5.0	—	—	None	—	None
			December	2.0-3.5	2.5-5.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
HdA—Haskins silt loam, 0 to 3 percent slopes										
Haskins	C/D	Medium	January	1.0-2.5	2.0-4.0	—	—	None	—	None
			February	1.0-2.5	2.0-4.0	—	—	None	—	None
			March	1.0-2.5	2.0-4.0	—	—	None	—	None
			April	1.0-2.5	2.0-4.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ho--Holly silt loam										
Holly	B/D	Low	January	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			February	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			March	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			April	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			May	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			November	—	—	—	—	None	Long (7 to 30 days)	Frequent
			December	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
Hs--Holly silt loam, alkaline										
Holly	C/D	—	January	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			February	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			March	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			April	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			May	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			November	—	—	—	—	None	Long (7 to 30 days)	Frequent
			December	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JtA—Jimtown loam, 0 to 2 percent slopes										
Jimtown	B/D	Low	January	1.0-2.5	>6.0	—	—	None	—	None
			February	1.0-2.5	>6.0	—	—	None	—	None
			March	1.0-2.5	>6.0	—	—	None	—	None
			April	1.0-2.5	>6.0	—	—	None	—	None
			May	1.0-2.5	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	>6.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
JtB—Jimtown loam, 2 to 6 percent slopes										
Jimtown	B/D	Low	January	1.0-2.5	>6.0	—	—	None	—	None
			February	1.0-2.5	>6.0	—	—	None	—	None
			March	1.0-2.5	>6.0	—	—	None	—	None
			April	1.0-2.5	>6.0	—	—	None	—	None
			May	1.0-2.5	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.0-2.5	>6.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Kb—Killbuck silt loam, frequently flooded										
Killbuck	C/D	Low	January	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			July	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			August	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			September	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			October	—	—	—	—	None	Brief (2 to 7 days)	Frequent
			November	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ld--Linwood muck										
Linwood	B/D	Negligible	January	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			February	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			March	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			April	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			May	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			June	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			November	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent
			December	0.0-1.0	>6.0	0.0-1.0	Very long (more than 30 days)	Frequent	Long (7 to 30 days)	Frequent

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Le--Lobdell silt loam, occasionally flooded										
Lobdell	C	Low	January	2.0-3.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	2.0-3.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	2.0-3.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	2.0-3.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	2.0-3.5	>6.0	—	—	None	—	—

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Lm—Lorain silty clay loam										
Lorain	C/D	Medium	January	0.0-0.5	2.5-4.6	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			February	0.0-0.5	2.5-4.6	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			March	0.0-0.5	2.5-4.6	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			April	0.0-0.5	2.5-4.6	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			May	—	—	—	—	—	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	—	—	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			December	—	—	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LnB—Loudonville silt loam, 2 to 6 percent slopes										
Loudonville	C	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LnC—Loudonville silt loam, 6 to 12 percent slopes										
Loudonville	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LnC2—Loudonville silt loam, 6 to 12 percent slopes, eroded										
Loudonville	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
LnD—Loudonville silt loam, 12 to 18 percent slopes										
Loudonville	C	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Lu--Luray silt loam										
Luray	C/D	Medium	January	0.0-0.5	>6.0	—	—	None	—	None
			February	0.0-0.5	>6.0	—	—	None	—	None
			March	0.0-0.5	>6.0	—	—	None	—	None
			April	0.0-0.5	>6.0	—	—	None	—	None
			May	0.0-0.5	>6.0	—	—	None	—	None
			June	0.0-0.5	>6.0	—	—	None	—	None
			July	0.0-0.5	>6.0	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.0-0.5	>6.0	—	—	None	—	None
			December	0.0-0.5	>6.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Ly—Luray silty clay loam										
Luray	C/D	Medium	January	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			June	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			July	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None
			December	0.0-1.0	>6.0	0.0-1.0	Long (7 to 30 days)	Frequent	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
McB—Mechanicsburg silt loam, 2 to 6 percent slopes										
Mechanicsburg	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
McC2—Mechanicsburg silt loam, 6 to 12 percent slopes, eroded										
Mechanicsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
McD—Mechanicsburg silt loam, 12 to 18 percent slopes										
Mechanicsburg	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Md—Melvin silt loam, frequently flooded										
Melvin	B/D	Low	January	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	0.0-1.0	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Mg—Melvin silt loam, ponded										
Melvin	B/D	Negligible	January	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			February	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			March	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			April	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			May	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			June	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			July	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	—
			August	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	—	—
			September	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			October	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			November	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
			December	0.0-0.5	>6.0	0.0-2.0	Long (7 to 30 days)	Frequent	Very long (more than 30 days)	Frequent
MtB—Mitiwanga silt loam, 1 to 4 percent slopes										
Mitiwanga	C/D	Low	January	1.0-2.5	1.7-3.5	—	—	None	—	None
			February	1.0-2.5	1.7-3.5	—	—	None	—	None
			March	1.0-2.5	1.7-3.5	—	—	None	—	None
			April	1.0-2.5	1.7-3.5	—	—	None	—	None
			May	1.0-2.5	1.7-3.5	—	—	None	—	None
			June	1.0-2.5	1.7-3.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.5	1.7-3.5	—	—	None	—	None
			December	1.0-2.5	1.7-3.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Om—Olmsted loam										
Olmsted	B/D	Negligible	January	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			February	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			March	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			April	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			May	0.0-0.5	>6.0	—	—	—	—	None
			June	—	—	—	—	—	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None
			December	0.0-0.5	>6.0	0.0-0.5	Brief (2 to 7 days)	Occasional	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Or--Orrville silt loam, occasionally flooded										
Orrville	B/D	Low	January	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			February	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			June	1.0-2.5	>6.0	—	—	None	—	—
			November	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			December	1.0-2.5	>6.0	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OtA—Oshtemo sandy loam, 0 to 2 percent slopes										
Oshtemo	A	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
OtB—Oshtemo sandy loam, 2 to 6 percent slopes										
Oshtemo	A	Very low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Pg—Pits, gravel										
Pits	—	—	Jan-Dec	—	—	—	—	—	—	—
Pr—Pits, quarry										
Pits	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ReA—Ravenna silt loam, 0 to 2 percent slopes										
Ravenna	D	High	January	0.5-2.0	1.2-2.5	—	—	None	—	None
			February	0.5-2.0	1.2-2.5	—	—	None	—	None
			March	0.5-2.0	1.2-2.5	—	—	None	—	None
			April	0.5-2.0	1.2-2.5	—	—	None	—	None
			May	0.5-2.0	1.2-2.5	—	—	None	—	None
			June	0.5-2.0	1.2-2.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-2.0	1.2-2.5	—	—	None	—	None
			December	0.5-2.0	1.2-2.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
ReB—Ravenna silt loam, 2 to 6 percent slopes										
Ravenna	D	High	January	0.5-2.0	1.2-2.5	—	—	None	—	None
			February	0.5-2.0	1.2-2.5	—	—	None	—	None
			March	0.5-2.0	1.2-2.5	—	—	None	—	None
			April	0.5-2.0	1.2-2.5	—	—	None	—	None
			May	0.5-2.0	1.2-2.5	—	—	None	—	None
			June	0.5-2.0	1.2-2.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.5-2.0	1.2-2.5	—	—	None	—	None
			December	0.5-2.0	1.2-2.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RgB—Rawson silt loam, 2 to 6 percent slopes										
Rawson	C	Medium	January	2.5-4.0	3.0-5.0	—	—	None	—	None
			February	2.5-4.0	3.0-5.0	—	—	None	—	None
			March	2.5-4.0	3.0-5.0	—	—	None	—	None
			April	2.5-4.0	3.0-5.0	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RhB—Riddles silt loam, 2 to 6 percent slopes										
Riddles	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RhC—Riddles silt loam, 6 to 12 percent slopes										
Riddles	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RhD2—Riddles silt loam, 12 to 18 percent, eroded										
Riddles	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RhE—Riddles silt loam, 18 to 25 percent slopes										
Riddles	B	High	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrE2--Rittman silt loam, 12 to 25 percent slopes, moderately eroded										
Rittman	C	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	1.5-3.0	2.0-4.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.0-4.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RrF—Rittman silt loam, 25 to 70 percent slopes										
Rittman	C	Very high	January	1.5-3.0	2.0-4.0	—	—	None	—	None
			February	1.5-3.0	2.0-4.0	—	—	None	—	None
			March	1.5-3.0	2.0-4.0	—	—	None	—	None
			April	1.5-3.0	2.0-4.0	—	—	None	—	None
			May	1.5-3.0	2.0-4.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	1.5-3.0	2.0-4.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsB—Rittman silt loam, 2 to 6 percent slopes										
Rittman	C	Medium	January	1.5-3.0	1.7-3.2	—	—	None	—	None
			February	1.5-3.0	1.7-3.2	—	—	None	—	None
			March	1.5-3.0	1.7-3.2	—	—	None	—	None
			April	1.5-3.0	1.7-3.2	—	—	None	—	None
			May	1.5-3.0	1.7-3.2	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	1.7-3.2	—	—	None	—	None
			December	1.5-3.0	1.7-3.2	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsB2—Rittman silt loam, 2 to 6 percent slopes, eroded										
Rittman	C	Medium	January	1.5-3.0	1.7-3.2	—	—	None	—	None
			February	1.5-3.0	1.7-3.2	—	—	None	—	None
			March	1.5-3.0	1.7-3.2	—	—	None	—	None
			April	1.5-3.0	1.7-3.2	—	—	None	—	None
			May	1.5-3.0	1.7-3.2	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	1.7-3.2	—	—	None	—	None
			December	1.5-3.0	1.7-3.2	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsC—Rittman silt loam, 6 to 12 percent slopes										
Rittman	C	High	January	1.5-3.0	1.7-3.2	—	—	None	—	None
			February	1.5-3.0	1.7-3.2	—	—	None	—	None
			March	1.5-3.0	1.7-3.2	—	—	None	—	None
			April	1.5-3.0	1.7-3.2	—	—	None	—	None
			May	1.5-3.0	1.7-3.2	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	1.7-3.2	—	—	None	—	None
			December	1.5-3.0	1.7-3.2	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsC2—Rittman silt loam, 6 to 12 percent slopes, eroded										
Rittman	C	High	January	1.5-3.0	1.7-3.2	—	—	None	—	None
			February	1.5-3.0	1.7-3.2	—	—	None	—	None
			March	1.5-3.0	1.7-3.2	—	—	None	—	None
			April	1.5-3.0	1.7-3.2	—	—	None	—	None
			May	1.5-3.0	1.7-3.2	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	1.7-3.2	—	—	None	—	None
			December	1.5-3.0	1.7-3.2	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RsD2—Rittman silt loam, 12 to 18 percent slopes, eroded										
Rittman	C	High	January	1.5-3.0	1.7-3.2	—	—	None	—	None
			February	1.5-3.0	1.7-3.2	—	—	None	—	None
			March	1.5-3.0	1.7-3.2	—	—	None	—	None
			April	1.5-3.0	1.7-3.2	—	—	None	—	None
			May	1.5-3.0	1.7-3.2	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	1.7-3.2	—	—	None	—	None
			December	1.5-3.0	1.7-3.2	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
RtB—Rittman-Urban land complex, 2 to 6 percent slopes										
Rittman	C	Medium	January	1.5-3.0	1.7-3.2	—	—	None	—	None
			February	1.5-3.0	1.7-3.2	—	—	None	—	None
			March	1.5-3.0	1.7-3.2	—	—	None	—	None
			April	1.5-3.0	1.7-3.2	—	—	None	—	None
			May	1.5-3.0	1.7-3.2	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.5-3.0	1.7-3.2	—	—	None	—	None
			December	1.5-3.0	1.7-3.2	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Sb--Sebring silt loam										
Sebring	C/D	Medium	January	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			February	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			March	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			April	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			May	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			June	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			July	—	—	—	—	—	—	None
			August	—	—	—	—	—	—	None
			September	—	—	—	—	—	—	None
			October	—	—	—	—	—	—	None
			November	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None
			December	0.0-1.0	>6.0	0.0-0.5	Long (7 to 30 days)	Frequent	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Se—Sebring silt loam, till substratum										
Sebring	C/D	Medium	January	0.0-0.5	>6.0	—	—	None	—	None
			February	0.0-0.5	>6.0	—	—	None	—	None
			March	0.0-0.5	>6.0	—	—	None	—	None
			April	0.0-0.5	>6.0	—	—	None	—	None
			May	0.0-0.5	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.0-0.5	>6.0	—	—	None	—	None
			December	0.0-0.5	>6.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
SI—Sloan silt loam										
Sloan	B/D	Low	January	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			February	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			March	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			April	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			May	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			June	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			November	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent
			December	0.0-0.5	>6.0	—	—	None	Brief (2 to 7 days)	Frequent

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Sn—Sloan silty clay loam										
Sloan	B/D	Low	January	0.0-0.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			February	0.0-0.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			March	0.0-0.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			April	0.0-0.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			May	0.0-0.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			June	0.0-0.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			November	0.0-0.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent
			December	0.0-0.5	>6.0	—	—	None	Very brief (4 to 48 hours)	Frequent

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Tg—Tioga silt loam, occasionally flooded										
Tioga	A	Very low	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
To—Tioga loam, occasionally flooded										
Tioga	A	Very low	January	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			February	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			March	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			April	3.0-6.0	>6.0	—	—	None	Brief (2 to 7 days)	Occasional
			May	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			November	—	—	—	—	None	Brief (2 to 7 days)	Occasional
			December	—	—	—	—	None	Brief (2 to 7 days)	Occasional

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
TrA—Tiro silt loam, 0 to 2 percent slopes										
Tiro	B/D	Low	January	1.0-2.5	2.5-4.5	—	—	None	—	None
			February	1.0-2.5	2.5-4.5	—	—	None	—	None
			March	1.0-2.5	2.5-4.5	—	—	None	—	None
			April	1.0-2.5	2.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Ud—Udorthents, loamy										
Udorthents	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Up—Udorthents-Pits complex										
Udorthents	B	—	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Pits	—	—	Jan-Dec	—	—	—	—	—	—	—
W—Water										
Water	—	—	Jan-Dec	—	—	—	—	—	—	—

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WaA--Wadsworth silt loam, 0 to 2 percent slopes										
Wadsworth	C/D	Medium	January	1.0-2.0	1.5-2.5	—	—	None	—	None
			February	1.0-2.0	1.5-2.5	—	—	None	—	None
			March	1.0-2.0	1.5-2.5	—	—	None	—	None
			April	1.0-2.0	1.5-2.5	—	—	None	—	None
			May	1.0-2.0	1.5-2.5	—	—	None	—	None
			June	1.0-2.0	1.5-2.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.0	1.5-2.5	—	—	None	—	None
			December	1.0-2.0	1.5-2.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WaB--Wadsworth silt loam, 2 to 6 percent slopes										
Wadsworth	C/D	Medium	January	1.0-2.0	1.5-2.5	—	—	None	—	None
			February	1.0-2.0	1.5-2.5	—	—	None	—	None
			March	1.0-2.0	1.5-2.5	—	—	None	—	None
			April	1.0-2.0	1.5-2.5	—	—	None	—	None
			May	1.0-2.0	1.5-2.5	—	—	None	—	None
			June	1.0-2.0	1.5-2.5	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	1.0-2.0	1.5-2.5	—	—	None	—	None
			December	1.0-2.0	1.5-2.5	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Wc--Walkkill silt loam										
Walkkill	B/D	Low	January	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			February	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			March	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			April	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			May	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			June	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			September	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			October	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			November	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			December	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Wd--Wayland silt loam										
Wayland	B/D	Low	January	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			February	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			March	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			April	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			May	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			June	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			November	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent
			December	0.0-0.5	>6.0	—	—	None	Long (7 to 30 days)	Frequent

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
Wh--Willette muck										
Willette	C/D	Negligible	January	0.0-0.5	>6.0	—	—	None	—	None
			February	0.0-0.5	>6.0	—	—	None	—	None
			March	0.0-0.5	>6.0	—	—	None	—	None
			April	0.0-0.5	>6.0	—	—	None	—	None
			May	0.0-0.5	>6.0	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	0.0-0.5	>6.0	—	—	None	—	None
			December	0.0-0.5	>6.0	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WsC2—Wooster silt loam, 6 to 12 percent slopes, eroded										
Wooster	C	Medium	January	—	—	—	—	None	—	None
			February	2.5-4.0	3.5-4.5	—	—	None	—	None
			March	2.5-4.0	3.5-4.5	—	—	None	—	None
			April	2.5-4.0	3.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WsE--Wooster silt loam, 18 to 35 percent slopes										
Wooster	C	High	January	—	—	—	—	None	—	None
			February	4.0-6.0	4.5-6.5	—	—	None	—	None
			March	4.0-6.0	4.5-6.5	—	—	None	—	None
			April	4.0-6.0	4.5-6.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WsF—Wooster silt loam, 25 to 70 percent slopes										
Wooster	C	Very high	January	—	—	—	—	None	—	None
			February	3.0-4.0	3.5-4.5	—	—	None	—	None
			March	3.0-4.0	3.5-4.5	—	—	None	—	None
			April	3.0-4.0	3.5-4.5	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WuB--Wooster-Riddles silt loams, 2 to 6 percent slopes										
Riddles	B	Low	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Wooster	C	Low	January	—	—	—	—	None	—	None
			February	4.0-6.0	4.3-6.7	—	—	None	—	None
			March	4.0-6.0	4.3-6.7	—	—	None	—	None
			April	4.0-6.0	4.3-6.7	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WuC--Wooster-Riddles silt loams, 6 to 12 percent slopes										
Riddles	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Wooster	C	Medium	January	—	—	—	—	None	—	None
			February	4.0-6.0	4.3-6.7	—	—	None	—	None
			March	4.0-6.0	4.3-6.7	—	—	None	—	None
			April	4.0-6.0	4.3-6.7	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WuC2--Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded										
Riddles	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Wooster	C	Medium	January	—	—	—	—	None	—	None
			February	4.0-6.0	4.3-6.7	—	—	None	—	None
			March	4.0-6.0	4.3-6.7	—	—	None	—	None
			April	4.0-6.0	4.3-6.7	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WuD2--Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded										
Riddles	B	Medium	January	—	—	—	—	None	—	None
			February	—	—	—	—	None	—	None
			March	—	—	—	—	None	—	None
			April	—	—	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
			December	—	—	—	—	None	—	None
Wooster	C	Medium	January	—	—	—	—	None	—	None
			February	4.0-6.0	4.3-6.7	—	—	None	—	None
			March	4.0-6.0	4.3-6.7	—	—	None	—	None
			April	4.0-6.0	4.3-6.7	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None

Water Features--Wayne County, Ohio										
Map unit symbol and soil name	Hydrologic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface depth	Duration	Frequency	Duration	Frequency
				<i>Ft</i>	<i>Ft</i>	<i>Ft</i>				
WyC—Wooster-Urban land complex, 6 to 12 percent slopes										
Wooster	C	—	January	—	—	—	—	None	—	None
			February	4.0-6.0	4.3-6.7	—	—	None	—	None
			March	4.0-6.0	4.3-6.7	—	—	None	—	None
			April	4.0-6.0	4.3-6.7	—	—	None	—	None
			May	—	—	—	—	None	—	None
			June	—	—	—	—	None	—	None
			July	—	—	—	—	None	—	None
			August	—	—	—	—	None	—	None
			September	—	—	—	—	None	—	None
			October	—	—	—	—	None	—	None
			November	—	—	—	—	None	—	None
			December	—	—	—	—	None	—	None
Urban land	—	—	Jan-Dec	—	—	—	—	—	—	—

Data Source Information

Soil Survey Area: Wayne County, Ohio
 Survey Area Data: Version 12, Sep 19, 2014