

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

Selected Soil Interpretations--Williams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ApB—Arkport loamy fine sand, 2 to 6 percent slopes			
Arkport	95	B-1	
		B-1	0.07
BIB—Belmore sandy loam, 1 to 6 percent slopes			
Belmore	95	A-1	
		A-1	0.01
BnA—Blount loam, 0 to 2 percent slopes			
Blount	85	C-1	
		C-1	0.11
BnB—Blount loam, 2 to 6 percent slopes			
Blount	85	C-1	
		C-1	0.11
BnB2—Blount loam, 2 to 6 percent slopes, moderately eroded			
Blount	95	C-1	
		C-1	0.11
BoA—Blount loam, loamy substratum, 0 to 2 percent slopes			
Blount	95	C-1	
		C-1	0.11
BoB—Blount loam, loamy substratum, 2 to 6 percent slopes			
Blount	100	C-1	
		C-1	0.11

Selected Soil Interpretations--Williams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Bp—Bono silty clay loam			
Bono	100	C-2	
		C-2	0.12
BrB—Boyer loamy sand, 1 to 6 percent slopes			
Boyer	85	B-1	
		B-1	0.07
BrC—Boyer loamy sand, 6 to 12 percent slopes			
Boyer	85	B-1	
		B-1	0.07
BsD—Boyer loamy sand, 12 to 18 percent slopes			
Boyer	85	B-1	
		B-1	0.07
BtB—Bronson sandy loam, 1 to 6 percent slopes			
Bronson	85	A-6	
		A-6	0.06
Ca—Carlisle muck			
Carlisle	100	D-1	
		D-1	0.30
Ce—Ceresco sandy loam			
Ceresco	95	C-3	
		C-3	0.13
Ch—Cohoctah loam			
Cohoctah	95	C-3	
		C-3	0.13
Cn—Colwood loam			
Colwood	85	C-1	
		C-1	0.11
Cp—Colwood silt loam			
Colwood	95	C-1	
		C-1	0.11
DdA—Del Rey silt loam, 0 to 3 percent slopes			
Del rey	85	C-1	
		C-1	0.11
DeA—Del Rey loam, 0 to 2 percent slopes			
Del rey	95	C-1	
		C-1	0.11

Selected Soil Interpretations--Williams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
DeB—Del Rey loam, 2 to 6 percent slopes			
Del rey	95	C-1	
		C-1	0.11
DfA—Del Rey silty clay loam, 0 to 2 percent slopes			
Del rey	95	C-1	
		C-1	0.11
DfB—Del Rey silty clay loam, 2 to 6 percent slopes			
Del rey	95	C-1	
		C-1	0.11
DgA—Digby sandy loam, 0 to 3 percent slopes			
Digby	95	C-1	
		C-1	0.11
DmA—Digby loam, 0 to 3 percent slopes			
Digby	95	C-1	
		C-1	0.11
Ed—Edwards muck			
Edwards	100	D-1	
		D-1	0.30
Ee—Eel loam			
Eel	95	A-5	
		A-5	0.05
FsA—Fulton loam, 0 to 2 percent slopes			
Fulton	95	C-2	
		C-2	0.12
FsB—Fulton loam, 2 to 6 percent slopes			
Fulton	100	C-2	
		C-2	0.12
FuA—Fulton silty clay loam, 0 to 2 percent slopes			
Fulton	95	C-2	
		C-2	0.12
FuB—Fulton silty clay loam, 2 to 6 percent slopes			
Fulton	100	C-2	
		C-2	0.12

Selected Soil Interpretations--Williams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FvA—Fulton silty clay loam, 0 to 3 percent slopes			
Fulton	90	C-2	
		C-2	0.12
Ge—Genesee loam			
Genesee	95	A-5	
		A-5	0.05
Gf—Gilford fine sandy loam			
Gilford	95	C-1	
		C-1	0.11
GIB—Glynwood loam, 2 to 6 percent slopes			
Glynwood	85	F-5	
		F-5	0.55
		A-1	0.01
GIB2—Glynwood loam, 2 to 6 percent slopes, eroded			
Glynwood	85	F-5	
		F-5	0.55
GIC—Glynwood loam, 6 to 12 percent slopes			
Glynwood	100	A-6	
		A-6	0.06
GIC2—Glynwood loam, 6 to 12 percent slopes, moderately eroded			
Glynwood	100	A-6	
		A-6	0.06
GID2—Glynwood loam, 12 to 18 percent slopes, moderately eroded			
Glynwood	100	A-6	
		A-6	0.06
GIE2—Glynwood loam, 18 to 40 percent slopes, moderately eroded			
Glynwood	100	A-3	
		A-3	0.03
HaB—Haney loam, 1 to 6 percent slopes			
Haney	95	A-6	
		A-6	0.06
HcA—Hoytville silty clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11

Selected Soil Interpretations--Williams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HeB—Haney-Rawson sandy loams, 1 to 6 percent slopes			
Haney	55	A-6	
		A-6	0.06
Rawson	35	F-5	
		F-5	0.55
		A-1	0.01
HeC—Haney-Rawson sandy loams, 6 to 12 percent slopes			
Haney	55	A-6	
		A-6	0.06
Rawson	35	F-5	
		F-5	0.55
		A-1	0.01
HhA—Haskins fine sandy loam, 0 to 2 percent slopes			
Haskins	95	C-2	
		C-2	0.12
HkA—Haskins sandy loam, 0 to 3 percent slopes			
Haskins	95	C-2	
		C-2	0.12
HnA—Haskins loam, 0 to 3 percent slopes			
Haskins	95	C-2	
		C-2	0.12
HoA—Hoytville clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
KIA—Kibbie very fine sandy loam, 0 to 2 percent slopes			
Kibbie	95	C-1	
		C-1	0.11
KIB—Kibbie very fine sandy loam, 2 to 6 percent slopes			
Kibbie	95	C-1	
		C-1	0.11
KmA—Kibbie loam, 0 to 3 percent slopes			
Kibbie	85	C-1	
		C-1	0.11

Selected Soil Interpretations--Williams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
La—Lamson very fine sandy loam			
Lamson	95	C-1	
		C-1	0.11
Lb—Landes sandy loam			
Landes	100	A-5	
		A-5	0.05
Lc—Latty silty clay			
Latty	95	C-2	
		C-2	0.12
Lf—Lenawee silty clay loam			
Lenawee	95	C-1	
		C-1	0.11
LuB2—Lucas silty clay loam, 2 to 6 percent slopes, moderately eroded			
Lucas	100	F-5	
		F-5	0.55
LuC2—Lucas silty clay loam, 6 to 12 percent slopes, moderately eroded			
Lucas	100	F-5	
		F-5	0.55
LuD2—Lucas silty clay loam, 12 to 25 percent slopes, moderately eroded			
Lucas	100	F-5	
		F-5	0.55
LwC3—Lucas silty clay, 6 to 12 percent slopes, severely eroded			
Lucas	95	F-5	
		F-5	0.55
LwE3—Lucas silty clay, 12 to 45 percent slopes, severely eroded			
Lucas	95	F-6	
		F-6	0.56
Ma—Martisco muck			
Martisco	100	D-1	
		D-1	0.30
Md—Mermill loam			
Mermill	95	C-2	
		C-2	0.12

Selected Soil Interpretations--Williams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Mh—Millgrove loam			
Millgrove	95	C-1	
		C-1	0.11
Mk—Millgrove clay loam			
Millgrove	95	C-1	
		C-1	0.11
NnA—Nappanee loam, 0 to 2 percent slopes			
Nappanee	100	C-2	
		C-2	0.12
NnB—Nappanee loam, 2 to 6 percent slopes			
Nappanee	100	C-2	
		C-2	0.12
NpA—Nappanee silty clay loam, 0 to 2 percent slopes			
Nappanee	100	C-2	
		C-2	0.12
OpB—Oshtemo loamy sand, 0 to 6 percent slopes			
Oshtemo	85	B-1	
		B-1	0.07
OrB—Oshtemo loamy sand, 2 to 6 percent slopes			
Oshtemo	100	A-1	
		A-1	0.01
OrC—Oshtemo loamy sand, 6 to 12 percent slopes			
Oshtemo	100	A-1	
		A-1	0.01
OsB—Oshtemo sandy loam, 2 to 6 percent slopes			
Oshtemo	100	A-1	
		A-1	0.01
OtB—Ottokee fine sand, 0 to 6 percent slopes			
Ottokee	100	B-1	
		B-1	0.07
Pa—Paulding clay, 0 to 1 percent slopes			
Paulding	93	F-7	
		F-7	0.57

Selected Soil Interpretations--Williams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Pk—Pewamo clay loam			
Pewamo	90	C-1	
		C-1	0.11
Pm—Pewamo silty clay loam			
Pewamo	95	C-1	
		C-1	0.11
Pt—Pits, gravel			
Pits	100	Not rated	
RIB—Rawson sandy loam, 2 to 6 percent slopes			
Rawson	100	F-5	
		F-5	0.55
		A-1	0.01
RIC—Rawson sandy loam, 6 to 12 percent slopes			
Rawson	100	F-5	
		F-5	0.55
		A-1	0.01
RmB—Rawson loam, 2 to 6 percent slopes			
Rawson	100	F-5	
		F-5	0.55
		A-1	0.01
RmC—Rawson loam, 6 to 12 percent slopes			
Rawson	100	F-5	
		F-5	0.55
		A-1	0.01
RnA—Rimer loamy fine sand, 0 to 3 percent slopes			
Rimer	95	C-2	
		C-2	0.12
RsA—Roselms silty clay, 0 to 2 percent slopes			
Roselms	95	F-7	
		F-7	0.57
RsB—Roselms silty clay, 2 to 6 percent slopes			
Roselms	95	F-7	
		F-7	0.57

Selected Soil Interpretations--Williams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SbB2—St. Clair silty clay loam, 2 to 6 percent slopes, moderately eroded			
St. clair	100	F-5	
		F-5	0.55
		A-1	0.01
SbC2—St. Clair silty clay loam, 6 to 12 percent slopes, moderately eroded			
St. clair	100	A-1	
		A-1	0.01
SbD2—St. Clair silty clay loam, 12 to 25 percent slopes, moderately eroded			
St. clair	100	A-2	
		A-2	0.02
ScD3—St. Clair clay, 12 to 18 percent slopes, severely eroded			
St. clair	90	F-5	
		F-5	0.55
SdB—Seward loamy fine sand, 2 to 6 percent slopes			
Seward	100	F-5	
		F-5	0.55
SdC—Seward loamy fine sand, 6 to 12 percent slopes			
Seward	85	F-5	
		F-5	0.55
SfB2—Shinrock-Tuscola complex, 3 to 8 percent slopes, eroded			
Shinrock	55	A-6	
		A-6	0.06
Tuscola	30	A-6	
		A-6	0.06
SgB—Shinrock silt loam, 2 to 6 percent slopes			
Shinrock	100	A-6	
		A-6	0.06
SgC—Shinrock silt loam, 6 to 12 percent slopes			
Shinrock	100	A-6	
		A-6	0.06

Selected Soil Interpretations--Williams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Sh—Shoals loam, 0 to 2 percent slopes, frequently flooded			
Shoals	85	C-3	
		C-3	0.13
Sk—Shoals silt loam, frequently flooded			
Shoals	85	C-3	
		C-3	0.13
Sn—Sloan loam			
Sloan	95	C-3	
		C-3	0.13
So—Sloan silty clay loam			
Sloan	95	C-3	
		C-3	0.13
SpB—Spinks fine sand, 2 to 6 percent slopes			
Spinks	100	B-1	
		B-1	0.07
SpC—Spinks fine sand, 6 to 18 percent slopes			
Spinks	100	B-1	
		B-1	0.07
Tn—Toledo silty clay loam			
Toledo	90	C-2	
		C-2	0.12
To—Toledo silty clay			
Toledo	95	C-2	
		C-2	0.12
TrB—Tuscola fine sandy loam, 3 to 8 percent slopes			
Tuscola	85	A-6	
		A-6	0.06
TtB—Tuscola very fine sandy loam, 2 to 6 percent slopes			
Tuscola	90	A-6	
		A-6	0.06
TuB—Tuscola Variant fine sandy loam, 1 to 6 percent slopes			
Tuscola variant	100	A-6	
		A-6	0.06

Selected Soil Interpretations--Williams County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
TuC—Tuscola Variant fine sandy loam, 6 to 12 percent slopes			
Tuscola variant	100	A-6	
		A-6	0.06
Ud—Udorthents			
Udorthents	100	Not rated	
Ue—Udorthents, loamy			
Udorthents	100	Not rated	
Uf—Udorthents, sandy			
Udorthents	100	Not rated	
Ur—Urban land			
Urban land	100	Not rated	
W—Water			
Water	100	Not rated	
Wa—Wabasha silty clay			
Wabasha	95	C-3	
		C-3	0.13
Wc—Walkkill silt loam			
Walkkill	100	C-3	
		C-3	0.13
Wk—Walkkill Variant silty clay loam			
Walkkill variant	100	C-2	
		C-2	0.12

### Data Source Information

Soil Survey Area: Williams County, Ohio  
 Survey Area Data: Version 11, Sep 19, 2014