

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
AgA—Alvada loam, 0 to 1 percent slopes			
Alvada	95	C-1	
		C-1	0.11
AmA—Aurand fine sandy loam, 0 to 2 percent slopes			
Aurand	90	C-1	
		C-1	0.11
AnA—Aurand loam, 0 to 2 percent slopes			
Aurand	91	C-1	
		C-1	0.11
AsA—Aurand-Urban land complex, 0 to 2 percent slopes			
Aurand	50	Not assigned	
Urban land	40	Not rated	
BeB—Belmore sandy loam, 1 to 4 percent slopes			
Belmore	90	A-1	
		A-1	0.01
BfB—Belmore loam, 1 to 4 percent slopes			
Belmore	100	A-1	
		A-1	0.01
CaA—Castalia very cobbly loam, 0 to 2 percent slopes			
Castalia	90	F-1	
		F-1	0.51

Selected Soil Interpretations--Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CbB—Castalia-Marblehead complex, very stony, 0 to 6 percent slopes			
Castalia	60	F-1	
		F-1	0.51
Marblehead	35	E-1	
		E-1	0.40
CcA—Colwood fine sandy loam, 0 to 1 percent slopes			
Colwood	90	C-1	
		C-1	0.11
CdA—Colwood loam, 0 to 1 percent slopes			
Colwood	90	C-1	
		C-1	0.11
CoB—Colonie fine sand, 1 to 6 percent slopes			
Colonie	92	B-1	
		B-1	0.07
CoC—Colonie fine sand, 6 to 12 percent slopes			
Colonie	96	B-1	
		B-1	0.07
CoD—Colonie fine sand, 12 to 18 percent slopes			
Colonie	90	B-1	
		B-1	0.07
CtA—Colwood-Urban land complex, 0 to 1 percent slopes			
Colwood	55	Not assigned	
Urban land	35	Not rated	
CvA—Cygnet loam, 0 to 2 percent slopes			
Cygnet	90	A-6	
		A-6	0.06
CxB—Castalia-Marblehead-Urban land complex, very stony, 0 to 6 percent slopes			
Castalia	40	Not assigned	
Marblehead	30	Not assigned	
Urban land	25	Not rated	
DgA—Digby sandy loam, 0 to 2 percent slopes			
Digby	95	C-1	
		C-1	0.11

Selected Soil Interpretations--Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
DhA—Digby loam, 0 to 2 percent slopes			
Digby	90	C-1	
		C-1	0.11
DrA—Dunbridge sandy loam, 0 to 2 percent slopes			
Dunbridge	90	F-1	
		F-1	0.51
DsA—Dunbridge-Spinks, deep to limestone, loamy fine sands, 0 to 2 percent slopes			
Dunbridge	47	F-1	
		F-1	0.51
Spinks, deep to limestone	43	B-1	
		B-1	0.07
DsB—Dunbridge-Spinks, deep to limestone, loamy fine sands, 2 to 6 percent slopes			
Dunbridge	47	F-1	
		F-1	0.51
Spinks, deep to limestone	43	B-1	
		B-1	0.07
EaA—Eel loam, 0 to 2 percent slopes, frequently flooded			
Eel	100	A-5	
		A-5	0.05
EmA—Eel silt loam, 0 to 2 percent slopes, frequently flooded			
Eel	100	A-5	
		A-5	0.05
EnA—Eel silt loam, moderately deep to limestone, 0 to 2 percent slopes, frequently flooded			
Eel, moderately deep to limestone	100	A-5	
		A-5	0.05
FcA—Flatrock silt loam, 0 to 2 percent slopes, occasionally flooded			
Flatrock	90	A-5	
		A-5	0.05
FuA—Fulton silty clay loam, till substratum, 0 to 2 percent slopes			
Fulton, till substratum	95	C-2	
		C-2	0.12

Selected Soil Interpretations--Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
FuB—Fulton silty clay loam, till substratum, 2 to 6 percent slopes			
Fulton, till substratum	95	C-2	
		C-2	0.12
FzA—Fulton, till substratum-Urban land complex, 0 to 2 percent slopes			
Fulton, till substratum	60	Not assigned	
Urban land	35	Not rated	
GmA—Genesee loam, 0 to 2 percent slopes, frequently flooded			
Genesee	100	A-5	
		A-5	0.05
GnA—Genesee silt loam, 0 to 2 percent slopes, frequently flooded			
Genesee	100	A-5	
		A-5	0.05
GpA—Granby loamy fine sand, till substratum, 0 to 1 percent slopes			
Granby, till substratum	85	C-1	
		C-1	0.11
HaA—Haney sandy loam, 0 to 2 percent slopes			
Haney	100	A-6	
		A-6	0.06
HaB—Haney sandy loam, 2 to 6 percent slopes			
Haney	100	A-6	
		A-6	0.06
HcA—Hoytville silty clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
HdA—Haney loam, 0 to 2 percent slopes			
Haney	100	A-6	
		A-6	0.06
HdB—Haney loam, 2 to 6 percent slopes			
Haney	100	A-6	
		A-6	0.06

Selected Soil Interpretations--Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HeA—Haskins and Digby, till substratum, fine sandy loams, 0 to 2 percent slopes			
Haskins	46	C-1	
		C-1	0.11
Digby, till substratum	44	C-1	
		C-1	0.11
HeB—Haskins and Digby, till substratum, fine sandy loams, 2 to 6 percent slopes			
Haskins	46	C-1	
		C-1	0.11
Digby, till substratum	44	C-1	
		C-1	0.11
HfA—Haskins and Digby, till substratum, loams, 0 to 2 percent slopes			
Haskins	46	C-1	
		C-1	0.11
Digby, till substratum	44	C-1	
		C-1	0.11
HfB—Haskins and Digby, till substratum, loams, 2 to 6 percent slopes			
Haskins	46	C-1	
		C-1	0.11
Digby, till substratum	44	C-1	
		C-1	0.11
HoA—Hoytville clay loam, 0 to 1 percent slopes			
Hoytville	91	C-1	
		C-1	0.11
HyA—Hoytville-Urban land complex, 0 to 1 percent slopes			
Hoytville	60	Not assigned	
Urban land	35	Not rated	
JoA—Joliet silty clay loam, 0 to 1 percent slopes			
Joliet	90	E-1	
		E-1	0.40
KeA—Kibbie loamy fine sand, 0 to 2 percent slopes			
Kibbie	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
KfA—Kibbie fine sandy loam, 0 to 2 percent slopes			
Kibbie	90	C-1	
		C-1	0.11
KfB—Kibbie fine sandy loam, 2 to 6 percent slopes			
Kibbie	90	C-1	
		C-1	0.11
KkA—Kibbie-Urban land complex, 0 to 2 percent slopes			
Kibbie	55	Not assigned	
Urban land	35	Not rated	
LbB—Landes loamy fine sand, 0 to 6 percent slopes, frequently flooded			
Landes	95	A-5	
		A-5	0.05
LdA—Latty silty clay, till substratum, 0 to 1 percent slopes			
Latty, till substratum	93	C-2	
		C-2	0.12
LgA—Latty, till substratum-Urban land complex, 0 to 1 percent slopes			
Latty, till substratum	63	Not assigned	
Urban land	30	Not rated	
MbA—Millgrove loam, 0 to 1 percent slopes			
Millgrove	90	C-1	
		C-1	0.11
McA—Mermill fine sandy loam, 0 to 1 percent slopes			
Mermill	90	C-1	
		C-1	0.11
MdA—Mermill loam, 0 to 1 percent slopes			
Mermill	90	C-1	
		C-1	0.11
MeA—Mermill sandy clay loam, 0 to 1 percent slopes			
Mermill	90	C-1	
		C-1	0.11

Selected Soil Interpretations--Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MfA—Merrill-Aurand complex, 0 to 1 percent slopes			
Merrill	60	C-1	
		C-1	0.11
Aurand	35	C-1	
		C-1	0.11
MgA—Merrill-Urban land complex, 0 to 1 percent slopes			
Merrill	60	Not assigned	
Urban land	30	Not rated	
MhA—Millsdale silty clay loam, 0 to 1 percent slopes			
Millsdale	90	C-2	
		C-2	0.12
MkA—Millsdale silty clay loam, stony, 0 to 1 percent slopes			
Millsdale	90	C-2	
		C-2	0.12
MmA—Millsdale-Urban land complex, 0 to 1 percent slopes			
Millsdale	65	Not assigned	
Urban land	25	Not rated	
MnA—Milton loam, 0 to 2 percent slopes			
Milton	90	F-1	
		F-1	0.51
MnB—Milton loam, 2 to 6 percent slopes			
Milton	90	F-1	
		F-1	0.51
NmA—Nappanee sandy loam, 0 to 2 percent slopes			
Nappanee	100	C-2	
		C-2	0.12
NmB—Nappanee sandy loam, 2 to 6 percent slopes			
Nappanee	100	C-2	
		C-2	0.12
NnA—Nappanee loam, 0 to 2 percent slopes			
Nappanee	90	C-2	
		C-2	0.12

Selected Soil Interpretations--Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
NnB—Nappanee loam, 2 to 6 percent slopes			
Nappanee	90	C-2	
		C-2	0.12
NnB2—Nappanee loam, 2 to 6 percent slopes, eroded			
Nappanee	90	C-2	
		C-2	0.12
NpA—Nappanee silty clay loam, 0 to 2 percent slopes			
Nappanee	90	C-2	
		C-2	0.12
NpB—Nappanee silty clay loam, 2 to 6 percent slopes			
Nappanee	100	C-2	
		C-2	0.12
NpB2—Nappanee silty clay loam, 2 to 6 percent slopes, eroded			
Nappanee	90	C-2	
		C-2	0.12
NsA—Nappanee-Urban land complex, 0 to 2 percent slopes			
Nappanee	60	Not assigned	
Urban land	30	Not rated	
OsB—Oshtemo sandy loam, till substratum, 2 to 6 percent slopes			
Oshtemo, till substratum	95	A-1	
		A-1	0.01
OtA—Ottokee-Spinks loamy fine sands, 0 to 2 percent slopes			
Ottokee	46	B-1	
		B-1	0.07
Spinks	44	B-1	
		B-1	0.07
OtB—Ottokee-Spinks loamy fine sands, 2 to 6 percent slopes			
Ottokee	51	B-1	
		B-1	0.07
Spinks	49	B-1	
		B-1	0.07

Selected Soil Interpretations--Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
OzB—Ottokee-Spinks-Urban land complex, 0 to 6 percent slopes			
Ottokee	36	Not assigned	
Spinks	34	Not assigned	
Urban land	25	Not rated	
Pt—Pits, quarry			
Pits, quarry	100	Not rated	
RbA—Randolph loam, 0 to 2 percent slopes			
Randolph	90	C-1	
		C-1	0.11
RbB—Randolph loam, 2 to 6 percent slopes			
Randolph	90	C-1	
		C-1	0.11
RcA—Rimer loamy fine sand, 0 to 2 percent slopes			
Rimer	95	C-2	
		C-2	0.12
RdA—Randolph loam, stony, 0 to 2 percent slopes			
Randolph	90	C-1	
		C-1	0.11
ReA—Randolph-Urban land complex, 0 to 2 percent slopes			
Randolph	55	Not assigned	
Urban land	35	Not rated	
RfA—Rimer and Tedrow, till substratum, loamy fine sands, 0 to 2 percent slopes			
Rimer	46	C-1	
		C-1	0.11
Tedrow, till substratum	44	C-1	
		C-1	0.11
RfB—Rimer and Tedrow, till substratum, loamy fine sands, 2 to 6 percent slopes			
Rimer	46	C-1	
		C-1	0.11
Tedrow, till substratum	44	C-1	
		C-1	0.11

Selected Soil Interpretations--Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RgA—Rimer and Tedrow-Urban land complex, 0 to 2 percent slopes			
Rimer	34	Not assigned	
Tedrow, till substratum	31	Not assigned	
Urban land	25	Not rated	
RhA—Ritchey loam, 0 to 2 percent slopes			
Ritchey	90	E-1	
		E-1	0.40
RhB—Ritchey loam, 2 to 6 percent slopes			
Ritchey	90	E-1	
		E-1	0.40
RkA—Ritchey loam, stony, 0 to 2 percent slopes			
Ritchey	90	E-1	
		E-1	0.40
RmA—Risingsun-Rollersville complex, 0 to 1 percent slopes			
Risingsun	60	D-1	
		D-1	0.30
Rollersville	35	C-1	
		C-1	0.11
RnA—Rollersville-Risingsun complex, 0 to 1 percent slopes			
Rollersville	65	C-1	
		C-1	0.11
Risingsun	35	D-1	
		D-1	0.30
RsA—Rossburg silt loam, 0 to 2 percent slopes, frequently flooded			
Rossburg	100	A-5	
		A-5	0.05
SdA—Seward and Ottokee, till substratum, loamy fine sands, 0 to 2 percent slopes			
Seward	46	B-1	
		B-1	0.07
Ottokee, till substratum	44	B-1	
		B-1	0.07

Selected Soil Interpretations--Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SdB—Seward and Ottokee, till substratum, loamy fine sands, 2 to 6 percent slopes			
Seward	46	B-1	
		B-1	0.07
Ottokee, till substratum	44	B-1	
		B-1	0.07
SeA—Shawtown loam, 0 to 2 percent slopes			
Shawtown	98	A-1	
		A-1	0.01
SeB—Shawtown loam, 2 to 6 percent slopes			
Shawtown	98	A-1	
		A-1	0.01
SgA—Shoals loam, 0 to 2 percent slopes, frequently flooded			
Shoals	100	C-3	
		C-3	0.13
ShA—Shoals silt loam, 0 to 2 percent slopes, frequently flooded			
Shoals	90	C-3	
		C-3	0.13
SkA—Shoals silty clay loam, 0 to 2 percent slopes, frequently flooded			
Shoals	90	C-3	
		C-3	0.13
SmA—Shoals and Sloan complex, moderately deep to limestone, 0 to 2 percent slopes, frequently flooded			
Shoals, moderately deep to limestone	51	C-3	
		C-3	0.13
Sloan, moderately deep to limestone	49	B-3	
		B-3	0.09
SnA—Sloan silt loam, 0 to 1 percent slopes, frequently flooded			
Sloan	90	C-3	
		C-3	0.13
SoA—Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded			
Sloan	95	C-3	
		C-3	0.13

Selected Soil Interpretations--Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SpA—Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded			
Sloan	90	C-3	
		C-3	0.13
SrB—Spinks fine sand, 2 to 6 percent slopes			
Spinks	90	B-1	
		B-1	0.07
SrC—Spinks fine sand, 6 to 12 percent slopes			
Spinks	90	B-1	
		B-1	0.07
SrD—Spinks fine sand, 12 to 18 percent slopes			
Spinks	90	B-1	
		B-1	0.07
SsB—Spinks loamy fine sand, 2 to 6 percent slopes			
Spinks	90	B-1	
		B-1	0.07
SsC—Spinks loamy fine sand, 6 to 12 percent slopes			
Spinks	90	B-1	
		B-1	0.07
StB—St. Clair loam, 2 to 6 percent slopes			
St. clair	90	F-5	
		F-5	0.55
StC2—St. Clair loam, 6 to 12 percent slopes, eroded			
St. clair	90	F-5	
		F-5	0.55
SuB2—St. Clair silty clay loam, 2 to 6 percent slopes, eroded			
St. clair	100	F-5	
		F-5	0.55
SuC2—St. Clair silty clay loam, 6 to 12 percent slopes, eroded			
St. clair	90	F-5	
		F-5	0.55

Selected Soil Interpretations--Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
SuD2—St. Clair silty clay loam, 12 to 18 percent slopes, eroded			
St. clair	90	F-5	
		F-5	0.55
SuE2—St. Clair silty clay loam, 18 to 25 percent slopes, eroded			
St. clair	90	F-5	
		F-5	0.55
TeA—Tedrow loamy fine sand, 0 to 2 percent slopes			
Tedrow	90	C-1	
		C-1	0.11
TeB—Tedrow loamy fine sand, 2 to 6 percent slopes			
Tedrow	100	C-1	
		C-1	0.11
TfA—Tedrow-Urban land complex, 0 to 2 percent slopes			
Tedrow	60	Not assigned	
Urban land	30	Not rated	
TpA—Toledo silty clay loam, 0 to 1 percent slopes			
Toledo	90	C-2	
		C-2	0.12
TsA—Toussaint silty clay loam, 0 to 1 percent slopes			
Toussaint	98	C-1	
		C-1	0.11
TuA—Toledo-Urban land complex, 0 to 1 percent slopes			
Toledo	55	Not assigned	
Urban land	35	Not rated	
UcA—Udorthents, loamy, 0 to 2 percent slopes			
Udorthents	85	Not rated	
UcE—Udorthents, loamy, 2 to 25 percent slopes			
Udorthents	90	Not rated	
Ur—Urban land			
Urban land	100	Not rated	
W—Water			
Water	100	Not rated	

Selected Soil Interpretations--Wood County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WbA—Wabasha silty clay, 0 to 1 percent slopes, frequently flooded			
Wabasha	90	C-3	
		C-3	0.13
WmA—Wauseon loamy fine sand, 0 to 1 percent slopes			
Wauseon	90	C-1	
		C-1	0.11
WnA—Wauseon fine sandy loam, deep to till, 0 to 1 percent slopes			
Wauseon, deep to till	90	C-1	
		C-1	0.11
WyA—Wauseon fine sandy loam, 0 to 1 percent slopes			
Wauseon	90	C-1	
		C-1	0.11
WzA—Wauseon-Urban land complex, 0 to 1 percent slopes			
Wauseon	55	Not assigned	
Urban land	35	Not rated	

Data Source Information

Soil Survey Area: Wood County, Ohio
 Survey Area Data: Version 16, Sep 19, 2014