Map symbol	Soil name	Acres	Percent
AgA	Alvada loam, 0 to 1 percent slopes	512	0.1
AmA	Aurand fine sandy loam, 0 to 2 percent slopes	1,113	0.3
AnA	Aurand loam, 0 to 2 percent slopes	1,944	0.5
AsA	Aurand-Urban land complex, 0 to 2 percent slopes	205	*
BeB	Belmore sandy loam, 1 to 4 percent slopes	58	*
BfB	Belmore loam, 1 to 4 percent slopes	18	*
CaA	Castalia very cobbly loam, 0 to 2 percent slopes	205	*
CbB	Castalia-Marblehead complex, very stony, 0 to 6 percent slopes	3,047	0.8
CcA	Colwood fine sandy loam, 0 to 1 percent slopes	2,807	0.7
CdA	Colwood loam, 0 to 1 percent slopes	1,262	0.3
CoB	Colonie fine sand, 1 to 6 percent slopes	205	*
CoC	Colonie fine sand, 6 to 12 percent slopes	59	*
CoD	Colonie fine sand, 12 to 18 percent slopes	44	*
CtA	Colwood-Urban land complex, 0 to 1 percent slopes	107	*
CvA	Cygnet loam, 0 to 2 percent slopes	669	0.2
CxB	Castalia-Marblehead-Urban land complex, very stony, 0 to 6 percent slopes	144	*
DgA	Digby sandy loam, 0 to 2 percent slopes	446	0.1
DhA	Digby loam, 0 to 2 percent slopes	166	*
DrA	Dunbridge sandy loam, 0 to 2 percent slopes	174	*
DsA	Dunbridge-Spinks, deep to limestone, loamy fine sands, 0 to 2 percent slopes	928	0.2
DsB	Dunbridge-Spinks, deep to limestone, loamy fine sands, 2 to 6 percent slopes	520	0.1
EaA	Eel loam, 0 to 2 percent slopes, frequently flooded	251	*
EmA	Eel silt loam, 0 to 2 percent slopes, frequently flooded	2,409	0.6
EnA	Eel silt loam, moderately deep to limestone, 0 to 2 percent slopes, frequently flooded	100	*
FcA	Flatrock silt loam, 0 to 2 percent slopes, occasionally flooded	129	*
FuA	Fulton silty clay loam, till substratum, 0 to 2 percent slopes	2,008	0.5
FuB	Fulton silty clay loam, till substratum, 2 to 6 percent slopes	303	*
FzA	Fulton, till substratum-Urban land complex, 0 to 2 percent slopes	1,630	0.4
GmA	Genesee loam, 0 to 2 percent slopes, frequently flooded	380	*
GnA	Genesee silt loam, 0 to 2 percent slopes, frequently flooded	824	0.2
GpA	Granby loamy fine sand, till substratum, 0 to 1 percent slopes	1,831	0.5
HaA	Haney sandy loam, 0 to 2 percent slopes	109	*
HaB	Haney sandy loam, 2 to 6 percent slopes	58	*
HcA	Hoytville silty clay loam, 0 to 1 percent slopes	75,939	19.1
HdA	Haney loam, 0 to 2 percent slopes	26	*
HdB	Haney loam, 2 to 6 percent slopes	43	*
HeA	Haskins and Digby, till substratum, fine sandy loams, 0 to 2 percent slopes	574	0.1
HeB	Haskins and Digby, till substratum, fine sandy loams, 2 to 6 percent slopes	129	*
HfA	Haskins and Digby, till substratum, loams, 0 to 2 percent slopes	1,455	0.4
HfB	Haskins and Digby, till substratum, loams, 2 to 6 percent slopes	116	*
HoA	Hoytville clay loam, 0 to 1 percent slopes	157,145	39.6
HyA	Hoytville-Urban land complex, 0 to 1 percent slopes	1,734	0.4
JoA	Joliet silty clay loam, 0 to 1 percent slopes	404	0.1
KeA	Kibbie loamy fine sand, 0 to 2 percent slopes	392	*
KfA	Kibbie fine sandy loam, 0 to 2 percent slopes	1,608	0.4
KfB	Kibbie fine sandy loam, 2 to 6 percent slopes	116	*
KkA	Kibbie-Urban land complex, 0 to 2 percent slopes	102	*
LbB	Landes loamy fine sand, 0 to 6 percent slopes, frequently flooded	157	*
LdA	Latty silty clay, till substratum, 0 to 1 percent slopes	10,140	2.6
LgA	Latty, till substratum-Urban land complex, 0 to 1 percent slopes	657	0.2
MbA	Millgrove loam, 0 to 1 percent slopes	103	*
McA	Mermill fine sandy loam, 0 to 1 percent slopes	388	*
MdA	Mermill loam, 0 to 1 percent slopes	1,637	0.4
MeA	Mermill sandy clay loam, 0 to 1 percent slopes	6,464	1.6
MfA	Mermill-Aurand complex, 0 to 1 percent slopes	26,435	6.7
MgA	Mermill-Urban land complex, 0 to 1 percent slopes	377	*
MhA	Millsdale silty clay loam, 0 to 1 percent slopes	3,690	0.9

See footnote at end of table.

Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
MkA	Millsdale silty clay loam, stony, 0 to 1 percent slopes	172	*
MmA	Millsdale-Urban land complex, 0 to 1 percent slopes	122	*
MnA	Milton loam, 0 to 2 percent slopes	1,201	0.3
MnB	Milton loam, 2 to 6 percent slopes	164	*
NmA	Nappanee sandy loam, 0 to 2 percent slopes	1,213	0.3
NmB	Nappanee sandy loam, 2 to 6 percent slopes	138	*
NnA	Nappanee loam, 0 to 2 percent slopes	12,863	3.2
NnB	Nappanee loam, 2 to 6 percent slopes	998	0.3
NnB2	Nappanee loam, 2 to 6 percent slopes, eroded	395	*
NpA	Nappanee silty clay loam, 0 to 2 percent slopes	3,413	0.9
NpB	Nappanee silty clay loam, 2 to 6 percent slopes	173	*
NpB2	Nappanee silty clay loam, 2 to 6 percent slopes, eroded	138	*
NsA	Nappanee-Urban land complex, 0 to 2 percent slopes	148	*
OsB	Oshtemo sandy loam, till substratum, 2 to 6 percent slopes	276	*
OtA	Ottokee-Spinks loamy fine sands, 0 to 2 percent slopes	1,774	0.4
OtB	Ottokee-Spinks loamy fine sands, 2 to 6 percent slopes	7,265	1.8
OzB	Ottokee-Spinks-Urban land complex, 0 to 6 percent slopes	517	0.1
Pt	Pits, quarry	445	0.1
RbA	Randolph loam, 0 to 2 percent slopes	2,275	0.6
RbB	Randolph loam, 2 to 6 percent slopes	71	*
RcA	Rimer loamy fine sand, 0 to 2 percent slopes	1	*
RdA	Randolph loam, stony, 0 to 2 percent slopes	138	*
ReA	Randolph-Urban land complex, 0 to 2 percent slopes	103	*
RfA	Rimer and Tedrow, till substratum, loamy fine sands, 0 to 2 percent slopes	8,892	2.2
RfB	Rimer and Tedrow, till substratum, loamy fine sands, 2 to 6 percent slopes	709	0.2
RgA	Rimer and Tedrow-Urban land complex, 0 to 2 percent slopes	278	*
RhA	Ritchey loam, 0 to 2 percent slopes	539	0.1
RhB	Ritchey loam, 2 to 6 percent slopes	199	*
RkA	Ritchey loam, stony, 0 to 2 percent slopes	104	*
RmA	Risingsun-Rollersville complex, 0 to 1 percent slopes	221	*
RnA	Rollersville-Risingsun complex, 0 to 1 percent slopes	507	0.1
RsA	Rossburg silt loam, 0 to 2 percent slopes, frequently flooded	39	*
SdA	Seward and Ottokee, till substratum, loamy fine sands, 0 to 2 percent slopes	3,173	0.8
SdB	Seward and Ottokee, till substratum, loamy fine sands, 2 to 6 percent slopes	2,955	0.7
SeA	Shawtown loam, 0 to 2 percent slopes	4	*
SeB	Shawtown loam, 2 to 6 percent slopes	335	*
SgA	Shoals loam, 0 to 2 percent slopes, frequently flooded	293	*
ShA	Shoals silt loam, 0 to 2 percent slopes, frequently flooded	1,173	0.3
SkA	Shoals silty clay loam, 0 to 2 percent slopes, frequently flooded	89	*
SmA	Shoals and Sloan complex, moderately deep to limestone, 0 to 2 percent slopes, frequently flooded	69	*
SnA	Sloan silt loam, 0 to 1 percent slopes, frequently flooded	597	0.2
SoA	Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded	248	*
SpA	Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded	3,768	0.9
SrB	Spinks fine sand, 2 to 6 percent slopes	234	*
SrC	Spinks fine sand, 6 to 12 percent slopes	134	*
SrD	Spinks fine sand, 12 to 18 percent slopes	8	*
SsB	Spinks loamy fine sand, 2 to 6 percent slopes	354	*
SsC	Spinks loamy fine sand, 6 to 12 percent slopes	135	*
StB	St. Clair loam, 2 to 6 percent slopes	209	*
StC2	St. Clair loam, 6 to 12 percent slopes, eroded	439	0.1
SuB2	St. Clair silty clay loam, 2 to 6 percent slopes, eroded	71	*
SuC2	St. Clair silty clay loam, 6 to 12 percent slopes, eroded	275	*
SuD2	St. Clair silty clay loam, 12 to 18 percent slopes, eroded	188	*
SuE2	St. Clair silty clay loam, 18 to 25 percent slopes, eroded	597	0.2
TeA	Tedrow loamy fine sand, 0 to 2 percent slopes	1,346	0.3
TeB	Tedrow loamy fine sand, 2 to 6 percent slopes	253	*
TfA	Tedrow-Urban land complex, 0 to 2 percent slopes	102	*
TpA	Toledo silty clay loam, 0 to 1 percent slopes	635	0.2

See footnote at end of table.

Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
TsA	Toussaint silty clay loam, 0 to 1 percent slopes	524	0.1
TuA	Toledo-Urban land complex, 0 to 1 percent slopes	946	0.2
UcA	Udorthents, loamy, 0 to 2 percent slopes	1,893	0.5
UcE	Udorthents, loamy, 2 to 25 percent slopes	1,119	0.3
Ur	Urban land	1,634	0.4
W	Water	2,827	0.7
WbA	Wabasha silty clay, 0 to 1 percent slopes, frequently flooded	536	0.1
WmA	Wauseon loamy fine sand, 0 to 1 percent slopes	216	*
WnA	Wauseon fine sandy loam, deep to till, 0 to 1 percent slopes	3,111	0.8
WyA	Wauseon fine sandy loam, 0 to 1 percent slopes	6,469	1.6
WzA	Wauseon-Urban land complex, 0 to 1 percent slopes	162	*
	Total	397,108	100.0

* Less than 0.1 percent.