

Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

Surface runoff refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

Water table refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

Ponding is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

Flooding is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

Duration and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

| Water Features—Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|------------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| AgA—Alvada loam, 0 to 1 percent slopes | | | | | | | | | | |
| Alvada | B/D | Negligible | January | 0.0-1.0 | 3.3-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | February | 0.0-1.0 | 3.3-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | March | 0.0-1.0 | 3.3-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | April | 0.0-1.0 | 3.3-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | May | 0.0-1.0 | 3.3-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | 3.3-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | December | 0.0-1.0 | 3.3-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| AmA—Aurand fine sandy loam, 0 to 2 percent slopes | | | | | | | | | | |
| Aurand | C/D | Low | January | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| AnA—Aurand loam, 0 to 2 percent slopes | | | | | | | | | | |
| Aurand | C/D | Low | January | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| AsA--Aurand-Urban land complex, 0 to 2 percent slopes | | | | | | | | | | |
| Aurand | C/D | Low | January | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BeB—Belmore sandy loam, 1 to 4 percent slopes | | | | | | | | | | |
| Belmore | B | Very low | January | 2.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 2.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 2.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 2.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 2.5-3.5 | 5.0-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| BfB—Belmore loam, 1 to 4 percent slopes | | | | | | | | | | |
| Belmore | C | Low | January | 2.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 2.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 2.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 2.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 2.5-3.5 | 5.0-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CaA—Castalia very cobbly loam, 0 to 2 percent slopes | | | | | | | | | | |
| Castalia | A | Very low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CbB—Castalia-Marblehead complex, very stony, 0 to 6 percent slopes | | | | | | | | | | |
| Castalia | A | Very low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Marblehead | D | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CcA—Colwood fine sandy loam, 0 to 1 percent slopes | | | | | | | | | | |
| Colwood | B/D | Negligible | January | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | November | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CdA—Colwood loam, 0 to 1 percent slopes | | | | | | | | | | |
| Colwood | B/D | Negligible | January | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | November | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CoB--Colonie fine sand, 1 to 6 percent slopes | | | | | | | | | | |
| Colonie | A | Very low | January | 3.0-6.0 | >6.0 | — | — | None | — | None |
| | | | February | 3.0-6.0 | >6.0 | — | — | None | — | None |
| | | | March | 3.0-6.0 | >6.0 | — | — | None | — | None |
| | | | April | 3.0-6.0 | >6.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CoC—Colonie fine sand, 6 to 12 percent slopes | | | | | | | | | | |
| Colonie | A | Low | January | 5.0-6.7 | >6.0 | — | — | None | — | None |
| | | | February | 5.0-6.7 | >6.0 | — | — | None | — | None |
| | | | March | 5.0-6.7 | >6.0 | — | — | None | — | None |
| | | | April | 5.0-6.7 | >6.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CoD—Colonie fine sand, 12 to 18 percent slopes | | | | | | | | | | |
| Colonie | A | Low | January | 5.0-6.7 | >6.0 | — | — | None | — | None |
| | | | February | 5.0-6.7 | >6.0 | — | — | None | — | None |
| | | | March | 5.0-6.7 | >6.0 | — | — | None | — | None |
| | | | April | 5.0-6.7 | >6.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CtA--Colwood-Urban land complex, 0 to 1 percent slopes | | | | | | | | | | |
| Colwood | B/D | Negligible | January | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | November | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CvA—Cygnet loam, 0 to 2 percent slopes | | | | | | | | | | |
| Cygnet | B/D | Low | January | 1.0-2.0 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 1.0-2.0 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 1.0-2.0 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 1.0-2.0 | 3.3-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CxB—Castalia-Marblehead-Urban land complex, very stony, 0 to 6 percent slopes | | | | | | | | | | |
| Castalia | A | Very low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Marblehead | D | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| DgA—Digby sandy loam, 0 to 2 percent slopes | | | | | | | | | | |
| Digby | B/D | Negligible | January | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| DhA—Digby loam, 0 to 2 percent slopes | | | | | | | | | | |
| Digby | B/D | Negligible | January | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| DrA—Dunbridge sandy loam, 0 to 2 percent slopes | | | | | | | | | | |
| Dunbridge | B | Negligible | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| DsA—Dunbridge-Spinks, deep to limestone, loamy fine sands, 0 to 2 percent slopes | | | | | | | | | | |
| Dunbridge | B | Negligible | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Spinks, deep to limestone | A | Negligible | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| DsB—Dunbridge-Spinks, deep to limestone, loamy fine sands, 2 to 6 percent slopes | | | | | | | | | | |
| Dunbridge | B | Very low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Spinks, deep to limestone | A | Negligible | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EaA—Eel loam, 0 to 2 percent slopes, frequently flooded | | | | | | | | | | |
| Eel | B/D | Negligible | January | 1.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | 1.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | 1.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | 1.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | October | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EmA—Eel silt loam, 0 to 2 percent slopes, frequently flooded | | | | | | | | | | |
| Eel | B/D | Negligible | January | 1.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | 1.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | 1.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | 1.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | October | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EnA—Eel silt loam, moderately deep to limestone, 0 to 2 percent slopes, frequently flooded | | | | | | | | | | |
| Eel, moderately deep to limestone | C/D | Negligible | January | 1.5-2.0 | 2.8-2.8 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | 1.5-2.0 | 2.8-2.8 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | 1.5-2.0 | 2.8-2.8 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | 1.5-2.0 | 2.8-2.8 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | October | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| FcA—Flatrock silt loam, 0 to 2 percent slopes, occasionally flooded | | | | | | | | | | |
| Flatrock | B/D | Low | January | 1.0-2.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | February | 1.0-2.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | March | 1.0-2.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | April | 1.0-2.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | December | 1.0-2.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| FuA—Fulton silty clay loam, till substratum, 0 to 2 percent slopes | | | | | | | | | | |
| Fulton, till substratum | C/D | High | January | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| FuB—Fulton silty clay loam, till substratum, 2 to 6 percent slopes | | | | | | | | | | |
| Fulton, till substratum | C/D | High | January | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| FzA--Fulton, till substratum-Urban land complex, 0 to 2 percent slopes | | | | | | | | | | |
| Fulton, till substratum | C/D | High | January | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| GmA—Genesee loam, 0 to 2 percent slopes, frequently flooded | | | | | | | | | | |
| Genesee | B | Negligible | January | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | October | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| GnA—Genesee silt loam, 0 to 2 percent slopes, frequently flooded | | | | | | | | | | |
| Genesee | B | Negligible | January | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | October | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|------------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| GpA—Granby loamy fine sand, till substratum, 0 to 1 percent slopes | | | | | | | | | | |
| Granby, till substratum | A/D | Negligible | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | May | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | June | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| HaA—Haney sandy loam, 0 to 2 percent slopes | | | | | | | | | | |
| Haney | C | Negligible | January | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| HaB—Haney sandy loam, 2 to 6 percent slopes | | | | | | | | | | |
| Haney | C | Low | January | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| HcA--Hoytville silty clay loam, 0 to 1 percent slopes | | | | | | | | | | |
| Hoytville | C/D | Negligible | January | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| HdA--Haney loam, 0 to 2 percent slopes | | | | | | | | | | |
| Haney | C | Negligible | January | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| HdB—Haney loam, 2 to 6 percent slopes | | | | | | | | | | |
| Haney | C | Low | January | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 2.5-3.0 | 5.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| HeA--Haskins and Digby, till substratum, fine sandy loams, 0 to 2 percent slopes | | | | | | | | | | |
| Haskins | C/D | Negligible | January | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| Digby, till substratum | C/D | Low | January | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| HeB—Haskins and Digby, till substratum, fine sandy loams, 2 to 6 percent slopes | | | | | | | | | | |
| Haskins | C/D | Low | January | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| Digby, till substratum | C/D | Medium | January | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| HfA—Haskins and Digby, till substratum, loams, 0 to 2 percent slopes | | | | | | | | | | |
| Haskins | C/D | Negligible | January | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| Digby, till substratum | C/D | Low | January | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| HfB—Haskins and Digby, till substratum, loams, 2 to 6 percent slopes | | | | | | | | | | |
| Haskins | C/D | Low | January | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| Digby, till substratum | C/D | Medium | January | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 1.5-3.5 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| HoA--Hoytville clay loam, 0 to 1 percent slopes | | | | | | | | | | |
| Hoytville | C/D | Negligible | January | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| HyA--Hoytville-Urban land complex, 0 to 1 percent slopes | | | | | | | | | | |
| Hoytville | C/D | Negligible | January | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| JoA—Joliet silty clay loam, 0 to 1 percent slopes | | | | | | | | | | |
| Joliet | C/D | Negligible | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | 0.0-1.0 | 1.3-1.3 | — | — | None | — | None |
| | | | April | 0.0-1.0 | 1.3-1.3 | — | — | None | — | None |
| | | | May | 0.0-1.0 | 1.3-1.3 | — | — | None | — | None |
| | | | June | 0.0-1.0 | 1.3-1.3 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| KeA—Kibbie loamy fine sand, 0 to 2 percent slopes | | | | | | | | | | |
| Kibbie | B/D | Negligible | January | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| KfA—Kibbie fine sandy loam, 0 to 2 percent slopes | | | | | | | | | | |
| Kibbie | B/D | Negligible | January | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| KfB—Kibbie fine sandy loam, 2 to 6 percent slopes | | | | | | | | | | |
| Kibbie | B/D | Low | January | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| KkA—Kibbie-Urban land complex, 0 to 2 percent slopes | | | | | | | | | | |
| Kibbie | B/D | Negligible | January | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.5 | 5.0-5.0 | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LbB—Landes loamy fine sand, 0 to 6 percent slopes, frequently flooded | | | | | | | | | | |
| Landes | A | Very low | January | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LdA--Latty silty clay, till substratum, 0 to 1 percent slopes | | | | | | | | | | |
| Latty, till substratum | C/D | Negligible | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LgA--Latty, till substratum- Urban land complex, 0 to 1 percent slopes | | | | | | | | | | |
| Latty, till substratum | C/D | Negligible | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MbA—Millgrove loam, 0 to 1 percent slopes | | | | | | | | | | |
| Millgrove | B/D | Negligible | January | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| McA—Mermill fine sandy loam, 0 to 1 percent slopes | | | | | | | | | | |
| Mermill | C/D | Negligible | January | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|------------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MdA—Mermill loam, 0 to 1 percent slopes | | | | | | | | | | |
| Mermill | C/D | Negligible | January | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | February | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | March | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | April | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | May | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MeA—Mermill sandy clay loam, 0 to 1 percent slopes | | | | | | | | | | |
| Mermill | C/D | Negligible | January | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|------------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MfA--Mermill-Aurand complex, 0 to 1 percent slopes | | | | | | | | | | |
| Mermill | C/D | Negligible | January | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | February | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | March | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | April | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | May | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|------------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| Aurand | C/D | Negligible | January | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 0.5-1.5 | 3.3-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|------------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MgA--Merrill-Urban land complex, 0 to 1 percent slopes | | | | | | | | | | |
| Merrill | C/D | Negligible | January | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | February | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | March | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | April | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | May | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | 0.0-1.0 | 2.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Occasional | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MhA—Millsdale silty clay loam, 0 to 1 percent slopes | | | | | | | | | | |
| Millsdale | C/D | Negligible | January | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MkA—Millsdale silty clay loam, stony, 0 to 1 percent slopes | | | | | | | | | | |
| Millsdale | C/D | Negligible | January | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MmA--Millsdale-Urban land complex, 0 to 1 percent slopes | | | | | | | | | | |
| Millsdale | C/D | Negligible | January | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | 2.7-2.7 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MnA—Milton loam, 0 to 2 percent slopes | | | | | | | | | | |
| Milton | C | Negligible | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MnB—Milton loam, 2 to 6 percent slopes | | | | | | | | | | |
| Milton | C | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| NmA--Nappanee sandy loam, 0 to 2 percent slopes | | | | | | | | | | |
| Nappanee | C/D | Medium | January | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| NmB--Nappanee sandy loam, 2 to 6 percent slopes | | | | | | | | | | |
| Nappanee | C/D | High | January | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| NnA--Nappanee loam, 0 to 2 percent slopes | | | | | | | | | | |
| Nappanee | C/D | Medium | January | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| NnB--Nappanee loam, 2 to 6 percent slopes | | | | | | | | | | |
| Nappanee | C/D | High | January | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| NnB2--Nappanee loam, 2 to 6 percent slopes, eroded | | | | | | | | | | |
| Nappanee | C/D | High | January | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| NpA—Nappanee silty clay loam, 0 to 2 percent slopes | | | | | | | | | | |
| Nappanee | C/D | Medium | January | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| NpB--Nappanee silty clay loam, 2 to 6 percent slopes | | | | | | | | | | |
| Nappanee | C/D | High | January | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| NpB2--Nappanee silty clay loam, 2 to 6 percent slopes, eroded | | | | | | | | | | |
| Nappanee | C/D | High | January | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| NsA--Nappanee-Urban land complex, 0 to 2 percent slopes | | | | | | | | | | |
| Nappanee | C/D | Medium | January | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | May | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| | | | December | 0.5-1.0 | 3.3-5.0 | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| OsB—Oshtemo sandy loam, till substratum, 2 to 6 percent slopes | | | | | | | | | | |
| Oshtemo, till substratum | A | Very low | January | 3.5-6.0 | 5.0-6.6 | — | — | None | — | None |
| | | | February | 3.5-6.0 | 5.0-6.6 | — | — | None | — | None |
| | | | March | 3.5-6.0 | 5.0-6.6 | — | — | None | — | None |
| | | | April | 3.5-6.0 | 5.0-6.6 | — | — | None | — | None |
| | | | May | 3.5-6.0 | 5.0-6.6 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 3.5-6.0 | 5.0-6.6 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| OtA—Ottokee-Spinks loamy fine sands, 0 to 2 percent slopes | | | | | | | | | | |
| Ottokee | A | Negligible | January | 1.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 1.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 1.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 1.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Spinks | A | Negligible | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| OtB—Ottokee-Spinks loamy fine sands, 2 to 6 percent slopes | | | | | | | | | | |
| Ottokee | A | Negligible | January | 1.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 1.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 1.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 1.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Spinks | A | Negligible | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| OzB--Ottokee-Spinks-Urban land complex, 0 to 6 percent slopes | | | | | | | | | | |
| Ottokee | A | Negligible | January | 1.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 1.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 1.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 1.5-3.5 | 5.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Spinks | A | Negligible | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Pt--Pits, quarry | | | | | | | | | | |
| Pits, quarry | — | — | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RbA—Randolph loam, 0 to 2 percent slopes | | | | | | | | | | |
| Randolph | C/D | Negligible | January | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RbB—Randolph loam, 2 to 6 percent slopes | | | | | | | | | | |
| Randolph | C/D | Very low | January | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RcA—Rimer loamy fine sand, 0 to 2 percent slopes | | | | | | | | | | |
| Rimer | D | Medium | January | 0.0-0.5 | 2.5-5.0 | — | — | None | — | None |
| | | | February | 0.0-0.5 | 2.5-5.0 | — | — | None | — | None |
| | | | March | 0.0-0.5 | 2.5-5.0 | — | — | None | — | None |
| | | | April | 0.0-0.5 | 2.5-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RdA—Randolph loam, stony, 0 to 2 percent slopes | | | | | | | | | | |
| Randolph | C/D | Negligible | January | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| ReA--Randolph-Urban land complex, 0 to 2 percent slopes | | | | | | | | | | |
| Randolph | C/D | Negligible | January | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | February | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | March | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | April | 0.5-1.0 | 2.7-2.7 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RfA—Rimer and Tedrow, till substratum, loamy fine sands, 0 to 2 percent slopes | | | | | | | | | | |
| Rimer | C/D | Very low | January | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Tedrow, till substratum | C/D | Very low | January | 0.5-1.5 | 2.5-4.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.5-4.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.5-4.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.5-4.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RfB—Rimer and Tedrow, till substratum, loamy fine sands, 2 to 6 percent slopes | | | | | | | | | | |
| Rimer | C/D | Low | January | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Tedrow, till substratum | C/D | Low | January | 0.5-1.5 | 2.5-4.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.5-4.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.5-4.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.5-4.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RgA--Rimer and Tedrow-Urban land complex, 0 to 2 percent slopes | | | | | | | | | | |
| Rimer | C/D | Very low | January | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.1-4.6 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Tedrow, till substratum | C/D | Very low | January | 0.5-1.5 | 2.5-4.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 2.5-4.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 2.5-4.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 2.5-4.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RhA—Ritchey loam, 0 to 2 percent slopes | | | | | | | | | | |
| Ritchey | D | Negligible | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RhB--Ritchey loam, 2 to 6 percent slopes | | | | | | | | | | |
| Ritchey | D | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RkA—Ritchey loam, stony, 0 to 2 percent slopes | | | | | | | | | | |
| Ritchey | D | Negligible | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RmA--Risingsun-Rollersville complex, 0 to 1 percent slopes | | | | | | | | | | |
| Risingsun | C/D | Negligible | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| Rollersville | C/D | Negligible | January | 0.0-1.0 | >6.0 | — | — | None | — | None |
| | | | February | 0.0-1.0 | >6.0 | — | — | None | — | None |
| | | | March | 0.0-1.0 | >6.0 | — | — | None | — | None |
| | | | April | 0.0-1.0 | >6.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.0-1.0 | >6.0 | — | — | None | — | None |
| | | | December | 0.0-1.0 | >6.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RnA--Rollersville-Risingsun complex, 0 to 1 percent slopes | | | | | | | | | | |
| Rollersville | C/D | Negligible | January | 0.0-1.0 | >6.0 | — | — | None | — | None |
| | | | February | 0.0-1.0 | >6.0 | — | — | None | — | None |
| | | | March | 0.0-1.0 | >6.0 | — | — | None | — | None |
| | | | April | 0.0-1.0 | >6.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 0.0-1.0 | >6.0 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | 0.0-1.0 | >6.0 | — | — | None | — | None |
| Risingsun | C/D | Negligible | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RsA--Rossburg silt loam, 0 to 2 percent slopes, frequently flooded | | | | | | | | | | |
| Rossburg | B | Low | January | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SdA—Seward and Ottokee, till substratum, loamy fine sands, 0 to 2 percent slopes | | | | | | | | | | |
| Seward | A | Negligible | January | 1.5-3.0 | 2.5-4.2 | — | — | None | — | None |
| | | | February | 1.5-3.0 | 2.5-4.2 | — | — | None | — | None |
| | | | March | 1.5-3.0 | 2.5-4.2 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 2.5-4.2 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Ottokee, till substratum | A | Negligible | January | 1.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | February | 1.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | March | 1.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | April | 1.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SdB—Seward and Ottokee, till substratum, loamy fine sands, 2 to 6 percent slopes | | | | | | | | | | |
| Seward | A | Negligible | January | 1.5-3.0 | 2.5-4.2 | — | — | None | — | None |
| | | | February | 1.5-3.0 | 2.5-4.2 | — | — | None | — | None |
| | | | March | 1.5-3.0 | 2.5-4.2 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 2.5-4.2 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Ottokee, till substratum | A | Negligible | January | 1.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | February | 1.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | March | 1.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | April | 1.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SeA—Shawtown loam, 0 to 2 percent slopes | | | | | | | | | | |
| Shawtown | C | Low | January | 2.0-3.5 | 4.2-5.8 | — | — | None | — | None |
| | | | February | 2.0-3.5 | 4.2-5.8 | — | — | None | — | None |
| | | | March | 2.0-3.5 | 4.2-5.8 | — | — | None | — | None |
| | | | April | 2.0-3.5 | 4.2-5.8 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 2.0-3.5 | 4.2-5.8 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SeB—Shawtown loam, 2 to 6 percent slopes | | | | | | | | | | |
| Shawtown | C | Low | January | 2.0-3.5 | 4.2-5.8 | — | — | None | — | None |
| | | | February | 2.0-3.5 | 4.2-5.8 | — | — | None | — | None |
| | | | March | 2.0-3.5 | 4.2-5.8 | — | — | None | — | None |
| | | | April | 2.0-3.5 | 4.2-5.8 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 2.0-3.5 | 4.2-5.8 | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SgA—Shoals loam, 0 to 2 percent slopes, frequently flooded | | | | | | | | | | |
| Shoals | B/D | Negligible | January | 0.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | 0.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | 0.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | 0.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| ShA—Shoals silt loam, 0 to 2 percent slopes, frequently flooded | | | | | | | | | | |
| Shoals | B/D | Negligible | January | 0.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | 0.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | 0.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | 0.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SkA—Shoals silty clay loam, 0 to 2 percent slopes, frequently flooded | | | | | | | | | | |
| Shoals | B/D | Negligible | January | 0.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | 0.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | 0.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | 0.5-2.0 | 5.0-5.0 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SmA—Shoals and Sloan complex, moderately deep to limestone, 0 to 2 percent slopes, frequently flooded | | | | | | | | | | |
| Shoals, moderately deep to limestone | C/D | Negligible | January | 0.5-2.0 | 2.6-2.6 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | February | 0.5-2.0 | 2.6-2.6 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | March | 0.5-2.0 | 2.6-2.6 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | April | 0.5-2.0 | 2.6-2.6 | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-------------------------------------|------------------|----------------|----------|-------------|-------------|---------------|---------------------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Frequent |
| Sloan, moderately deep to limestone | C/D | Negligible | January | 0.0-1.0 | 2.0-2.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | February | 0.0-1.0 | 2.0-2.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | March | 0.0-1.0 | 2.0-2.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | April | 0.0-1.0 | 2.0-2.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | May | 0.0-1.0 | 2.0-2.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | June | 0.0-1.0 | 2.0-2.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | November | 0.0-1.0 | 2.0-2.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | December | 0.0-1.0 | 2.0-2.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|---------------------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SnA—Sloan silt loam, 0 to 1 percent slopes, frequently flooded | | | | | | | | | | |
| Sloan | B/D | Negligible | January | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | February | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | March | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | April | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | May | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | June | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | November | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | December | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|---------------------|-----------|---------------------|------------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SoA—Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded | | | | | | | | | | |
| Sloan | B/D | Negligible | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Occasional |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Occasional |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Occasional |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Occasional |
| | | | May | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Occasional |
| | | | June | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Occasional |
| | | | November | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Occasional |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Occasional |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|---------------------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SpA—Sloan silty clay loam, 0 to 1 percent slopes, frequently flooded | | | | | | | | | | |
| Sloan | B/D | Negligible | January | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | February | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | March | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | April | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | May | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | June | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | November | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |
| | | | December | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Brief (2 to 7 days) | Frequent |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SrB—Spinks fine sand, 2 to 6 percent slopes | | | | | | | | | | |
| Spinks | A | Negligible | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SrC—Spinks fine sand, 6 to 12 percent slopes | | | | | | | | | | |
| Spinks | A | Very low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SrD—Spinks fine sand, 12 to 18 percent slopes | | | | | | | | | | |
| Spinks | A | Very low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SsB—Spinks loamy fine sand, 2 to 6 percent slopes | | | | | | | | | | |
| Spinks | A | Negligible | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SsC—Spinks loamy fine sand, 6 to 12 percent slopes | | | | | | | | | | |
| Spinks | A | Very low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| StB—St. Clair loam, 2 to 6 percent slopes | | | | | | | | | | |
| St. clair | D | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| StC2--St. Clair loam, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| St. clair | D | Very high | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SuB2—St. Clair silty clay loam, 2 to 6 percent slopes, eroded | | | | | | | | | | |
| St. clair | D | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SuC2—St. Clair silty clay loam, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| St. clair | D | Very high | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SuD2—St. Clair silty clay loam, 12 to 18 percent slopes, eroded | | | | | | | | | | |
| St. clair | D | Very high | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SuE2—St. Clair silty clay loam, 18 to 25 percent slopes, eroded | | | | | | | | | | |
| St. clair | D | Very high | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | April | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | May | 1.5-3.0 | 1.7-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| TeA—Tedrow loamy fine sand, 0 to 2 percent slopes | | | | | | | | | | |
| Tedrow | A/D | Negligible | January | 0.5-2.0 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 0.5-2.0 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 0.5-2.0 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 0.5-2.0 | 5.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| TeB—Tedrow loamy fine sand, 2 to 6 percent slopes | | | | | | | | | | |
| Tedrow | A/D | Negligible | January | 0.5-2.0 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 0.5-2.0 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 0.5-2.0 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 0.5-2.0 | 5.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| TfA--Tedrow-Urban land complex, 0 to 2 percent slopes | | | | | | | | | | |
| Tedrow | A/D | Negligible | January | 0.5-2.0 | 5.0-5.0 | — | — | None | — | None |
| | | | February | 0.5-2.0 | 5.0-5.0 | — | — | None | — | None |
| | | | March | 0.5-2.0 | 5.0-5.0 | — | — | None | — | None |
| | | | April | 0.5-2.0 | 5.0-5.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| TpA--Toledo silty clay loam, 0 to 1 percent slopes | | | | | | | | | | |
| Toledo | C/D | Negligible | January | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| TsA—Toussaint silty clay loam, 0 to 1 percent slopes | | | | | | | | | | |
| Toussaint | C/D | Negligible | January | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | 3.3-5.4 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| TuA--Toledo-Urban land complex, 0 to 1 percent slopes | | | | | | | | | | |
| Toledo | C/D | Negligible | January | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| UcA—Udorthents, loamy, 0 to 2 percent slopes | | | | | | | | | | |
| Udorthents | — | — | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| UcE--Udorthents, loamy, 2 to 25 percent slopes | | | | | | | | | | |
| Udorthents | — | — | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|-----------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ur--Urban land | | | | | | | | | | |
| Urban land | — | — | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| W--Water | | | | | | | | | | |
| Water | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|---------------------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WbA--Wabasha silty clay, 0 to 1 percent slopes, frequently flooded | | | | | | | | | | |
| Wabasha | C/D | Negligible | January | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | February | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | March | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | April | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | May | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | Long (7 to 30 days) | Frequent |
| | | | June | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | — |
| | | | December | 0.0-1.0 | 5.0-5.0 | 0.0-1.0 | Brief (2 to 7 days) | Frequent | — | — |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WmA--Wauseon loamy fine sand, 0 to 1 percent slopes | | | | | | | | | | |
| Wauseon | C/D | Negligible | January | 0.0-1.0 | 2.0-3.3 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 2.0-3.3 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 2.0-3.3 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 2.0-3.3 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WnA--Wauseon fine sandy loam, deep to till, 0 to 1 percent slopes | | | | | | | | | | |
| Wauseon, deep to till | A/D | Negligible | January | 0.0-1.0 | 4.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 4.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 4.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 4.0-5.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WyA--Wauseon fine sandy loam, 0 to 1 percent slopes | | | | | | | | | | |
| Wauseon | C/D | Negligible | January | 0.0-1.0 | 2.0-3.3 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 2.0-3.3 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 2.0-3.3 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 2.0-3.3 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |

| Water Features--Wood County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WzA--Wauseon-Urban land complex, 0 to 1 percent slopes | | | | | | | | | | |
| Wauseon | C/D | Negligible | January | 0.0-1.0 | 2.0-3.3 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 2.0-3.3 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 2.0-3.3 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 2.0-3.3 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

Data Source Information

Soil Survey Area: Wood County, Ohio
 Survey Area Data: Version 16, Sep 19, 2014