

## Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

### Report—Selected Soil Interpretations

| Selected Soil Interpretations--Wyandot County, Ohio                  |                  |                                    |       |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name   | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|  |                  | Rating class and limiting features | Value |
| AdC2—Alexandria silt loam, 6 to 12 percent slopes, moderately eroded |                  |                                    |       |
| Alexandria   | 93               | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| BeA—Belmore loam, 0 to 2 percent slopes                              |                  |                                    |       |
| Belmore  | 90               | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| BeB—Belmore loam, 2 to 6 percent slopes                              |                  |                                    |       |
| Belmore  | 85               | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| BgA—Bennington silt loam, 0 to 2 percent slopes                      |                  |                                    |       |
| Bennington   | 80               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| BgB—Bennington silt loam, 2 to 6 percent slopes                      |                  |                                    |       |
| Bennington   | 90               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| BkB—Biglick-Milton complex, 2 to 6 percent slopes                    |                  |                                    |       |
| Biglick  | 55               | E-1                                |       |
|  |                  | E-1                                | 0.40  |
| Milton   | 40               | F-1                                |       |
|  |                  | F-1                                | 0.51  |

| Selected Soil Interpretations--Wyandot County, Ohio            |                  |                                    |       |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name                                       | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|  |                  | Rating class and limiting features | Value |
| Ble1A1—Blount silt loam, end moraine, 0 to 2 percent slopes    |                  |                                    |       |
| Blount, end moraine  | 85               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| Ble1B1—Blount silt loam, end moraine, 2 to 4 percent slopes    |                  |                                    |       |
| Blount, end moraine  | 85               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| Blg1A1—Blount silt loam, ground moraine, 0 to 2 percent slopes |                  |                                    |       |
| Blount, ground moraine   | 85               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| Blg1B1—Blount silt loam, ground moraine, 2 to 4 percent slopes |                  |                                    |       |
| Blount, ground moraine   | 85               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| BpA—Blount-Jenera complex, 0 to 3 percent slopes               |                  |                                    |       |
| Blount   | 55               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| Jenera   | 40               | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| Br—Bono silty clay   |                  |                                    |       |
| Bono   | 85               | C-2                                |       |
|  |                  | C-2                                | 0.12  |
| BtA—Bogart loam, 0 to 2 percent slopes                         |                  |                                    |       |
| Bogart   | 90               | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| BtB—Bogart loam, 2 to 6 percent slopes                         |                  |                                    |       |
| Bogart   | 100              | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| CdB—Cardington silt loam, 2 to 6 percent slopes                |                  |                                    |       |
| Cardington   | 92               | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| CdB2—Cardington silt loam, 2 to 6 percent slopes, eroded       |                  |                                    |       |
| Cardington   | 86               | A-6                                |       |
|  |                  | A-6                                | 0.06  |

| Selected Soil Interpretations--Wyandot County, Ohio        |                  |                                    |       |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name                                   | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|  |                  | Rating class and limiting features | Value |
| CdC2—Cardington silt loam, 6 to 12 percent slopes, eroded  |                  |                                    |       |
| Cardington   | 87               | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| CdD2—Cardington silt loam, 12 to 18 percent slopes, eroded |                  |                                    |       |
| Cardington   | 85               | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| CeB—Centerburg silt loam, 1 to 4 percent slopes            |                  |                                    |       |
| Centerburg   | 85               | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| Ck—Carlisle muck   |                  |                                    |       |
| Carlisle   | 91               | D-1                                |       |
|  |                  | D-1                                | 0.30  |
| Cm—Chagrin silt loam, rarely flooded                       |                  |                                    |       |
| Chagrin  | 90               | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| CnA—Chili loam, 0 to 2 percent slopes                      |                  |                                    |       |
| Chili  | 100              | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| CnB—Chili loam, 2 to 6 percent slopes                      |                  |                                    |       |
| Chili  | 100              | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| CnC2—Chili loam, 6 to 12 percent slopes, moderately eroded |                  |                                    |       |
| Chili  | 100              | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| Co—Colwood silt loam                                       |                  |                                    |       |
| Colwood  | 85               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| DeA—Del Rey silt loam, 0 to 2 percent slopes               |                  |                                    |       |
| Del rey  | 91               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| DeB—Del Rey silt loam, 2 to 6 percent slopes               |                  |                                    |       |
| Del rey  | 91               | C-1                                |       |
|  |                  | C-1                                | 0.11  |

| Selected Soil Interpretations--Wyandot County, Ohio            |                  |                                    |       |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name                                       | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|  |                  | Rating class and limiting features | Value |
| DfA—Del Rey silt loam, 0 to 3 percent slopes                   |                  |                                    |       |
| Del rey  | 85               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| DgA—Digby loam, 0 to 3 percent slopes                          |                  |                                    |       |
| Digby  | 86               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| EtA—Elliott silt loam, 0 to 3 percent slopes                   |                  |                                    |       |
| Elliott  | 88               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| FcA—Fitchville silt loam, 0 to 2 percent slopes                |                  |                                    |       |
| Fitchville   | 86               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| FcB—Fitchville silt loam, 2 to 6 percent slopes                |                  |                                    |       |
| Fitchville   | 86               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| FuA—Fulton silty clay loam, 0 to 2 percent slopes              |                  |                                    |       |
| Fulton   | 80               | C-2                                |       |
|  |                  | C-2                                | 0.12  |
| GaB—Gallman loam, 2 to 6 percent slopes                        |                  |                                    |       |
| Gallman  | 90               | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| Ge—Genesee silt loam, occasionally flooded                     |                  |                                    |       |
| Genesee  | 75               | A-5                                |       |
|  |                  | A-5                                | 0.05  |
| GfB—Glenford silt loam, 2 to 6 percent slopes                  |                  |                                    |       |
| Glenford   | 85               | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| GmA—Glynwood loam, limestone substratum, 0 to 2 percent slopes |                  |                                    |       |
| Glynwood, limestone substratum                                 | 100              | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| Gwd5C2—Glynwood clay loam, 6 to 12 percent slopes, eroded      |                  |                                    |       |
| Glynwood   | 85               | A-6                                |       |
|  |                  | A-6                                | 0.06  |

| Selected Soil Interpretations--Wyandot County, Ohio                       |                  |                                    |       |
|---|------------------|------------------------------------|-------|
| Map symbol and soil name  | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|   |                  | Rating class and limiting features | Value |
| Gwe1B1—Glynwood silt loam, end moraine, 2 to 6 percent slopes             |                  |                                    |       |
| Glynwood, end moraine   | 85               | F-5                                |       |
|   |                  | F-5                                | 0.55  |
| Gwe1B2—Glynwood silt loam, end moraine, 2 to 6 percent slopes, eroded     |                  |                                    |       |
| Glynwood, end moraine   | 85               | F-5                                |       |
|   |                  | F-5                                | 0.55  |
| Gwg1B1—Glynwood silt loam, ground moraine, 2 to 6 percent slopes          |                  |                                    |       |
| Glynwood, ground moraine  | 85               | F-5                                |       |
|   |                  | F-5                                | 0.55  |
| Gwg1B2—Glynwood silt loam, ground moraine, 2 to 6 percent slopes, eroded  |                  |                                    |       |
| Glynwood, ground moraine  | 85               | F-5                                |       |
|   |                  | F-5                                | 0.55  |
| Gwg5B2—Glynwood clay loam, ground moraine, 2 to 6 percent slopes, eroded  |                  |                                    |       |
| Glynwood, ground moraine  | 85               | F-5                                |       |
|   |                  | F-5                                | 0.55  |
| Gwg5C2—Glynwood clay loam, ground moraine, 6 to 12 percent slopes, eroded |                  |                                    |       |
| Glynwood  | 85               | A-6                                |       |
|   |                  | A-6                                | 0.06  |
| HaA—Haney loam, 0 to 2 percent slopes                                     |                  |                                    |       |
| Haney   | 88               | A-6                                |       |
|   |                  | A-6                                | 0.06  |
| HaB—Haney loam, 2 to 6 percent slopes                                     |                  |                                    |       |
| Haney   | 92               | A-6                                |       |
|   |                  | A-6                                | 0.06  |
| HaC2—Haney loam, 6 to 12 percent slopes, eroded                           |                  |                                    |       |
| Haney   | 90               | A-6                                |       |
|   |                  | A-6                                | 0.06  |
| HkA—Haskins loam, 0 to 2 percent slopes                                   |                  |                                    |       |
| Haskins   | 73               | C-1                                |       |
|   |                  | C-1                                | 0.11  |

| Selected Soil Interpretations--Wyandot County, Ohio                |                  |                                    |       |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name   | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|  |                  | Rating class and limiting features | Value |
| HkB—Haskins loam, 2 to 6 percent slopes                            |                  |                                    |       |
| Haskins  | 76               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| HpE—Hennepin-Alexandria silt loams, 18 to 50 percent slopes        |                  |                                    |       |
| Alexandria   | 50               | A-3                                |       |
|  |                  | A-3                                | 0.03  |
| Hennepin   | 50               | A-3                                |       |
|  |                  | A-3                                | 0.03  |
| HrB—Houcktown loam, 2 to 6 percent slopes                          |                  |                                    |       |
| Houcktown  | 90               | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| JtA—Jimtown loam, 0 to 2 percent slopes                            |                  |                                    |       |
| Jimtown  | 94               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| KbA—Kibbie fine sandy loam, till substratum, 0 to 2 percent slopes |                  |                                    |       |
| Kibbie   | 86               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| KbB—Kibbie fine sandy loam, till substratum, 2 to 6 percent slopes |                  |                                    |       |
| Kibbie   | 85               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| KcA—Kibbie-Blount complex, 0 to 2 percent slopes                   |                  |                                    |       |
| Kibbie   | 40               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| Blount   | 35               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| KcB—Kibbie-Blount complex, 2 to 6 percent slopes                   |                  |                                    |       |
| Kibbie   | 40               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| Blount   | 35               | C-1                                |       |
|  |                  | C-1                                | 0.11  |

| Selected Soil Interpretations--Wyandot County, Ohio  |                  |                                    |       |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name                             | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|  |                  | Rating class and limiting features | Value |
| KdB—Kibbie-Bennington complex, 2 to 6 percent slopes |                  |                                    |       |
| Kibbie   | 50               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| Bennington   | 40               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| KeB—Kendallville loam, 2 to 6 percent slopes         |                  |                                    |       |
| Kendallville   | 85               | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| Lb—Latty silty clay loam                             |                  |                                    |       |
| Latty  | 86               | C-2                                |       |
|  |                  | C-2                                | 0.12  |
| Lc—Latty silty clay                                  |                  |                                    |       |
| Latty  | 85               | C-2                                |       |
|  |                  | C-2                                | 0.12  |
| Le—Lenawee silty clay loam                           |                  |                                    |       |
| Lenawee  | 95               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| Lk—Lindside silt loam, occasionally flooded          |                  |                                    |       |
| Lindside   | 76               | A-5                                |       |
|  |                  | A-5                                | 0.05  |
| Lm—Linwood muck                                      |                  |                                    |       |
| Linwood  | 90               | D-1                                |       |
|  |                  | D-1                                | 0.30  |
| Lu—Luray silty clay loam                             |                  |                                    |       |
| Luray  | 91               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| LyA—Lykens silt loam, 0 to 2 percent slopes          |                  |                                    |       |
| Lykens   | 85               | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| LyB—Lykens silt loam, 2 to 6 percent slopes          |                  |                                    |       |
| Lykens   | 81               | A-6                                |       |
|  |                  | A-6                                | 0.06  |

| Selected Soil Interpretations--Wyandot County, Ohio     |                  |                                    |       |
|---|------------------|------------------------------------|-------|
| Map symbol and soil name                                | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|   |                  | Rating class and limiting features | Value |
| LzB—Lykens-Milton silt loams, 2 to 6 percent slopes     |                  |                                    |       |
| Lykens  | 50               | A-6                                |       |
|   |                  | A-6                                | 0.06  |
| Milton  | 30               | F-1                                |       |
|   |                  | F-1                                | 0.51  |
| MaB—Martinsville fine sandy loam, 2 to 6 percent slopes |                  |                                    |       |
| Martinsville  | 81               | A-1                                |       |
|   |                  | A-1                                | 0.01  |
| Mb—Marengo silty clay loam                              |                  |                                    |       |
| Marengo   | 100              | C-1                                |       |
|   |                  | C-1                                | 0.11  |
| Md—Medway silt loam, rarely flooded                     |                  |                                    |       |
| Medway  | 80               | A-6                                |       |
|   |                  | A-6                                | 0.06  |
| Mf—Mermill loam   |                  |                                    |       |
| Mermill   | 85               | C-1                                |       |
|   |                  | C-1                                | 0.11  |
| Mg—Mermill silty clay loam                              |                  |                                    |       |
| Mermill   | 85               | C-1                                |       |
|   |                  | C-1                                | 0.11  |
| Mh—Milford silty clay loam                              |                  |                                    |       |
| Milford   | 85               | C-1                                |       |
|   |                  | C-1                                | 0.11  |
| Mj—Millgrove loam                                       |                  |                                    |       |
| Millgrove   | 95               | C-1                                |       |
|   |                  | C-1                                | 0.11  |
| Mk—Millgrove silt loam                                  |                  |                                    |       |
| Millgrove   | 85               | C-1                                |       |
|   |                  | C-1                                | 0.11  |
| Mm—Millsdale silty clay loam                            |                  |                                    |       |
| Millsdale   | 90               | C-1                                |       |
|   |                  | C-1                                | 0.11  |
| MnA—Millsdale silty clay loam, 0 to 1 percent slopes    |                  |                                    |       |
| Millsdale   | 90               | C-2                                |       |
|   |                  | C-2                                | 0.12  |

| Selected Soil Interpretations--Wyandot County, Ohio                    |                  |                                    |       |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name   | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|  |                  | Rating class and limiting features | Value |
| MoA—Milton silt loam, 0 to 2 percent slopes                            |                  |                                    |       |
| Milton   | 91               | F-1                                |       |
|  |                  | F-1                                | 0.51  |
| MoB—Milton silt loam, 2 to 6 percent slopes                            |                  |                                    |       |
| Milton   | 82               | F-1                                |       |
|  |                  | F-1                                | 0.51  |
| MpA—Morley loam, limestone substratum, 0 to 2 percent slopes           |                  |                                    |       |
| Morley, limestone substratum   | 95               | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| MrD2—Morley silt loam, 12 to 18 percent slopes, eroded                 |                  |                                    |       |
| Morley   | 76               | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| MrF2—Morley silt loam, 18 to 50 percent slopes, eroded                 |                  |                                    |       |
| Morley   | 85               | A-3                                |       |
|  |                  | A-3                                | 0.03  |
| MsB—Morley-Milton silt loams, 2 to 6 percent slopes                    |                  |                                    |       |
| Morley   | 60               | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| Milton   | 30               | F-1                                |       |
|  |                  | F-1                                | 0.51  |
| MtB—Morley, limestone substratum-Milton complex, 2 to 6 percent slopes |                  |                                    |       |
| Morley, limestone substratum   | 60               | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| Milton   | 30               | F-1                                |       |
|  |                  | F-1                                | 0.51  |
| NpB—Nappanee silt loam, 2 to 6 percent slopes                          |                  |                                    |       |
| Nappanee   | 91               | C-2                                |       |
|  |                  | C-2                                | 0.12  |
| NtA—Nappanee silty clay loam, 0 to 2 percent slopes                    |                  |                                    |       |
| Nappanee   | 91               | C-2                                |       |
|  |                  | C-2                                | 0.12  |

| Selected Soil Interpretations--Wyandot County, Ohio           |                  |                                    |       |
|---|------------------|------------------------------------|-------|
| Map symbol and soil name                                      | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|   |                  | Rating class and limiting features | Value |
| NtB2—Nappanee silty clay loam, 2 to 6 percent slopes, eroded  |                  |                                    |       |
| Nappanee  | 86               | C-2                                |       |
|   |                  | C-2                                | 0.12  |
| NtC2—Nappanee silty clay loam, 6 to 12 percent slopes, eroded |                  |                                    |       |
| Nappanee  | 80               | C-2                                |       |
|   |                  | C-2                                | 0.12  |
| Nw—Newark silt loam, occasionally flooded                     |                  |                                    |       |
| Newark  | 85               | C-3                                |       |
|   |                  | C-3                                | 0.13  |
| OcB—Ockley loam, 2 to 6 percent slopes                        |                  |                                    |       |
| Ockley  | 90               | A-1                                |       |
|   |                  | A-1                                | 0.01  |
| On—Olentangy mucky silt loam                                  |                  |                                    |       |
| Olentangy   | 91               | C-1                                |       |
|   |                  | C-1                                | 0.11  |
| OrB—Oshtemo sandy loam, 2 to 6 percent slopes                 |                  |                                    |       |
| Oshtemo   | 85               | B-1                                |       |
|   |                  | B-1                                | 0.07  |
| OsB—Oshtemo fine sandy loam, 1 to 6 percent slopes            |                  |                                    |       |
| Oshtemo   | 83               | A-1                                |       |
|   |                  | A-1                                | 0.01  |
| OsC2—Oshtemo fine sandy loam, 6 to 18 percent slopes, eroded  |                  |                                    |       |
| Oshtemo   | 82               | A-1                                |       |
|   |                  | A-1                                | 0.01  |
| OsE—Oshtemo fine sandy loam, 18 to 35 percent slopes          |                  |                                    |       |
| Oshtemo   | 81               | A-3                                |       |
|   |                  | A-3                                | 0.03  |
| Pa—Pandora silty clay loam                                    |                  |                                    |       |
| Pandora   | 90               | C-1                                |       |
|   |                  | C-1                                | 0.11  |
| Pd—Paulding clay  |                  |                                    |       |
| Paulding  | 91               | F-7                                |       |
|   |                  | F-7                                | 0.57  |

| Selected Soil Interpretations--Wyandot County, Ohio     |                  |                                    |       |
|---|------------------|------------------------------------|-------|
| Map symbol and soil name                                | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|   |                  | Rating class and limiting features | Value |
| PkA—Pewamo silty clay loam, 0 to 1 percent slopes       |                  |                                    |       |
| Pewamo  | 94               | C-1                                |       |
|   |                  | C-1                                | 0.11  |
| Pm—Pewamo silty clay loam                               |                  |                                    |       |
| Pewamo  | 86               | C-1                                |       |
|   |                  | C-1                                | 0.11  |
| Ps—Pits, gravel   |                  |                                    |       |
| Pits, gravel  | 100              | Not rated                          |       |
| Pu—Pits, quarry   |                  |                                    |       |
| Pits, quarry  | 100              | Not rated                          |       |
| RaA—Randolph silt loam, 0 to 3 percent slopes           |                  |                                    |       |
| Randolph  | 91               | C-1                                |       |
|   |                  | C-1                                | 0.11  |
| RbA—Randolph silt loam, 0 to 2 percent slopes           |                  |                                    |       |
| Randolph  | 85               | C-1                                |       |
|   |                  | C-1                                | 0.11  |
| RhB—Ritchey silt loam, 1 to 6 percent slopes            |                  |                                    |       |
| Ritchey   | 81               | E-1                                |       |
|   |                  | E-1                                | 0.40  |
| RhC—Ritchey silt loam, 6 to 12 percent slopes           |                  |                                    |       |
| Ritchey   | 81               | E-1                                |       |
|   |                  | E-1                                | 0.40  |
| SeB—Shinrock silt loam, 2 to 6 percent slopes           |                  |                                    |       |
| Shinrock  | 90               | A-6                                |       |
|   |                  | A-6                                | 0.06  |
| SeB2—Shinrock silt loam, 2 to 6 percent slopes, eroded  |                  |                                    |       |
| Shinrock  | 81               | A-6                                |       |
|   |                  | A-6                                | 0.06  |
| SeC2—Shinrock silt loam, 6 to 12 percent slopes, eroded |                  |                                    |       |
| Shinrock  | 81               | A-6                                |       |
|   |                  | A-6                                | 0.06  |

| Selected Soil Interpretations--Wyandot County, Ohio                    |                  |                                    |       |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name   | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|  |                  | Rating class and limiting features | Value |
| SfC2—Shinrock-Martinsville complex, 6 to 12 percent slopes, eroded     |                  |                                    |       |
| Martinsville   | 30               | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| Shinrock   | 30               | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| SfD2—Shinrock-Martinsville complex, 12 to 18 percent slopes, eroded    |                  |                                    |       |
| Martinsville   | 30               | A-1                                |       |
|  |                  | A-1                                | 0.01  |
| Shinrock   | 30               | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| Sg—Shoals silt loam, rarely flooded                                    |                  |                                    |       |
| Shoals   | 76               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| Sh—Shoals silt loam, 0 to 2 percent slopes, occasionally flooded       |                  |                                    |       |
| Shoals   | 85               | C-3                                |       |
|  |                  | C-3                                | 0.13  |
| Sk—Shoals silt loam, 0 to 2 percent slopes, frequently flooded         |                  |                                    |       |
| Shoals   | 85               | C-3                                |       |
|  |                  | C-3                                | 0.13  |
| So—Sloan silt loam, occasionally flooded                               |                  |                                    |       |
| Sloan  | 79               | C-3                                |       |
|  |                  | C-3                                | 0.13  |
| SpA—Sloan silty clay loam, 0 to 1 percent slopes, occasionally flooded |                  |                                    |       |
| Sloan  | 90               | C-3                                |       |
|  |                  | C-3                                | 0.13  |
| TrA—Tiro silt loam, 0 to 2 percent slopes                              |                  |                                    |       |
| Tiro   | 87               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| TrB—Tiro silt loam, 2 to 6 percent slopes                              |                  |                                    |       |
| Tiro   | 87               | C-1                                |       |
|  |                  | C-1                                | 0.11  |

| Selected Soil Interpretations--Wyandot County, Ohio    |                  |                                    |       |
|--|------------------|------------------------------------|-------|
| Map symbol and soil name                               | Pct. of map unit | Grl - pasture and hayland sg (oh)  |       |
|  |                  | Rating class and limiting features | Value |
| TuB—Tuscola fine sandy loam, 2 to 6 percent slopes     |                  |                                    |       |
| Tuscola  | 85               | A-6                                |       |
|  |                  | A-6                                | 0.06  |
| Ud—Udorthents, loamy                                   |                  |                                    |       |
| Udorthents, loamy                                      | 80               | Not rated                          |       |
| Ur—Urban land-Udorthents complex                       |                  |                                    |       |
| Udorthents   | 50               | Not rated                          |       |
| Urban land   | 50               | Not rated                          |       |
| W—Water  |                  |                                    |       |
| Water  | 100              | Not rated                          |       |
| We—Westland clay loam                                  |                  |                                    |       |
| Westland   | 90               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| WfA—Westland-Rensselaer complex, 0 to 1 percent slopes |                  |                                    |       |
| Westland   | 50               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| Rensselaer   | 40               | C-1                                |       |
|  |                  | C-1                                | 0.11  |
| WmB—Wilmer Variant silt loam, 2 to 6 percent slopes    |                  |                                    |       |
| Wilmer variant   | 97               | A-6                                |       |
|  |                  | A-6                                | 0.06  |

### Data Source Information

Soil Survey Area: Wyandot County, Ohio  
 Survey Area Data: Version 14, Sep 19, 2014