

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Ashtabula County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Be—Beaches			
Beaches	90	Not rated	
BkA—Blakeslee silt loam, 0 to 2 percent slopes			
Blakeslee	92	A-1	
		A-1	0.01
BkB—Blakeslee silt loam, 2 to 6 percent slopes			
Blakeslee	93	B-1	
		B-1	0.07
BkC—Blakeslee silt loam, 6 to 12 percent slopes			
Blakeslee	90	B-1	
		B-1	0.07
CaB—Cambridge silt loam, 2 to 6 percent slopes			
Cambridge	90	F-3	
		F-3	0.53
CaC—Cambridge silt loam, 6 to 12 percent slopes			
Cambridge	85	F-3	
		F-3	0.53
CaD—Cambridge silt loam, 12 to 18 percent slopes			
Cambridge	92	F-3	
		F-3	0.53
CcA—Canadice silt loam, 0 to 2 percent slopes			
Canadice	80	C-2	
		C-2	0.12

Selected Soil Interpretations--Ashtabula County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CdA—Caneadea silt loam, 0 to 2 percent slopes			
Caneadea	85	C-2	
		C-2	0.12
CdB—Caneadea silt loam, 2 to 6 percent slopes			
Caneadea	90	C-2	
		C-2	0.12
CeA—Caneadea-Canadice silt loams, 0 to 2 percent slopes			
Caneadea	55	C-2	
		C-2	0.12
Canadice	40	C-2	
		C-2	0.12
CfC2—Cardinal silt loam, 6 to 12 percent slopes, eroded			
Cardinal	90	A-6	
		A-6	0.06
CfD2—Cardinal silt loam, 12 to 18 percent slopes, eroded			
Cardinal	90	A-6	
		A-6	0.06
CfF—Cardinal silt loam, 18 to 50 percent slopes			
Cardinal	88	A-3	
		A-3	0.03
CgA—Carlisle muck, 0 to 1 percent slopes			
Carlisle	90	D-1	
		D-1	0.30
CkA—Chenango gravelly loam, 0 to 2 percent slopes			
Chenango	93	B-1	
		B-1	0.07
CkB—Chenango gravelly loam, 2 to 6 percent slopes			
Chenango	90	B-1	
		B-1	0.07
CkC—Chenango gravelly loam, 6 to 12 percent slopes			
Chenango	85	B-1	
		B-1	0.07

Selected Soil Interpretations--Ashtabula County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
CkD—Chenango gravelly loam, 12 to 18 percent slopes			
Chenango	88	B-1	
		B-1	0.07
CoB—Colonie loamy fine sand, 2 to 6 percent slopes			
Colonie	86	B-1	
		B-1	0.07
CoD—Colonie loamy fine sand, 12 to 18 percent slopes			
Colonie	95	B-1	
		B-1	0.07
CpB—Colonie-Urban land complex, 2 to 6 percent slopes			
Colonie	60	Not assigned	
Urban land	30	Not rated	
CtA—Conneaut silt loam, 0 to 2 percent slopes			
Conneaut	90	C-1	
		C-1	0.11
CuA—Conneaut-Urban land complex, 0 to 2 percent slopes			
Conneaut	59	Not assigned	
Urban land	35	Not rated	
DAM—Dam			
Dam	100	Not rated	
DeC—Darien and Platea silt loams, 6 to 12 percent slopes			
Darien	75	C-1	
		C-1	0.11
Platea	20	C-2	
		C-2	0.12
DeC2—Darien and Platea silt loams, 6 to 12 percent slopes, eroded			
Darien	75	C-1	
		C-1	0.11
Platea	20	C-2	
		C-2	0.12

Selected Soil Interpretations--Ashtabula County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
DhB—Darlen-Hornell silt loams, 2 to 6 percent slopes			
Darlen	48	C-1	
		C-1	0.11
Hornell	42	C-2	
		C-2	0.12
EnB—Elnora loamy fine sand, 1 to 5 percent slopes			
Elnora	91	B-1	
		B-1	0.07
FcA—Fitchville silt loam, 0 to 2 percent slopes			
Fitchville	92	C-1	
		C-1	0.11
FcB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	95	C-1	
		C-1	0.11
GaF—Gageville silt loam, 18 to 50 percent slopes			
Gageville	95	A-3	
		A-3	0.03
GfA—Glenford silt loam, 0 to 2 percent slopes			
Glenford	90	A-6	
		A-6	0.06
GfB—Glenford silt loam, 2 to 6 percent slopes			
Glenford	90	A-6	
		A-6	0.06
GfC—Glenford silt loam, 6 to 12 percent slopes			
Glenford	95	A-6	
		A-6	0.06
GfD—Glenford silt loam, 12 to 18 percent slopes			
Glenford	100	A-6	
		A-6	0.06
HaA—Harbor fine sandy loam, 0 to 3 percent slopes			
Harbor	87	A-1	
		A-1	0.01

Selected Soil Interpretations--Ashtabula County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HaC—Harbor fine sandy loam, 6 to 12 percent slopes			
Harbor	75	A-1	
		A-1	0.01
HbB—Harbor-Urban land complex, 0 to 6 percent slopes			
Harbor	61	Not assigned	
Urban land	30	Not rated	
HmA—Holly silt loam, 0 to 2 percent slopes, frequently flooded			
Holly	85	C-3	
		C-3	0.13
HoA—Hornell silt loam, 0 to 2 percent slopes			
Hornell	95	C-2	
		C-2	0.12
HoB—Hornell silt loam, 2 to 6 percent slopes			
Hornell	90	C-2	
		C-2	0.12
KfA—Kingsville loamy fine sand, 0 to 2 percent slopes			
Kingsville	85	C-1	
		C-1	0.11
La—Landfills			
Landfills	95	Not rated	
MhA—Mill silt loam, 0 to 2 percent slopes			
Mill	86	C-1	
		C-1	0.11
MtA—Mitiwanga silt loam, 0 to 2 percent slopes			
Mitiwanga	84	C-1	
		C-1	0.11
MtB—Mitiwanga silt loam, 2 to 6 percent slopes			
Mitiwanga	80	C-1	
		C-1	0.11
OrA—Orrville silt loam, 0 to 2 percent slopes, frequently flooded			
Orrville	85	C-3	
		C-3	0.13

Selected Soil Interpretations--Ashtabula County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
OtA—Otego silt loam, 0 to 2 percent slopes, frequently flooded			
Otego	95	A-5	
		A-5	0.05
OuC—Otisville gravelly sandy loam, 6 to 12 percent slopes			
Otisville	95	B-1	
		B-1	0.07
PaA—Painesville fine sandy loam, 0 to 2 percent slopes			
Painesville	82	C-1	
		C-1	0.11
PbA—Painesville-Urban land complex, 0 to 2 percent slopes			
Painesville	47	Not assigned	
Urban land	40	Not rated	
PeC2—Pierpont silt loam, 6 to 12 percent slopes, eroded			
Pierpont	75	F-3	
		F-3	0.53
PeD—Pierpont silt loam, 12 to 18 percent slopes			
Pierpont	75	F-3	
		F-3	0.53
Pg—Pits, gravel			
Pits, gravel	100	Not assigned	
Pk—Pits, quarry			
Pits, quarries	100	Not rated	
PrA—Platea-Darien silt loams, 0 to 2 percent slopes			
Platea	50	C-2	
		C-2	0.12
Darien	39	C-1	
		C-1	0.11
PrB—Platea-Darien silt loams, 2 to 6 percent slopes			
Platea	50	C-2	
		C-2	0.12
Darien	39	C-1	
		C-1	0.11

Selected Soil Interpretations--Ashtabula County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
PrB2—Platea-Darien silt loams, 2 to 6 percent slopes, eroded			
Platea	50	C-2	
		C-2	0.12
Darien	35	C-1	
		C-1	0.11
PtB—Platea-Urban land complex, 2 to 6 percent slopes			
Platea	60	Not assigned	
Urban land	30	Not rated	
PtC—Platea-Urban land complex, 6 to 12 percent slopes			
Platea	60	Not assigned	
Urban land	30	Not rated	
RhA—Red Hook silt loam, 0 to 2 percent slopes			
Red hook	85	C-1	
		C-1	0.11
RhB—Red Hook silt loam, 2 to 6 percent slopes			
Red hook	85	C-1	
		C-1	0.11
Rw—Riverwash			
Riverwash	90	Not rated	
SbA—Sebring silt loam, 0 to 2 percent slopes			
Sebring	78	C-1	
		C-1	0.11
StA—Stanhope silt loam, 0 to 2 percent slopes, frequently flooded			
Stanhope	98	C-3	
		C-3	0.13
ToC—Towerville silt loam, 6 to 12 percent slopes			
Towerville	90	F-1	
		F-1	0.51
ToD—Towerville silt loam, 12 to 18 percent slopes			
Towerville	100	F-1	
		F-1	0.51

Selected Soil Interpretations--Ashtabula County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
TyB—Tyner-Otisville complex, 2 to 6 percent slopes			
Tyner	46	B-1	
		B-1	0.07
Otisville	31	B-1	
		B-1	0.07
Ud—Udorthents			
Udorthents	90	Not rated	
Un—Urban land			
Urban land	90	Not rated	
UrB—Urban land-Elnora complex, 1 to 5 percent slopes			
Urban land	70	Not rated	
Elnora	27	Not assigned	
UtB—Urban land-Tyner-Otisville complex, 2 to 6 percent slopes			
Urban land	45	Not rated	
Tyner	25	Not assigned	
Otisville	17	Not assigned	
VeA—Venango silt loam, 0 to 2 percent slopes			
Venango	85	C-1	
		C-1	0.11
VeB—Venango silt loam, 2 to 6 percent slopes			
Venango	90	C-1	
		C-1	0.11
W—Water			
Water	100	Not rated	
WcA—Wick silt loam, 0 to 2 percent slopes, frequently flooded			
Wick	89	C-3	
		C-3	0.13
WeA—Willette muck, 0 to 1 percent slopes			
Willette	85	D-1	
		D-1	0.30

Data Source Information

Soil Survey Area: Ashtabula County, Ohio
Survey Area Data: Version 13, Sep 18, 2014