

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Brown County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ag—Algiers silt loam, frequently flooded			
Algiers	85	C-3	
		C-3	0.13
Ah—Algiers silt loam			
Algiers	95	C-3	
		C-3	0.13
AsB—Atlas silt loam, 2 to 6 percent slopes			
Atlas	95	C-2	
		C-2	0.12
AsB2—Atlas silt loam, 2 to 6 percent slopes, moderately eroded			
Atlas	100	C-2	
		C-2	0.12
AsC2—Atlas silt loam, 6 to 12 percent slopes, moderately eroded			
Atlas	100	C-2	
		C-2	0.12
AtC2—Atlas silty clay loam, 6 to 12 percent slopes, eroded			
Atlas	85	C-2	
		C-2	0.12
Bln3A—Blanchester silty clay loam, 0 to 1 percent slopes			
Blanchester	90	C-2	
		C-2	0.12

Selected Soil Interpretations--Brown County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
BoD2--Bonnell silt loam, 15 to 25 percent slopes, eroded			
Bonnell	85	F-5	
		F-5	0.55
		A-2	0.02
BoE--Bonnell silt loam, 25 to 40 percent slopes			
Bonnell	85	F-6	
		F-6	0.56
		A-3	0.03
BoF--Bonnell silt loam, 40 to 60 percent slopes			
Bonnell	85	H-1	
		H-1	0.71
BrD3--Bonnell silty clay loam, 15 to 25 percent slopes, severely eroded			
Bonnell	85	F-5	
		F-5	0.55
		A-2	0.02
ChF--Chili loam, 35 to 70 percent slopes			
Chili	90	H-1	
		H-1	0.71
Cle1A--Clermont silt loam, 0 to 1 percent slopes			
Clermont	90	C-1	
		C-1	0.11
CnC2--Cincinnati silt loam, 6 to 12 percent slopes, eroded			
Cincinnati	90	F-3	
		F-3	0.53
EaE--Eden flaggy silt loam, 25 to 40 percent slopes			
Eden	85	F-2	
		F-2	0.52
EaF--Eden flaggy silt loam, 40 to 70 percent slopes			
Eden	90	H-1	
		H-1	0.71
EbE2--Eden flaggy silty clay loam, 25 to 40 percent slopes, eroded			
Eden	85	F-2	
		F-2	0.52

Selected Soil Interpretations--Brown County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EbF2—Eden flaggy silty clay loam, 40 to 70 percent slopes, eroded			
Eden	85	H-1	
		H-1	0.71
EdG2—Edenton loam, 25 to 50 percent slopes, moderately eroded			
Edenton	90	A-3	
		A-3	0.03
EkB—Elkinsville silt loam, 2 to 6 percent slopes			
Elkinsville	85	A-6	
		A-6	0.06
EkC2—Elkinsville silt loam, 6 to 12 percent slopes, eroded			
Elkinsville	80	A-6	
		A-6	0.06
FbD2—Faywood silty clay loam, 15 to 25 percent slopes, eroded			
Faywood	85	F-1	
		F-1	0.51
FdD2—Faywood silt loam, 15 to 25 percent slopes, eroded			
Faywood	85	F-1	
		F-1	0.51
FeC2—Faywood-Lowell silt loams, 8 to 15 percent slopes, eroded			
Faywood	50	F-1	
		F-1	0.51
Lowell	35	F-5	
		F-5	0.55
FhB—Fitchville silt loam, 2 to 6 percent slopes			
Fitchville	95	C-1	
		C-1	0.11
Ge—Genesee silt loam, occasionally flooded			
Genesee	90	A-5	
		A-5	0.05
Gn—Gessie loam, frequently flooded			
Gessie	90	A-5	
		A-5	0.05

Selected Soil Interpretations--Brown County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
HyC3—Hickory clay loam, 6 to 12 percent slopes, severely eroded			
Hickory	100	A-6	
		A-6	0.06
JeC2—Jessup silt loam, 8 to 15 percent slopes, eroded			
Jessup	85	A-1	
		A-1	0.01
JeD2—Jessup silt loam, 15 to 25 percent slopes, eroded			
Jessup	85	A-2	
		A-2	0.02
JoR1A1—Jonesboro-Rossmoyne silt loams, 0 to 2 percent slopes			
Jonesboro	50	A-6	
		A-6	0.06
Rossmoyne	35	F-3	
		F-3	0.53
JoR1B1—Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes			
Jonesboro	50	A-6	
		A-6	0.06
Rossmoyne	45	F-3	
		F-3	0.53
JoR1B2—Jonesboro-Rossmoyne silt loams, 2 to 6 percent slopes, eroded			
Jonesboro, eroded	52	A-6	
		A-6	0.06
Rossmoyne, eroded	42	F-3	
		F-3	0.53
JrC2—Jonesboro-Rossmoyne silt loams, 6 to 12 percent slopes, eroded			
Jonesboro	65	A-6	
		A-6	0.06
Rossmoyne	20	F-3	
		F-3	0.53
Ju—Jules silt loam, frequently flooded			
Jules	95	A-5	
		A-5	0.05

Selected Soil Interpretations--Brown County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
LnB—Loudon silt loam, 2 to 6 percent slopes			
Loudon	100	F-5	
		F-5	0.55
LnC2—Loudon silt loam, 6 to 12 percent slopes, eroded			
Loudon	90	A-6	
		A-6	0.06
LoB2—Loudon silt loam, 3 to 8 percent slopes, eroded			
Loudon	85	A-6	
		A-6	0.06
LwB2—Lowell silt loam, 3 to 8 percent slopes, eroded			
Lowell	85	F-5	
		F-5	0.55
MvD2—Morrisville silty clay loam, 12 to 18 percent slopes, eroded			
Morrisville	80	B-1	
		B-1	0.07
No—Nolin silt loam, occasionally flooded			
Nolin	90	A-5	
		A-5	0.05
PaC2—Pate silty clay, 8 to 15 percent slopes, eroded			
Pate	85	F-5	
		F-5	0.55
PaD2—Pate silty clay, 15 to 25 percent slopes, eroded			
Pate	85	F-5	
		F-5	0.55
PaE2—Pate silty clay, 25 to 35 percent slopes, eroded			
Pate	85	F-6	
		F-6	0.56
RpC2—Rossmoyne silt loam, 6 to 12 percent slopes, eroded			
Rossmoyne	85	F-3	
		F-3	0.53

Selected Soil Interpretations--Brown County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
RrC3—Rossmoyne silty clay loam, 6 to 12 percent slopes, severely eroded			
Rossmoyne	100	F-3	
		F-3	0.53
RwC3—Rossmoyne-Bonnell complex, 6 to 12 percent slopes, severely eroded			
Rossmoyne	50	F-3	
		F-3	0.53
Bonnell	35	F-5	
		F-5	0.55
SaB—Sardinia silt loam, 1 to 6 percent slopes			
Sardinia	85	A-6	
		A-6	0.06
SbB—Sardinia silt loam, 2 to 6 percent slopes			
Sardinia	95	A-6	
		A-6	0.06
ScA—Sciotoville silt loam, 0 to 2 percent slopes			
Sciotoville	85	F-3	
		F-3	0.53
SgA—Shoals silt loam, 0 to 1 percent slopes, occasionally flooded			
Shoals	90	C-3	
		C-3	0.13
Sh—Shoals silt loam, frequently flooded			
Shoals	85	C-3	
		C-3	0.13
SoA—Sloan silt loam, sandy substratum, 0 to 1 percent slopes, occasionally flooded			
Sloan	90	C-3	
		C-3	0.13
W—Water			
Water	100	Not rated	
WsS1A1—Westboro-Schaffer silt loams, 0 to 2 percent slopes			
Westboro	55	C-1	
		C-1	0.11
Schaffer	30	C-1	
		C-1	0.11

Selected Soil Interpretations--Brown County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
WsS1B1--Westboro-Schaffer silt loams, 2 to 4 percent slopes			
Westboro	55	C-1	
		C-1	0.11
Schaffer	30	C-1	
		C-1	0.11
WvB--Williamsburg silt loam, 2 to 6 percent slopes			
Williamsburg	90	A-1	
		A-1	0.01

Data Source Information

Soil Survey Area: Brown County, Ohio
 Survey Area Data: Version 14, Sep 15, 2014