

Selected Soil Interpretations

This report allows the customer to produce a report showing the results of the soil interpretation(s) of his or her choice. It is useful when a standard report that displays the results of the selected interpretation(s) is not available.

When customers select this report, they are presented with a list of interpretations with results for the selected map units. The customer may select up to three interpretations to be presented in table format.

For a description of the particular interpretations and their criteria, use the "Selected Survey Area Interpretation Descriptions" report.

Report—Selected Soil Interpretations

Selected Soil Interpretations—Clark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Ad—Adrian muck, drained			
Adrian	90	D-1	
		D-1	0.30
Ae—Adrian muck, undrained			
Adrian	90	D-1	
		D-1	0.30
Ca—Carlisle muck, drained			
Carlisle	90	D-1	
		D-1	0.30
Cb—Carlisle muck, undrained			
Carlisle	90	D-1	
		D-1	0.30
CcD2—Casco gravelly loam, 12 to 20 percent slopes, eroded			
Casco	80	B-1	
		B-1	0.07
CeA—Celina silt loam, 0 to 2 percent slopes			
Celina	85	A-6	
		A-6	0.06
CeB—Celina silt loam, 2 to 6 percent slopes			
Celina	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Clark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ChA—Celina-Strawn complex, 0 to 2 percent slopes			
Celina	50	A-6	
		A-6	0.06
Strawn	35	A-1	
		A-1	0.01
ChB—Celina-Strawn complex, 2 to 6 percent slopes			
Celina	50	A-6	
		A-6	0.06
Strawn	35	A-1	
		A-1	0.01
CrA—Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes			
Crosby	90	C-2	
		C-2	0.12
CrB—Crosby silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes			
Crosby	90	C-2	
		C-2	0.12
CsA—Crosby-Lewisburg silt loams, 0 to 2 percent slopes			
Crosby	55	C-1	
		C-1	0.11
Lewisburg	35	A-1	
		A-1	0.01
CsB—Crosby-Lewisburg silt loams, 2 to 6 percent slopes			
Crosby	55	C-1	
		C-1	0.11
Lewisburg	35	A-1	
		A-1	0.01
DAM—Dam			
Dam	100	Not rated	
DoE—Donnelsville channery silt loam, 18 to 30 percent slopes			
Donnelsville	80	B-1	
		B-1	0.07

Selected Soil Interpretations--Clark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
DpF—Donnelsville-Rock outcrop complex, 30 to 70 percent slopes			
Donnelsville	70	B-2	
		B-2	0.08
Rock outcrop	15	Not rated	
Dr—Drummer silty clay loam, gravelly substratum			
Drummer	90	C-1	
		C-1	0.11
EmA—Eldean silt loam, 0 to 2 percent slopes			
Eldean	75	B-1	
		B-1	0.07
EmB—Eldean silt loam, 2 to 6 percent slopes			
Eldean	85	B-1	
		B-1	0.07
EmB2—Eldean silt loam, 2 to 6 percent slopes, eroded			
Eldean	75	B-1	
		B-1	0.07
EmC2—Eldean silt loam, 6 to 12 percent slopes, eroded			
Eldean	80	B-1	
		B-1	0.07
EnC2—Eldean-Casco complex, 6 to 12 percent slopes, eroded			
Eldean	50	B-1	
		B-1	0.07
Casco	30	B-1	
		B-1	0.07
EpB—Eldean-Miamian complex, 2 to 6 percent slopes			
Eldean	50	B-1	
		B-1	0.07
Miamian	35	A-1	
		A-1	0.01

Selected Soil Interpretations--Clark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EpB2—Eldean-Miamian complex, 2 to 6 percent slopes, eroded			
Eldean	50	B-1	
		B-1	0.07
Miamian	35	A-1	
		A-1	0.01
EpC2—Eldean-Miamian complex, 6 to 12 percent slopes, eroded			
Eldean	50	B-1	
		B-1	0.07
Miamian	35	A-1	
		A-1	0.01
EpC3—Eldean-Miamian complex, 6 to 12 percent slopes, severely eroded			
Eldean	50	B-1	
		B-1	0.07
Miamian	35	A-1	
		A-1	0.01
EpD2—Eldean-Miamian complex, 12 to 18 percent slopes, eroded			
Eldean	45	B-1	
		B-1	0.07
Miamian	40	A-1	
		A-1	0.01
EpD3—Eldean-Miamian complex, 12 to 18 percent slopes, severely eroded			
Eldean	45	B-1	
		B-1	0.07
Miamian	40	A-1	
		A-1	0.01
EpE2—Eldean-Miamian complex, 18 to 30 percent slopes, eroded			
Eldean	45	B-1	
		B-1	0.07
Miamian	40	Not assigned	

Selected Soil Interpretations--Clark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
EsE3—Eldean-Rodman complex, 18 to 30 percent slopes, severely eroded			
Eldean	45	B-1	
		B-1	0.07
Rodman	40	B-1	
		B-1	0.07
EuB—Eldean-Urban land complex, 2 to 6 percent slopes			
Eldean	45	Not assigned	
Urban land	40	Not rated	
EuC—Eldean-Urban land complex, 6 to 12 percent slopes			
Eldean	45	Not assigned	
Urban land	40	Not rated	
Ge—Genesee silt loam, till substratum, rarely flooded			
Genesee	100	A-1	
		A-1	0.01
Gn—Genesee silt loam, till substratum, occasionally flooded			
Genesee	75	A-5	
		A-5	0.05
IoA—Ionia silt loam, 0 to 2 percent slopes			
Ionia	95	A-1	
		A-1	0.01
Ko—Kokomo silty clay loam, 0 to 2 percent slopes			
Kokomo	90	C-1	
		C-1	0.11
LeB—Lewisburg-Celina silt loams, 2 to 6 percent slopes			
Lewisburg	50	A-1	
		A-1	0.01
Celina	30	A-6	
		A-6	0.06
Lg—Linwood muck, undrained			
Linwood	85	D-1	
		D-1	0.30

Selected Soil Interpretations--Clark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
Lh—Linwood mucky silt loam, drained			
Linwood	80	G-1	
		G-1	0.61
		D-1	0.30
		C-1	0.11
Lm—Lippincott mucky silt loam			
Lippincott	85	C-1	
		C-1	0.11
Lp—Lippincott silty clay loam			
Lippincott	80	C-1	
		C-1	0.11
Lu—Lippincott-Urban land complex			
Lippincott	50	Not assigned	
Urban land	35	Not rated	
MeB—Miamiian-Eldean silt loams, 2 to 6 percent slopes			
Miamian	50	A-1	
		A-1	0.01
Eldean	35	B-1	
		B-1	0.07
MeC2—Miamiian-Eldean silt loams, 6 to 12 percent slopes, eroded			
Miamian	60	A-1	
		A-1	0.01
Eldean	25	B-1	
		B-1	0.07
MfE2—Miamiian silt loam, 18 to 25 percent slopes, eroded			
Miamian	90	A-2	
		A-2	0.02
MgB2—Miamiian silty clay loam, limestone substratum, 2 to 6 percent slopes, eroded			
Miamian	85	A-1	
		A-1	0.01
MgC2—Miamiian silty clay loam, limestone substratum, 6 to 12 percent slopes, eroded			
Miamian	85	A-1	
		A-1	0.01

Selected Soil Interpretations--Clark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MgE2—Miamian silty clay loam, limestone substratum, 18 to 30 percent slopes, eroded			
Miamian	85	B-1	
		B-1	0.07
MhA—Miamian silt loam, 0 to 2 percent slopes			
Miamian	90	A-1	
		A-1	0.01
MhB—Miamian silt loam, 2 to 6 percent slopes			
Miamian	85	A-1	
		A-1	0.01
MhB2—Miamian silt loam, 2 to 6 percent slopes, eroded			
Miamian, eroded	85	A-1	
		A-1	0.01
MhC—Miamian silt loam, 6 to 12 percent slopes			
Miamian	85	A-1	
		A-1	0.01
MhC2—Miamian silt loam, 6 to 12 percent slopes, eroded			
Miamian	85	A-1	
		A-1	0.01
MhD2—Miamian silt loam, 12 to 18 percent slopes, eroded			
Miamian	85	A-1	
		A-1	0.01
MhE—Miamian silt loam, 18 to 30 percent slopes			
Miamian	90	Not assigned	
MhE2—Miamian silt loam, 18 to 30 percent slopes, eroded			
Miamian	85	Not assigned	
MkB2—Miamian silty clay loam, 2 to 6 percent slopes, eroded			
Miamian	85	A-1	
		A-1	0.01
MkC2—Miamian silty clay loam, 6 to 12 percent slopes, eroded			
Miamian	90	A-1	
		A-1	0.01

Selected Soil Interpretations--Clark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MkD2—Miamian silty clay loam, 12 to 18 percent slopes, eroded			
Miamian	85	A-1	
		A-1	0.01
MmC3—Miamian clay loam, shallow to dense till substratum, 6 to 12 percent slopes, severely eroded			
Miamian, severely eroded	90	B-1	
		B-1	0.07
MmD3—Miamian clay loam, 12 to 18 percent slopes, severely eroded			
Miamian	85	A-1	
		A-1	0.01
MmE3—Miamian clay loam, 18 to 30 percent slopes, severely eroded			
Miamian	85	Not assigned	
MnB—Miamian-Urban land complex, 2 to 6 percent slopes			
Miamian	50	Not assigned	
Urban land	45	Not rated	
MnC—Miamian-Urban land complex, 6 to 12 percent slopes			
Miamian	50	Not assigned	
Urban land	30	Not rated	
Mo—Milford silty clay loam, sandy substratum			
Milford	85	C-1	
		C-1	0.11
Ms—Millsdale silty clay loam			
Millsdale	80	C-2	
		C-2	0.12
MtA—Milton silt loam, 0 to 2 percent slopes			
Milton	85	F-1	
		F-1	0.51
MtB—Milton silt loam, 2 to 6 percent slopes			
Milton	85	F-1	
		F-1	0.51
MvC2—Milton silty clay loam, 6 to 12 percent slopes, eroded			
Milton	80	F-1	
		F-1	0.51

Selected Soil Interpretations--Clark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
MxB—Milton-Urban land complex, 2 to 6 percent slopes			
Milton	50	Not assigned	
Urban land	35	Not rated	
OcA—Ockley silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes			
Ockley	85	A-1	
		A-1	0.01
OcB—Ockley silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes			
Ockley	85	A-1	
		A-1	0.01
Pa—Patton silty clay loam			
Patton	85	C-1	
		C-1	0.11
Pg—Pits, gravel			
Pits, gravel	100	Not rated	
Ph—Pits, quarry			
Pits, quarry	100	Not rated	
PI—Pits, lime			
Pits	100	Not rated	
RaA—Randolph silt loam, 0 to 2 percent slopes			
Randolph	80	C-2	
		C-2	0.12
RgE—Rodman gravelly loam, 18 to 35 percent slopes			
Rodman	85	B-1	
		B-1	0.07
Rn—Ross silt loam, occasionally flooded			
Ross	75	A-5	
		A-5	0.05
Ro—Ross silty clay loam, rarely flooded			
Ross	85	A-1	
		A-1	0.01
RuA—Rush silt loam, 0 to 2 percent slopes			
Rush	80	A-6	
		A-6	0.06

Selected Soil Interpretations--Clark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ScA—Savona silt loam, 0 to 2 percent slopes			
Savona	85	C-1	
		C-1	0.11
Sh—Shoals silt loam			
Shoals	90	C-3	
		C-3	0.13
So—Sloan silt loam, sandy substratum, occasionally flooded			
Sloan	85	C-3	
		C-3	0.13
StB2—Strawn silty clay loam, 2 to 6 percent slopes, eroded			
Strawn	90	A-1	
		A-1	0.01
StC2—Strawn silty clay loam, 6 to 12 percent slopes, eroded			
Strawn	85	A-1	
		A-1	0.01
StD2—Strawn silty clay loam, 12 to 18 percent slopes, eroded			
Strawn	90	A-1	
		A-1	0.01
StE2—Strawn silty clay loam, 18 to 35 percent slopes, eroded			
Strawn	100	A-3	
		A-3	0.03
SuA—Strawn-Crosby complex, 0 to 2 percent slopes			
Strawn	55	A-1	
		A-1	0.01
Crosby	30	C-1	
		C-1	0.11
SuB—Strawn-Crosby complex, 2 to 6 percent slopes			
Strawn	55	A-1	
		A-1	0.01
Crosby	30	C-1	
		C-1	0.11

Selected Soil Interpretations--Clark County, Ohio			
Map symbol and soil name	Pct. of map unit	Grl - pasture and hayland sg (oh)	
		Rating class and limiting features	Value
ThA—Thackery silt loam, 0 to 2 percent slopes			
Thackery	85	A-6	
		A-6	0.06
Tr—Tremont silty clay loam, rarely flooded			
Tremont	80	A-6	
		A-6	0.06
Ts—Tremont silt loam, occasionally flooded			
Tremont	80	A-5	
		A-5	0.05
Ud—Udorthents, loamy			
Udorthents	90	Not rated	
Ur—Urban land			
Urban land	90	Not rated	
W—Water			
Water	100	Not rated	
Wc—Walkkill silt loam, occasionally flooded			
Walkkill	80	C-3	
		C-3	0.13
WdA—Warsaw loam, 0 to 2 percent slopes			
Warsaw	90	A-1	
		A-1	0.01
WeA—Warsaw silt loam, 0 to 3 percent slopes			
Warsaw	85	A-1	
		A-1	0.01
WfA—Warsaw silt loam, 0 to 2 percent slopes			
Warsaw	100	A-1	
		A-1	0.01
WpA—Waupecan silt loam, 0 to 2 percent slopes			
Waupecan	85	A-6	
		A-6	0.06
WrA—Waynetown silt loam, 0 to 2 percent slopes			
Waynetown	80	C-1	
		C-1	0.11
Wt—Westland silty clay loam			
Westland	90	C-1	
		C-1	0.11

Data Source Information

Soil Survey Area: Clark County, Ohio
Survey Area Data: Version 13, Sep 18, 2014