

Water Features

This table gives estimates of various soil water features. The estimates are used in land use planning that involves engineering considerations.

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

Surface runoff refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. The concept indicates relative runoff for very specific conditions. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are negligible, very low, low, medium, high, and very high.

The *months* in the table indicate the portion of the year in which a water table, ponding, and/or flooding is most likely to be a concern.

Water table refers to a saturated zone in the soil. The water features table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

Ponding is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

Flooding is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

Duration and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

Report—Water Features

Absence of an entry indicates that the data were not estimated. The dash indicates no documented presence.

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ad--Adrian muck, drained | | | | | | | | | | |
| Adrian | A/D | Very low | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ae--Adrian muck, undrained | | | | | | | | | | |
| Adrian | A/D | Negligible | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ca—Carlisle muck, drained | | | | | | | | | | |
| Carlisle | A/D | Very low | January | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | June | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | October | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | November | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|----------|-------------|-------------|---------------|-------------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Cb—Carlisle muck, undrained | | | | | | | | | | |
| Carlisle | A/D | Negligible | January | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | June | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | October | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | November | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| CcD2—Casco gravelly loam, 12 to 20 percent slopes, eroded | | | | | | | | | | |
| Casco | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CeA--Celina silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Celina | C | Medium | January | 2.0-3.5 | 2.5-4.0 | — | — | None | — | None |
| | | | February | 2.0-3.5 | 2.5-4.0 | — | — | None | — | None |
| | | | March | 2.0-3.5 | 2.5-4.0 | — | — | None | — | None |
| | | | April | 2.0-3.5 | 2.5-4.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CeB--Celina silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Celina | C/D | Medium | January | 1.5-2.5 | 2.0-3.2 | — | — | None | — | None |
| | | | February | 1.0-2.5 | 2.0-3.2 | — | — | None | — | None |
| | | | March | 1.0-2.5 | 2.0-3.2 | — | — | None | — | None |
| | | | April | 1.0-2.5 | 2.0-3.2 | — | — | None | — | None |
| | | | May | 1.5-3.2 | 2.0-3.2 | — | — | None | — | None |
| | | | June | 1.5-3.2 | 2.0-3.2 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | 1.5-3.2 | 2.0-3.2 | — | — | None | — | None |
| | | | November | 1.5-3.2 | 2.0-3.2 | — | — | None | — | None |
| | | | December | 1.5-2.5 | 2.0-3.2 | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| ChA--Celina-Strawn complex, 0 to 2 percent slopes | | | | | | | | | | |
| Celina | C | Medium | January | 2.0-3.5 | 2.5-4.0 | — | — | None | — | None |
| | | | February | 2.0-3.5 | 2.5-4.0 | — | — | None | — | None |
| | | | March | 2.0-3.5 | 2.5-4.0 | — | — | None | — | None |
| | | | April | 2.0-3.5 | 2.5-4.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Strawn | C | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| ChB--Celina-Strawn complex, 2 to 6 percent slopes | | | | | | | | | | |
| Celina | C | Medium | January | 2.0-3.5 | 2.5-4.0 | — | — | None | — | None |
| | | | February | 2.0-3.5 | 2.5-4.0 | — | — | None | — | None |
| | | | March | 2.0-3.5 | 2.5-4.0 | — | — | None | — | None |
| | | | April | 2.0-3.5 | 2.5-4.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Strawn | C | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CrA—Crosby silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes | | | | | | | | | | |
| Crosby | C/D | Medium | January | 0.5-2.0 | 2.0-3.5 | — | — | None | — | None |
| | | | February | 0.5-2.0 | 2.0-3.5 | — | — | None | — | None |
| | | | March | 0.5-2.0 | 2.0-3.5 | — | — | None | — | None |
| | | | April | 0.5-3.0 | 2.0-3.5 | — | — | None | — | None |
| | | | May | 1.5-3.0 | 2.0-3.5 | — | — | None | — | None |
| | | | June | 1.5-3.5 | 2.0-3.5 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | 1.5-3.5 | 2.0-3.5 | — | — | None | — | None |
| | | | November | 1.5-3.0 | 2.0-3.5 | — | — | None | — | None |
| | | | December | 0.5-3.0 | 2.0-3.5 | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CrB—Crosby silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes | | | | | | | | | | |
| Crosby | C/D | Medium | January | 0.5-2.0 | 2.0-3.5 | — | — | None | — | None |
| | | | February | 0.5-2.0 | 2.0-3.5 | — | — | None | — | None |
| | | | March | 0.5-2.0 | 2.0-3.5 | — | — | None | — | None |
| | | | April | 0.5-3.0 | 2.0-3.5 | — | — | None | — | None |
| | | | May | 1.5-3.0 | 2.0-3.5 | — | — | None | — | None |
| | | | June | 1.5-3.5 | 2.0-3.5 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | 1.5-3.5 | 2.0-3.5 | — | — | None | — | None |
| | | | November | 1.5-3.0 | 2.0-3.5 | — | — | None | — | None |
| | | | December | 0.5-3.0 | 2.0-3.5 | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CsA--Crosby-Lewisburg silt loams, 0 to 2 percent slopes | | | | | | | | | | |
| Crosby | D | High | January | 1.0-3.0 | >6.0 | — | — | None | — | None |
| | | | February | 1.0-3.0 | >6.0 | — | — | None | — | None |
| | | | March | 1.0-3.0 | >6.0 | — | — | None | — | None |
| | | | April | 1.0-3.0 | >6.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Lewisburg | C | Medium | January | 2.0-4.0 | 3.0-4.0 | — | — | None | — | None |
| | | | February | 2.0-4.0 | 3.0-4.0 | — | — | None | — | None |
| | | | March | 2.0-4.0 | 3.0-4.0 | — | — | None | — | None |
| | | | April | 2.0-4.0 | 3.0-4.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| CsB—Crosby-Lewisburg silt loams, 2 to 6 percent slopes | | | | | | | | | | |
| Crosby | D | High | January | 1.0-3.0 | >6.0 | — | — | None | — | None |
| | | | February | 1.0-3.0 | >6.0 | — | — | None | — | None |
| | | | March | 1.0-3.0 | >6.0 | — | — | None | — | None |
| | | | April | 1.0-3.0 | >6.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Lewisburg | C | Medium | January | 2.0-4.0 | 3.0-4.0 | — | — | None | — | None |
| | | | February | 2.0-4.0 | 3.0-4.0 | — | — | None | — | None |
| | | | March | 2.0-4.0 | 3.0-4.0 | — | — | None | — | None |
| | | | April | 2.0-4.0 | 3.0-4.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| DAM—Dam | | | | | | | | | | |
| Dam | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| DoE--Donnelsville channery silt loam, 18 to 30 percent slopes | | | | | | | | | | |
| Donnelsville | B | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| DpF--Donnelsville-Rock outcrop complex, 30 to 70 percent slopes | | | | | | | | | | |
| Donnelsville | B | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| Rock outcrop | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Dr--Drummer silty clay loam, gravelly substratum | | | | | | | | | | |
| Drummer | B/D | Low | January | — | — | — | — | — | — | None |
| | | | February | — | — | — | — | — | — | None |
| | | | March | 0.0-2.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-2.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | 0.0-2.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | June | 0.0-2.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EmA—Eldean silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Eldean | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EmB—Eldean silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Eldean | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EmB2—Eldean silt loam, 2 to 6 percent slopes, eroded | | | | | | | | | | |
| Eldean | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EmC2—Eldean silt loam, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Eldean | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EnC2—Eldean-Casco complex, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Eldean | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Casco | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EpB—Eldean-Miamian complex, 2 to 6 percent slopes | | | | | | | | | | |
| Eldean | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Miamian | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EpB2—Eldean-Miamian complex, 2 to 6 percent slopes, eroded | | | | | | | | | | |
| Eldean | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Miamian | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EpC2—Eldean-Miamian complex, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Eldean | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Miamian | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EpC3—Eldean-Miamian complex, 6 to 12 percent slopes, severely eroded | | | | | | | | | | |
| Eldean | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Miamian | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EpD2—Eldean-Miamian complex, 12 to 18 percent slopes, eroded | | | | | | | | | | |
| Eldean | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Miamian | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EpD3—Eldean-Miamian complex, 12 to 18 percent slopes, severely eroded | | | | | | | | | | |
| Eldean | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Miamian | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EpE2—Eldean-Miamian complex, 18 to 30 percent slopes, eroded | | | | | | | | | | |
| Eldean | B | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Miamian | C | Very high | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EsE3—Eldean-Rodman complex, 18 to 30 percent slopes, severely eroded | | | | | | | | | | |
| Eldean | B | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Rodman | A | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EuB—Eldean-Urban land complex, 2 to 6 percent slopes | | | | | | | | | | |
| Eldean | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| EuC—Eldean-Urban land complex, 6 to 12 percent slopes | | | | | | | | | | |
| Eldean | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ge—Genesee silt loam, till substratum, rarely flooded | | | | | | | | | | |
| Genesee | B | Low | January | 3.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Rare |
| | | | February | 3.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Rare |
| | | | March | 3.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Rare |
| | | | April | 3.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Rare |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Rare |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Gn—Genesee silt loam, till substratum, occasionally flooded | | | | | | | | | | |
| Genesee | B | Low | January | 3.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | February | 3.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | March | 3.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | April | 3.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Occasional |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| loA—Ionia silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Ionia | C | Low | January | 2.0-3.0 | >6.0 | — | — | None | — | None |
| | | | February | 2.0-3.0 | >6.0 | — | — | None | — | None |
| | | | March | 2.0-3.0 | >6.0 | — | — | None | — | None |
| | | | April | 2.0-3.0 | >6.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | 2.0-3.0 | >6.0 | — | — | None | — | None |
| | | | December | 2.0-3.0 | >6.0 | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|---------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ko—Kokomo silty clay loam, 0 to 2 percent slopes | | | | | | | | | | |
| Kokomo | C/D | Negligible | January | 0.0-0.5 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | February | 0.0-0.5 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | March | 0.0-0.5 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | April | 0.0-0.5 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | May | 0.0-0.5 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |
| | | | June | 4.0-5.0 | >6.0 | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 4.0-5.0 | >6.0 | — | — | — | — | None |
| | | | December | 0.0-0.5 | >6.0 | 0.0-1.0 | Long (7 to 30 days) | Frequent | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| LeB--Lewisburg-Celina silt loams, 2 to 6 percent slopes | | | | | | | | | | |
| Lewisburg | C | Medium | January | 2.0-4.0 | 3.0-4.0 | — | — | None | — | None |
| | | | February | 2.0-4.0 | 3.0-4.0 | — | — | None | — | None |
| | | | March | 2.0-4.0 | 3.0-4.0 | — | — | None | — | None |
| | | | April | 2.0-4.0 | 3.0-4.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Celina | C | Medium | January | 2.0-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | February | 2.0-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | March | 2.0-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | April | 2.0-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Lg—Linwood muck, undrained | | | | | | | | | | |
| Linwood | B/D | Negligible | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | June | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Lh--Linwood mucky silt loam, drained | | | | | | | | | | |
| Linwood | B/D | Negligible | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | June | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Lm—Lippincott mucky silt loam | | | | | | | | | | |
| Lippincott | B/D | Low | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Lp--Lippincott silty clay loam | | | | | | | | | | |
| Lippincott | B/D | Low | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Lu--Lippincott-Urban land complex | | | | | | | | | | |
| Lippincott | B/D | Low | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MeB--Miamiian-Eldean silt loams, 2 to 6 percent slopes | | | | | | | | | | |
| Miamian | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Eldean | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MeC2--Miamiian-Eldean silt loams, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Miamian | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Eldean | B | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MfE2--Miamian silt loam, 18 to 25 percent slopes, eroded | | | | | | | | | | |
| Miamian | C | Very high | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MgB2—Miamian silty clay loam, limestone substratum, 2 to 6 percent slopes, eroded | | | | | | | | | | |
| Miamian | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MgC2—Miamian silty clay loam, limestone substratum, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Miamian | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MgE2—Miamiian silty clay loam, limestone substratum, 18 to 30 percent slopes, eroded | | | | | | | | | | |
| Miamian | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MhA—Miamian silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Miamian | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MhB—Miamian silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Miamian | C | Medium | January | 2.5-3.0 | 2.5-3.3 | — | — | None | — | None |
| | | | February | 2.5-3.0 | 2.5-3.3 | — | — | None | — | None |
| | | | March | 2.5-3.0 | 2.5-3.3 | — | — | None | — | None |
| | | | April | 2.5-3.0 | 2.5-3.3 | — | — | None | — | None |
| | | | May | 2.5-3.0 | 2.5-3.3 | — | — | None | — | None |
| | | | June | 2.5-3.0 | 2.5-3.3 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | 2.5-3.0 | 2.5-3.3 | — | — | None | — | None |
| | | | November | 2.5-3.0 | 2.5-3.3 | — | — | None | — | None |
| | | | December | 2.0-3.0 | 2.5-3.3 | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MhB2--Miamian silt loam, 2 to 6 percent slopes, eroded | | | | | | | | | | |
| Miamian, eroded | C | Medium | January | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | February | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | March | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | April | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | May | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | June | 2.7-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | 2.7-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | November | 2.7-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | December | 2.7-3.5 | 3.0-4.0 | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MhC—Miamian silt loam, 6 to 12 percent slopes | | | | | | | | | | |
| Miamian | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MhC2—Miamiian silt loam, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Miamian | C | High | January | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | February | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | March | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | April | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | May | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MhD2—Miamiian silt loam, 12 to 18 percent slopes, eroded | | | | | | | | | | |
| Miamian | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MhE--Miamian silt loam, 18 to 30 percent slopes | | | | | | | | | | |
| Miamian | C | Very high | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MhE2—Miamian silt loam, 18 to 30 percent slopes, eroded | | | | | | | | | | |
| Miamian | C | Very high | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MkB2—Miamiian silty clay loam, 2 to 6 percent slopes, eroded | | | | | | | | | | |
| Miamian | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MkC2—Miamian silty clay loam, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Miamian | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MkD2--Miamian silty clay loam, 12 to 18 percent slopes, eroded | | | | | | | | | | |
| Miamian | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MmC3—Miamian clay loam, shallow to dense till substratum, 6 to 12 percent slopes, severely eroded | | | | | | | | | | |
| Miamian, severely eroded | D | High | January | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | February | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | March | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | April | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | May | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | June | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | November | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |
| | | | December | 2.5-3.5 | 3.0-4.0 | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MmD3—Miamian clay loam, 12 to 18 percent slopes, severely eroded | | | | | | | | | | |
| Miamian | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MmE3—Miamian clay loam, 18 to 30 percent slopes, severely eroded | | | | | | | | | | |
| Miamian | C | Very high | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MnB--Miamian-Urban land complex, 2 to 6 percent slopes | | | | | | | | | | |
| Miamian | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MnC--Miamian-Urban land complex, 6 to 12 percent slopes | | | | | | | | | | |
| Miamian | C | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Mo--Milford silty clay loam, sandy substratum | | | | | | | | | | |
| Milford | C/D | Medium | January | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | June | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ms—Millsdale silty clay loam | | | | | | | | | | |
| Millsdale | C/D | Medium | January | 0.0-1.0 | 2.0-3.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | 2.0-3.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | 2.0-3.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | 2.0-3.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | — | — | — | — | — | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MtA—Milton silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Milton | C | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MtB—Milton silt loam, 2 to 6 percent slopes | | | | | | | | | | |
| Milton | C | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MvC2—Milton silty clay loam, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Milton | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| MxB--Milton-Urban land complex, 2 to 6 percent slopes | | | | | | | | | | |
| Milton | C | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| OcA—Ockley silt loam, Southern Ohio Till Plain, 0 to 2 percent slopes | | | | | | | | | | |
| Ockley | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| OcB—Ockley silt loam, Southern Ohio Till Plain, 2 to 6 percent slopes | | | | | | | | | | |
| Ockley | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Pa—Patton silty clay loam | | | | | | | | | | |
| Patton | C/D | Low | January | — | — | — | — | — | — | None |
| | | | February | — | — | — | — | — | — | None |
| | | | March | 0.0-2.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-2.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | 0.0-2.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | June | 0.0-2.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |
| Pg—Pits, gravel | | | | | | | | | | |
| Pits, gravel | — | — | Jan-Dec | — | — | — | — | — | — | — |
| Ph—Pits, quarry | | | | | | | | | | |
| Pits, quarry | — | — | Jan-Dec | — | — | — | — | — | — | — |
| Pl—Pits, lime | | | | | | | | | | |
| Pits | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RaA—Randolph silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Randolph | C/D | Medium | January | 1.0-2.5 | 1.5-3.0 | — | — | None | — | None |
| | | | February | 1.0-2.5 | 1.5-3.0 | — | — | None | — | None |
| | | | March | 1.0-2.5 | 1.5-3.0 | — | — | None | — | None |
| | | | April | 1.0-2.5 | 1.5-3.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RgE--Rodman gravelly loam, 18 to 35 percent slopes | | | | | | | | | | |
| Rodman | A | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Rn—Ross silt loam, occasionally flooded | | | | | | | | | | |
| Ross | B | Low | January | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | February | 4.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | March | 4.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | April | 4.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Occasional |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ro--Ross silty clay loam, rarely flooded | | | | | | | | | | |
| Ross | B | Low | January | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | February | 4.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Rare |
| | | | March | 4.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Rare |
| | | | April | 4.0-6.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Rare |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | July | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | August | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | September | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | October | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Rare |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| RuA—Rush silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Rush | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| ScA—Savona silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Savona | B/D | Low | January | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | February | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | March | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | April | 1.0-2.5 | >6.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 1.0-2.5 | >6.0 | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Sh—Shoals silt loam | | | | | | | | | | |
| Shoals | B/D | Low | January | 0.0-1.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | February | 0.0-1.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | March | 0.0-1.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | April | 0.0-1.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | October | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Occasional |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| So—Sloan silt loam, sandy substratum, occasionally flooded | | | | | | | | | | |
| Sloan | B/D | Low | January | 0.0-1.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | February | 0.0-1.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | March | 0.0-1.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | April | 0.0-1.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | May | 0.0-1.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | June | 0.0-1.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | November | 0.0-1.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | December | 0.0-1.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| StB2—Strawn silty clay loam, 2 to 6 percent slopes, eroded | | | | | | | | | | |
| Strawn | C | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| StC2--Strawn silty clay loam, 6 to 12 percent slopes, eroded | | | | | | | | | | |
| Strawn | C | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| StD2--Strawn silty clay loam, 12 to 18 percent slopes, eroded | | | | | | | | | | |
| Strawn | D | High | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| StE2—Strawn silty clay loam, 18 to 35 percent slopes, eroded | | | | | | | | | | |
| Strawn | D | Very high | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SuA—Strawn-Crosby complex, 0 to 2 percent slopes | | | | | | | | | | |
| Strawn | D | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Crosby | D | High | January | 0.5-1.5 | 1.0-3.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 1.0-3.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 1.0-3.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 1.0-3.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 0.5-1.5 | 1.0-3.0 | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| SuB--Strawn-Crosby complex, 2 to 6 percent slopes | | | | | | | | | | |
| Strawn | D | Medium | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| | | | December | — | — | — | — | None | — | None |
| Crosby | D | High | January | 0.5-1.5 | 1.0-3.0 | — | — | None | — | None |
| | | | February | 0.5-1.5 | 1.0-3.0 | — | — | None | — | None |
| | | | March | 0.5-1.5 | 1.0-3.0 | — | — | None | — | None |
| | | | April | 0.5-1.5 | 1.0-3.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 0.5-1.5 | 1.0-3.0 | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| ThA—Thackery silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Thackery | C | Low | January | 2.0-3.5 | >6.0 | — | — | None | — | None |
| | | | February | 2.0-3.5 | >6.0 | — | — | None | — | None |
| | | | March | 2.0-3.5 | >6.0 | — | — | None | — | None |
| | | | April | 2.0-3.5 | >6.0 | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|---------------------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Tr--Tremont silty clay loam, rarely flooded | | | | | | | | | | |
| Tremont | C | Low | January | 1.5-3.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Rare |
| | | | February | 1.5-3.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Rare |
| | | | March | 1.5-3.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Rare |
| | | | April | 1.5-3.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Rare |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | July | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | August | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | September | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | October | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Rare |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Rare |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|----------|-------------|-------------|---------------|----------|-----------|---------------------|------------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ts—Tremont silt loam, occasionally flooded | | | | | | | | | | |
| Tremont | C | Low | January | 1.5-3.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | February | 1.5-3.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | March | 1.5-3.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | April | 1.5-3.0 | >6.0 | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | May | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | June | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | November | — | — | — | — | None | Brief (2 to 7 days) | Occasional |
| | | | December | — | — | — | — | None | Brief (2 to 7 days) | Occasional |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Ud—Udorthents, loamy | | | | | | | | | | |
| Udorthents | — | — | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | — | — | — | — | — | — | None |
| Ur—Urban land | | | | | | | | | | |
| Urban land | — | — | Jan-Dec | — | — | — | — | — | — | — |
| W—Water | | | | | | | | | | |
| Water | — | — | Jan-Dec | — | — | — | — | — | — | — |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------|-----------|-------------------------------|------------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Wc—Walkill silt loam, occasionally flooded | | | | | | | | | | |
| Walkill | B/D | Low | January | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | Very long (more than 30 days) | Occasional |
| | | | February | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | Very long (more than 30 days) | Occasional |
| | | | March | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | Very long (more than 30 days) | Occasional |
| | | | April | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | Very long (more than 30 days) | Occasional |
| | | | May | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | Very long (more than 30 days) | Occasional |
| | | | June | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | Very long (more than 30 days) | Occasional |
| | | | September | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | Very long (more than 30 days) | Occasional |
| | | | October | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | Very long (more than 30 days) | Occasional |
| | | | November | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | Very long (more than 30 days) | Occasional |
| | | | December | 0.0-1.0 | >6.0 | 0.0-0.5 | Very long (more than 30 days) | Frequent | Very long (more than 30 days) | Occasional |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WdA--Warsaw loam, 0 to 2 percent slopes | | | | | | | | | | |
| Warsaw | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WeA--Warsaw silt loam, 0 to 3 percent slopes | | | | | | | | | | |
| Warsaw | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WfA--Warsaw silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Warsaw | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|--|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WpA--Waupecan silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Waupecan | B | Low | January | — | — | — | — | None | — | None |
| | | | February | — | — | — | — | None | — | None |
| | | | March | — | — | — | — | None | — | None |
| | | | April | — | — | — | — | None | — | None |
| | | | May | — | — | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | — | — | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|---|------------------|----------------|-----------|-------------|-------------|---------------|----------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| WrA—Waynetown silt loam, 0 to 2 percent slopes | | | | | | | | | | |
| Waynetown | B/D | Low | January | 0.5-2.0 | >6.0 | — | — | None | — | None |
| | | | February | 0.5-2.0 | >6.0 | — | — | None | — | None |
| | | | March | 0.5-2.0 | >6.0 | — | — | None | — | None |
| | | | April | 0.5-2.0 | >6.0 | — | — | None | — | None |
| | | | May | 0.5-2.0 | >6.0 | — | — | None | — | None |
| | | | June | — | — | — | — | None | — | None |
| | | | July | — | — | — | — | None | — | None |
| | | | August | — | — | — | — | None | — | None |
| | | | September | — | — | — | — | None | — | None |
| | | | October | — | — | — | — | None | — | None |
| | | | November | — | — | — | — | None | — | None |
| | | | December | 0.5-2.0 | >6.0 | — | — | None | — | None |

| Water Features--Clark County, Ohio | | | | | | | | | | |
|------------------------------------|------------------|----------------|-----------|-------------|-------------|---------------|-------------------------------------|-----------|----------|-----------|
| Map unit symbol and soil name | Hydrologic group | Surface runoff | Month | Water table | | Ponding | | | Flooding | |
| | | | | Upper limit | Lower limit | Surface depth | Duration | Frequency | Duration | Frequency |
| | | | | <i>Ft</i> | <i>Ft</i> | <i>Ft</i> | | | | |
| Wt--Westland silty clay loam | | | | | | | | | | |
| Westland | B/D | Low | January | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | February | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | March | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | April | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | May | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |
| | | | June | — | — | — | — | — | — | None |
| | | | July | — | — | — | — | — | — | None |
| | | | August | — | — | — | — | — | — | None |
| | | | September | — | — | — | — | — | — | None |
| | | | October | — | — | — | — | — | — | None |
| | | | November | — | — | — | — | — | — | None |
| | | | December | 0.0-1.0 | >6.0 | 0.0-1.0 | Very long (more than 30 days) | Frequent | — | None |

Data Source Information

Soil Survey Area: Clark County, Ohio
Survey Area Data: Version 13, Sep 18, 2014